

Governor's November 2019 HABs Initiative

Harmful Algal Blooms (HABs) Initiative

Harmful Algal Blooms are a global phenomenon and have impacted lakes and beaches nationwide. New Jersey is taking proactive approaches to prevent HABs, develop treatments, enhance science and communicate risks.

2019 Confirmed and Investigated HAB Events by Municipality

Take Action to Prevent and Mitigate HABs

\$2.5 M in HAB/Lakes Management Grants

As an element of its nonpoint pollution grant funding, the New Jersey Department of Environmental Protection will issue a request for proposals for \$2.5 million in Lakes/HAB management matching grants, including for treatment and prevention projects. Grantees will be required to provide a 33% match to the State's investment resulting in a \$3.3 million investment in new projects to avoid/mitigate HABs.

\$1 M in Watershed Planning Grants

The DEP will make up to \$1 million of Watershed Nonpoint Source Grant funding available for planning and projects that reduce the nonpoint source pollution, including nutrients, that contribute to HABs in surface waters. A match will not be required but will improve the project ranking.

\$10 M in Principal Forgiveness

The DEP will offer \$1.0 million in principal forgiveness grants from Clean Water State Revolving Fund for half of the cost (up to \$2 million) per project of major infrastructure upgrades to reduce nutrient loading to waterbodies, including the major including to waterbodies.

Enhance Science and Build Capacity to Respond

Build an Expert Team

The DEP will establish an expert HAB and lakes management team to:

- · Evaluate and address prevention and mitigation strategies;
- . Develop New Jersey HABs and Lakes Management Guidance Materials; and
- . Provide local partners with technical assistance for development of local HAB action plans.

Science Agenda

- DEP will evaluate thresholds for different exposure pathways to cyanobacteria and toxins for humans and animals and establish guidance values for new toxins as needed.
- . DEP will research HABs and prepare to use new monitoring and lab testing tools.
- . DEP, in consultation with the expert panel, will build on existing efforts to develop a database of treatment technologies.

Build Statewide HAB Monitoring Program Capacity

DEP will pursue additional monitoring, laboratory testing and data management capacity both internally and with external partners to assess water quality conditions and sources that contribute to HABs and to inform HAB event response, prevention and treatment.

State of New Jersey • Department of Environmental Protection • @NewJerseyDEP



HAB Confirmed
HAB Investigated

Improve Communication

Regional nap Summis

DEP will host two regional summits (north and central/south) for the purpose of sharing and gathering information where experts, governmental officials, businesses and members of the public will gather to share information and expertise on treatment and mitigation of HABs.

Enhance Web Tools

- A new and improved HAB website, including updated scientific information.
- · A new interactive HAB mapping app.

Assist Local Governments

- Provide municipalities with compliance assistance to help with stormwater and septic discharges compliance.
- Investigate facilities surrounding waterbodies to ensure compliance with discharge permits and identify facilities that are not nermitted.
- Work with local government to map and maintain essential stormwater infrastructure.
- Assist locals to develop and implement long-term capital improvement plans to upgrade storm and sewer infrastructure.
- Help municipalities and local health agencies regarding risk communication and protection of ground water sources of potable water supply.



While at Lake Hopatcong, the DEP's Johannus Franken (Bureau of Freshwater and Biological Monitoring) and Commissioner Catherine R



(Division of Science and Research) counts cells at a DEP lab.



Report a HAB

To report what could be a HAB in a lake, pond, river, or stream, call the NJDEP Hotline at 1.877-WARNDEP (927-6337) or download the free WARN NJDEP mobile app from iTunes, Google Play or Windows Phone.









For more information, please visit the NJDEP Harmful Algal Blooms website: www.nj.gov/dep/hab/

State of New Jersey • Department of Environmental Protection • @NewJerseyDEP



Enhance Science & Build Capacity to Respond

- Evaluate thresholds and guidance values – cyanobacteria & toxins
- New monitoring and testing tools
- Build DEP & external capacity

 monitoring, lab testing &
 data management

Improve Communication

- Improve HAB website
- Build interactive HAB reporting tool

HAB Strategy Development and 2020 Revisions

 Interagency Workgroup - initiated Strategy development in 2016, released in 2017, reviewed and enhanced through 2020

 2020 Proposed Strategy revised by Interagency Workgroup and DEP HAB Task Force

- Workgroup
 - 7 DEP Programs
 - 2 DOH Programs
 - 1 NJDOA Program







- 4 Committees
 - Health Effects, Monitoring/Testing,
 Research and Communications





2020 HAB Strategy Development - External Input

 Greenwood Lake and Lake Hopatcong Commission Meetings (2)

 2 HAB Summits – Pequest Natural Resource Education Center & Rutgers EcoComplex

 2 NJ Water Monitoring Council HAB Technical Meetings



Guidance Levels -Cells count and 3 Toxins **New Toxins Evaluate notification/ advisory** tiers Enhance alignment of advisory tiers w/expected adverse health responses Use new 2017-2019 NJ **HAB** Database **Enhance communication** Develop interactive mapping & reporting system Advance monitoring, lab testing, research & data management **Enhance capacities** - all areas

Gov's HABs Initiative

Strategy Needs

Evaluate existing Advisory

2018/19 Strategy **Cell count** – 1 threshold >20,000 cells/mL **3 Toxins** >3μg/L Microcystins >8 ug/l Cylindrospermopsin >27 ug/l Anatoxin **2 tiers** – Warning (Suspected) Danger (Confirmed) Division/Bureau HAB website: Monitoring, Testing, Strategy, Advisory Signs, Outreach factsheets **HAB event reporting- Table** by municipality usually w/o data **Limited advanced monitoring tools** No DEP lab certification for Toxins No HAB database Capacities limited –internal & external

2020 Proposed Strategy

Cell Count – 3 thresholds >20,000, >40,000

Comprehensive DEP HAB website Expanded web presence -e.g. links to drinking water, prevention. New advisory signs.
HAB event reporting - Interactive mapping tool by site or waterbody w/data

Advanced monitoring tools included

DEP certification available for microcystins

HAB database developed (2017-2019)

Internal capacity enhancement?

External Capacities – NJ Water Monitoring

Council (NJWMC), CEHA, Watershed Assoc's

DVISORY GUIDANCE	LEVELS
AD	

→	

Gov's HABs Initiativ
Evaluate existing Advisor Guidance Levels – Cells count and 3 Toxins New Toxins
 Evaluate notification/ actions Enhance alignment of advisory tiers w/expendence adverse health response. Use new 2017-2019 HAB Database
 Enhance communication Develop interactive mapping & reporting system
 Advance monitoring, testing, research & commanagement Enhance capacities - areas

valuate existing Advisory
Strategy Needs
Gov's HABs Initiative

2018/19 Strategy

2020 Proposed Strategy

Cell Count – 3 thresholds >20,000, >40,000 (monitoring) and >80,000 cells/mL **Toxins** – Advisory toxin thresholds for toxins remain the same New Toxin in progress - Saxitoxin

5 tiers - Watch — Suspected and Confirmed-

Advisory - Cell Count, toxins

Warning - microcystins

Danger - microcystins

Cell Count, toxins

Alert – Cell Count (beach monitoring)

aluate notification/ advisory ers

- Enhance alignment of advisory tiers w/expected adverse health responses Use new 2017-2019 NJ
 - HAB Database
- **Enhance communication**
- Develop interactive mapping & reporting system

Advance monitoring, lab testing, research & data management

Enhance capacities - all areas

2 tiers – Warning (Suspected) Danger (Confirmed)

>8 ug/l Cylindrospermopsin

3 Toxins >3μg/L Microcystins

Cell count – 1 threshold

>20,000 cells/mL

>27 ug/l Anatoxin

Comprehensive DEP HAB website -

Expanded web presence -e.g. links to drinking water, prevention. New advisory signs. **HAB** event reporting - Interactive mapping

tool by site or waterbody w/data

Limited advanced monitoring tools No DEP lab certification for Toxins

Strategy, Advisory Signs, Outreach

Division/Bureau HAB website:

HAB event reporting- Table by

municipality usually w/o data

Monitoring, Testing,

factsheets

No HAB database

Capacities limited –internal & external

Advanced monitoring tools included **DEP certification available** for microcystins HAB database developed (2017-2019) **Internal capacity** enhancement? **External Capacities** – NJ Water Monitoring Council (NJWMC), CEHA, Watershed Assoc's

Reminder: Why Cyanobacterial Cell ID's & Densities Are Important

- Harmful algal bloom definition generally ≥ 20,000 cyanobacterial cells per milliliter (ml)
- Blooms are variable can begin producing toxins when not previously & dominant HAB species can change
- Individuals may have different sensitivities to exposures to cells
- Exposure to cells (without toxins) can cause skin rashes, eye and ear irritation, mouth ulcers, vomiting and diarrhea, and fever
- Such symptoms can be of concern, particularly when they occur in children.

Cyanobacterial Cell Counts

Cell Count (cells/ml)	Observation	Citation
≥ 5,000	Increased risk of mild irritative and allergenic effects.	Pilotto et al., 1997; cited by WHO (2003)
≥ 20,000	 Defined as a bloom. WHO guideline for irritative and allergenic effects. 	USGS/Loftin et al. (2008)WHO (2003)
≥ 80,000	Increased probability of microcystin concentration > $3 \mu g/L$ (NJDEP guidance level)	BFBM and DSR analyses of NJ data

Review of Basis of Cyanotoxin Reference Doses Division of Science and Research


- Newer studies provide additional support for the microcystin and cylindrospermopsin Reference Doses. No new studies for anatoxin-a.
- No revision to current DEP Reference Doses or Recreational Advisories

Cyanotoxin	NJDEP Reference Dose (μg/kg/day)	NJDEP Criterion (μg/L)
Microcystin-LR	0.01	3
Cylindrospermopsin	0.03	8
Anatoxin-a	0.1	27
Saxitoxin	underway	underway


Tiered Microcystin Threshold Values

	Recreational Threshold Values		
Advisory	3 μg/L		
	20 μg/L (new)		
Warning (new)	 California and Ohio "Danger" level; New York – "Confirmed with High Toxins Bloom" WHO states that adult dose could be close to WHO TDI (Tolerable Daily Intake) and child dose could be 10-times WHO TDI. 		
	• USEPA (based on WHO) – "high relative probability of acute health effects."		
	2,000 μg/L		
	• Kansas and Utah "Danger" level.		
Danger	• Child dose would be ~750 times the NJ Reference Dose and only ~5 times < dose causing		
(new)	toxicity in animal studies.		
	 USEPA (based on WHO) – "very high relative probability of acute health effects." Based on USEPA screening analysis – Daily inhalation dose near a lake with 2,000 μg/L estimated as several-fold higher than NJDEP Reference Dose. 		

	Gov's HABs Initiative Strategy Needs	2018/19 Strategy	2020 Proposed Strategy
	Evaluate existing Advisory Guidance Levels – Cells count and 3 Toxins New Toxins	Cell count – 1 threshold ≥20,000 cells/mL 3 Toxins >3μg/L Microcystins >8 ug/l Cylindrospermopsin >27 ug/l Anatoxin	Cell Count − 3 thresholds ≥20,000, ≥40,000 (monitoring) and ≥80,000 cells/mL Toxins − Advisory toxin thresholds for toxins remain the same New Toxin in progress - Saxitoxin
	 Evaluate notification/ advisory tiers Enhance alignment of advisory tiers w/expected adverse health responses Use new 2017-2019 NJ HAB Database 	2 tiers – Warning (Suspected) Danger (Confirmed)	5 tiers - Watch — Suspected and Confirmed- Cell Count, toxins Alert — Cell Count (beach monitoring) Advisory — Cell Count, toxins Warning - microcystins Danger - microcystins
	 Enhance communication Develop interactive mapping & reporting system 	Division/Bureau HAB website: Monitoring, Testing, Strategy, Advisory Signs, Outreach factsheets HAB event reporting- Table by municipality usually w/o data	Comprehensive DEP HAB website - Expanded web presence -e.g. links to drinking water, prevention. New advisory signs. HAB event reporting - Interactive mapping tool by site or waterbody w/data
	 Advance monitoring, lab testing, research & data management Enhance capacities - all areas 	Limited advanced monitoring tools No DEP lab certification for Toxins No HAB database Capacities limited –internal & external	Advanced monitoring tools included DEP certification available for microcystins HAB database developed (2017-2019) Internal capacity enhancement? External Capacities – NJ Water Monitoring Council (NJWMC), CEHA, Watershed Assoc's








HAB Event Summary - 2019


- 35 Waterbodies with confirmed HABs/ 74 responses to suspected HAB reports
- **25 Bathing Beaches** (in season) at 6 waterbodies
 - 18 at Lake Hopatcong
 - 3 at Greenwood Lake
 - 4 other lakes
 - 17% of waterbodiesw/confirmed HABs
- 4 Drinking Water Sources
 - 11% of waterbodies w/confirmed HABs
 - Spruce Run, Canistear, Manasquan and Monksville



Spruce Run


- 1) Beach
- 2) Boat Launch
- 3) Watershed Office
- 4) Tower
- 5) Spillway
- 6) Campground

Percent of Cyanobacteria Bloom Response Samples Exceeding 3ug/l of Microcystins Toxin 2017-2019 Data




Sample # = 935

■ % of samples> = 3ug/l microcystin toxin





Relationship of Cell Counts to Microcystins









2020 HAB ALERT TIERS

HAB ALERT LEVEL	CRITERIA	RECOMMENDATIONS
NONE	No HAB present or reported.	None
WATCH Suspected or confirmed HAB with potential for allergenic and irritative health effects	Suspected HAB based on visual assessment or screening test OR Lab confirmed cell counts between 20k – 40k cells/mL AND No known toxins above public health thresholds	Public Bathing Beaches Open (dependent upon local health authority evaluation and assessment) Waterbody Accessible: > Use caution during primary contact (e.g. swimming) and secondary (e.g. non-contact boating) recreational activities Do not ingest water (people/pets/livestock) Do not consume fish
ALERT Confirmed HAB that requires greater observation due to increasing potential for toxin production PUBLIC BATHING BEACHES INCREASE MONITORING	Lab confirmed cell counts between 40k – 80k cells/mL <u>AND</u> No known toxins above public health threshold	WATCH remains in effect. Public Bathing Beaches Open (dependent upon local health authority evaluation and assessment) and should observe and report changing bloom conditions Waterbody Accessible: > Use caution during primary contact (e.g. swimming) and secondary (e.g. non-contact boating) recreational activities Do not ingest water (people/pets/livestock) Do not consume fish
ADVISORY Confirmed HAB with moderate risk of adverse health effects and increased potential for toxins above public health thresholds	Lab testing for toxins exceeds public health thresholds <u>OR</u> Lab confirmed cell counts above 80K cells/mL <u>OR</u> Field measurement evidence indicating HAB present and above guidance thresholds (e.g. phycocyanin readings)	Public Bathing Beaches Closed Waterbody Remains Accessible: Avoid primary contact recreation (e.g. swimming) Use caution for secondary contact recreation (e.g. boating without water contact) Do not ingest water (people/pets/livestock) Do not consume fish
WARNING Confirmed HAB with <u>high risk</u> of adverse health effects due to high toxin levels	Toxin (microcystin) 20 - 2000 µg/l AND/OR Additional evidence, including, expanding bloom, increasing toxin levels (i.e. duration, spatial extent or negative human or animal health impacts) indicates that additional recommendations are warranted	Public Bathing Beaches Closed Waterbody Remains Accessible: Avoid primary contact recreation (e.g. swimming) May recommend against secondary contact recreation (e.g. boating without water contact) with additional evidence Do not ingest water (people/pets/livestock) Do not consume fish
DANGER Confirmed HAB with <u>very high risk</u> of adverse health effects due to very high toxin levels	Toxin (microcystin) > 2000 µg/l AND/OR Additional evidence, including, expanding bloom, increasing toxin levels (i.e. duration, spatial extent or negative human or animal health impacts) indicates that additional recommendations are warranted	Closure of Public Bathing Beaches Possible closure of all or portions of waterbody and possible restrictions access to shoreline. Avoid primary contact recreation (e.g. swimming) May recommend against secondary contact recreation with additional evidence Do not ingest water (people/pets/livestock) Do not consume fish

Beach monitoring tier

WATCH

HAB Alert Level	Criteria	Recommendations
Suspected or confirmed HAB with potential for allergenic or irritative health effects	Suspected HAB based on visual assessment or screening test OR Lab confirmed cell counts between 20K-40K cells/mL AND No known toxins above public health thresholds	Public Bathing Beaches open (dependent upon local health authority evaluation and assessment) Waterbody Accessible: ➤ Use caution during primary contact (e.g., swimming) and secondary (e.g., no contact boating) recreational activities Do not ingest water (people/pets/livestock) Do not consume fish

ALERT (Beach Monitoring Tier)

HAB Alert Level	Criteria	Recommendations
ALERT	Lab confirmed cell counts between 40K-80K cells/mL	WATCH remains in effect
Confirmed HAB that requires greater		Public Bathing Beaches open
observation due to increasing	<u>AND</u>	(dependent upon local health
potential for toxin production		authority evaluation and assessment)
	No known toxins above public health	and should observe and report
PUBLIC BATHING BEACHES- INCREASE MONITORING	threshold	changing bloom conditions
		Waterbody Accessible:
		Use caution during primary
		contact (e.g., swimming) and
		secondary (e.g., no contact
		boating) recreational activities
		Do not ingest water
		(people/pets/livestock)
		Do not consume fish

ADVISORY

HAB Alert Level	Criteria	Recommendations
ADVISORY Confirmed HAB with moderate risk	Lab testing for toxins exceeds public health thresholds OR	Public Bathing Beaches closed Waterbody Remains Accessible:
of adverse health effects and increased potential for toxins above public health thresholds	Lab confirmed cell counts above 80K cells/mL <u>OR</u>	 Avoid primary contact (e.g., swimming) Use caution for secondary contact
	Field measurement evidence indicating HAB present and above guidance thresholds (e.g.,	recreation (e.g., boating without water contact)
	phycocyanin readings)	Do not ingest water (people/pets/livestock)
		Do not consume fish

WARNING

HAB Alert Level	Criteria	Recommendations
WARNING	Toxin (microcystin) 20-2000 μg/L	Public Bathing Beaches closed
Confirmed HAB with high risk of adverse health effects due to high toxin levels	Additional evidence including expanding bloom, increasing toxin levels (i.e., duration, spatial extent or negative human or animal health impacts) indicates that additional recommendations are warranted	Waterbody Remains Accessible: Avoid primary contact (e.g., swimming) May recommend against secondary contact recreation (e.g., boating without water contact) with additional evidence Do not ingest water (people/pets/livestock) Do not consume fish

DANGER

HAB Alert Level	Criteria	Recommendations
DANGER	Toxin (microcystin) >2000 μg/L	Closure of Public Bathing Beaches
ехр	AND/OR Additional evidence including expanding bloom, increasing toxin evels (i.e., duration, spatial extent or	Possible closure of all or portions of waterbody and possible restrictions of access to shoreline
	negative human or animal health impacts) indicates that additional recommendations are warranted	Avoid primary contact recreation (e.g., swimming)
		May recommend against secondary contact recreation with additional evidence
		Do not ingest water (people/pets/livestock)
		Do not consume fish

COMMUNICATION	
---------------	--

	Gov's HABs Initiative Strategy Needs	2018/19 Strategy	2020 Proposed Strategy
	Evaluate existing Advisory Guidance Levels – Cells count and 3 Toxins New Toxins	Cell count – 1 threshold ≥20,000 cells/mL 3 Toxins >3μg/L Microcystins >8 ug/l Cylindrospermopsin >27 ug/l Anatoxin	Cell Count − 3 thresholds ≥20,000, ≥40,000 (monitoring) and ≥80,000 cells/mL Toxins − Advisory toxin thresholds for toxins remain the same New Toxin in progress - Saxitoxin
	 Evaluate notification/ advisory tiers Enhance alignment of advisory tiers w/expected adverse health responses Use new 2017-2019 NJ HAB Database 	2 tiers – Warning (Suspected) Danger (Confirmed)	5 tiers - Watch — Suspected and Confirmed- Cell Count, toxins Alert — Cell Count (beach monitoring) Advisory — Cell Count, toxins Warning - microcystins Danger - microcystins
	 Enhance communication Develop interactive mapping & reporting system 	Division/Bureau HAB website: Monitoring, Testing, Strategy, Advisory Signs, Outreach factsheets HAB event reporting- Table by municipality usually w/o data	Comprehensive DEP HAB website - Expanded web presence -e.g. links to drinking water, prevention. New advisory signs. HAB event reporting - Interactive mapping tool by site or waterbody w/data
	 Advance monitoring, lab testing, research & data management Enhance capacities - all areas 	Limited advanced monitoring tools No DEP lab certification for Toxins No HAB database Capacities limited —internal & external	Advanced monitoring tools included DEP certification available for microcystins HAB database developed (2017-2019) Internal capacity enhancement? External Capacities – NJ Water Monitoring Council (NJWMC), CEHA, Watershed Assoc's

2018/2019 Advisory Signs





Proposed 2020 Advisory Signs*



- >20,000-80,000 cells/ml AND
- Toxins below thresholds
- Beaches open (dependent upon Local Health Authority)
- <u>></u>80,000 cells/ml OR



- >3 μg/L (microcystins)
- >8 μg/L (cylindrospermopsins)
- >27 μg/L (anatoxin-a)
- Beaches closed
- Advice on primary recreation (e.g., Swimming, kayaking)





Proposed 2020 Advisory Signs (cont)

- 20-2000 μg/L (microcystins)
- Beaches closed
- May include advice on secondary recreation - boating/fishing

- >2000 μg/L (microcystins)
- Beaches closed
- Access to portions of or entire waterbody may be prohibited

BEACH CLOSED PLAYA CERRADA

HARMFUL ALGAE BLOOM (HAB)

No Swimming • No Wading

FLORACIONES DE ALGAS NOCIVAS No nadar • No vadear

Contact can make people and animals sick.

El contacto puede enfermar a personas y animales.










HAB Interactive Mapping and Communication System (reporting system, searchable map, data, alerts...)



Evaluate existing Advisory Guidance Levels -Cells count and 3 Toxins **New Toxins** tiers **Enhance communication** system areas

Gov's HABs Initiative Strategy Needs

2018/19 Strategy

2020 Proposed Strategy

Cell count – 1 threshold >20,000 cells/mL

3 Toxins >3μg/L Microcystins >8 ug/l Cylindrospermopsin >27 ug/l Anatoxin

2 tiers – Warning (Suspected)

Danger (Confirmed)

Cell Count – 3 thresholds >20,000, >40,000 (monitoring) and >80,000 cells/mL **Toxins** – Advisory toxin thresholds for toxins remain the same New Toxin in progress - Saxitoxin

5 tiers - Watch — Suspected and Confirmed-

Cell Count, toxins

Evaluate notification/ advisory

- Enhance alignment of advisory tiers w/expected adverse health responses
 - Use new 2017-2019 NJ **HAB** Database

Division/Bureau HAB website:

Develop interactive Monitoring, Testing, mapping & reporting Strategy, **Advisory Signs**, Outreach factsheets

> **HAB event reporting- Table** by municipality usually w/o data

- Advance monitoring, lab **Limited advanced monitoring tools** testing, research & data No DEP lab certification for Toxins No HAB database
- management **Enhance capacities -** all Capacities limited –internal & external

Alert – Cell Count (beach monitoring) Advisory - Cell Count, toxins Warning - microcystins Danger - microcystins

Comprehensive DEP HAB website -

Expanded web presence -e.g. links to drinking water, prevention. New advisory signs.

HAB event reporting - Interactive mapping tool by site or waterbody w/data

Advanced monitoring tools included **DEP certification available** for microcystins

HAB database developed (2017-2019) **Internal capacity** enhancement?


External Capacities – NJ Water Monitoring Council (NJWMC), CEHA, Watershed Assoc's **DEP Use of Advanced Technology for HABs Monitoring & Testing**



Hand-held phycocyanin meters

qPCR – molecular testing for toxin production potential





2019 🗸 7 🗸 24 🗸

Summary of Key 2020 Proposed Strategy Revisions

- Data and science-driven enhancements with interested party and public input
- Five alert tiers (one monitoring tier) vs two tiers
- Better alignment between advisory tiers and potential adverse health risks, including increased focus on toxins
- Improved communication through:
 - Clearer signs, including activities that are ok to do (e.g., boating)
 - Interactive mapping tool
- Enhanced application of advanced monitoring tools