2006 Honda Accord Sdn

CM6636JW LXV6 AT

Photo may not represent exact vehicle or selected equipment.

TABLE OF CONTENTS

TABLE OF CONTENTS - 2006 CM6636JW LXV6 AT

Selected Model & Options Standard Equipment Weight Rating Color Availability Warranty Information Technical Specifications

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 4:49:37 PM

Page 2

VEHICLE DETAILS

SELECTED MODEL - 2006 CM6636JW LXV6 AT

<u>Code</u> <u>Description</u>

CM6636JW 2006 Honda Accord Sdn LXV6 AT

SELECTED VEHICLE COLORS - 2006 CM6636JW LXV6 AT

<u>Code</u>	Description
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2006 CM6636JW LXV6 AT

Code	<u>Description</u>	Front Wt	Rear Wt
	FRONT ALL-SEASON FLOOR MATS	0.00	0.00
	STANDARD PAINT	0.00	0.00
	REAR ALL-SEASON FLOOR MATS	0.00	0.00
OPTIONS TOT	AL	0	0

Total Weight

As spec'd curb weight

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 4:49:37 PM

Page 3

VEHICLE DETAILS

STANDARD EQUIPMENT - 2006 CM6636JW LXV6 AT

EPA FUEL ECONOMY RATINGS

• City 20/hwy 29 (3.0L engine/5-speed auto trans)

EXTERIOR

- Pwr moonroof w/tilt feature
- Body-color impact-absorbing bumpers
- Body-color body side moldings
- Body-color door handles
- Chrome window trim
- Multi-reflector halogen headlamps w/auto-off
- LED tail lights
- Daytime running lights
- Body-color pwr heated mirrors
- Variable intermittent windshield wipers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 4:49:37 PM

Page 4

VEHICLE DETAILS

STANDARD EQUIPMENT - 2006 CM6636JW LXV6 AT

INTERIOR

- Front bucket seats-inc: 8-way pwr driver seat
- Fold down rear seatback w/lock
- Floor mats
- Center console w/sliding armrest, storage compartment
- Fold down rear seat center armrest w/lockable trunk pass-through
- (8) front/rear beverage holders
- Illuminated steering wheel-mounted audio & cruise controls
- Tilt/telescoping steering column
- Gray backlit gauges-inc: tachometer
- Digital odometer & (2) trip meters
- Indicator lights-inc: maintenance interval, trunk/door-open, oil, brake fluid, fuel/coolant temp, passenger side airbag shut-off, vehicle stability assist
- Pwr windows w/auto-up/down driver window
- Pwr door locks
- · Remote keyless entry w/pwr window control
- Cruise control
- Pwr remote trunk release w/lock
- Remote fuel filler door release
- Security system
- Air conditioning w/micron filtration
- Rear window defroster
- AM/FM stereo w/6-disc in-dash CD changer-inc: (6) speakers, 120-watt
- Lockable glove box w/light
- Coin box
- (2) 12V pwr outlets

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 4:49:37 PM

Page 5

VEHICLE DETAILS

STANDARD EQUIPMENT - 2006 CM6636JW LXV6 AT

- Front/rear side door pockets w/integrated beverage holder
- Sunglasses holder
- Illuminated vanity mirrors
- Map lights
- Cargo area lights

MECHANICAL

- 3.0L SOHC MPFI 24-valve VTEC V6 engine
- Drive-by-wire throttle system
- 5-speed automatic transmission w/OD
- Vehicle stability assist (VSA) w/traction control
- Front wheel drive
- Electronic ignition w/immobilizer theft-deterrent system
- Double wishbone front suspension
- Five-link double wishbone rear suspension
- Front/rear stabilizer bars
- P215/50VR17 all-season tires
- 17" alloy wheels
- Variable-assist pwr rack & pinion steering
- Pwr ventilated front/solid rear disc brakes
- Anti-lock braking system (ABS) w/electronic brake distribution (EBD)
- Brake assist
- 17.1 gallon fuel tank
- Chrome dual exhaust finisher

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 4:49:37 PM

Page 6

VEHICLE DETAILS

STANDARD EQUIPMENT - 2006 CM6636JW LXV6 AT

SAFETY

- Anti-lock braking system (ABS) w/electronic brake distribution (EBD)
- Brake assist
- Driver & front passenger dual-stage airbags (SRS)
- Driver & front passenger side-impact airbags w/passenger side occupant position detection system (OPDS)
- Front/rear side curtain airbags
- Front 3-point seat belts w/adjustable shoulder anchors, automatic tensioning
- Rear 3-point seat belts
- Rear child safety door locks
- Rear center child seat tether anchor
- Outboard lower anchors & tethers for children (LATCH)
- Emergency trunk release
- Vehicle stability assist (VSA) w/traction control
- Side-impact door beams
- Daytime running lights

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 4:49:37 PM

Page 7

VEHICLE DETAILS

WEIGHT RATINGS - 2006 CM6636JW LXV6 AT

Front Gross Axle Weight Rating: Rear Gross Axle Weight Rating: Gross Vehicle Weight Rating:

0

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 4:49:37 PM

Page 8

COLOR AVAILABILITY

COLOR CHART - 2006 CM6636JW LXV6 AT EXTERIOR INTERIOR lvry Blck Gray (IV) (BK) (GR) Alabaster Silver Metallic (SI) Х Taffeta White (WH) Х Royal Blue Pearl (BL) Х Desert Mist Metallic (BE) Х Nighthawk Black Pearl (BK) Х Graphite Pearl (GY) Х Redondo Red Pearl (RE) Х

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 4:49:37 PM

Page 9

WARRANTY INFORMATION

WARRANTY INFORMATION - 2006 CM6636JW LXV6 AT

WARRANTY Basic: 3 Years/36,000 Miles Drivetrain: 3 Years/36,000 Miles Corrosion: 5 Years/50,000 Miles

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 4:49:37 PM

Page 10

TECHNICAL SPECIFICATIONS

POWERTRAIN - BASIC SPECIFICATIONS - 2006 CM6636JW LXV6 AT

ENGINE	
Engine Order Code	
Engine Type	Gas V6
Displacement	3.0L/183 CID
SAE Net Horsepower @ RPM	244 @ 6244
SAE Net Torque (lb ft) @ RPM	211 @ 5000
TRANSMISSION	
Transmission order code	
Transmission Type Description	* 5-Speed Automatic w/OD
Drive Train	Front Wheel Drive
MILEAGE	
City EPA fuel economy estimate	20.00
Hwy EPA fuel economy estimate	29.00
City cruising range	342.00
Hwy cruising range	495.90
* Indicates againment which is in addition to an replaces b	and modelle standard aguinment

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 4:49:37 PM

Page 11

TECHNICAL SPECIFICATIONS

POWERTRAIN - ADVANCED SPECIFICATIONS - 2	2006 CM6636JW LXV6 AT
---	-----------------------

TRANSMISSION	
Gear Ratio (:1)	
First Gear Ratio (:1)	2.56
Second Gear Ratio (:1)	1.55
Third Gear Ratio (:1)	1.02
Fourth Gear Rato (:1)	0.73
Fifth Gear Ratio (:1)	0.52
Reverse Ratio (:1)	1.85
Clutch size (in)	
Final Drive Axle Ratio (:1)	4.43
ELECTRICAL	
Battery	1
Battery cold cranking Amps @ 0 F	- TBD -
Alternator	
Alternator Amps	100.00
COOLING SYSTEM	
Cooling system capacity	8.90

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 4:49:37 PM

Page 12

TECHNICAL SPECIFICATIONS

PAYLOAD/TRAILERING SPECIFICATIONS - 2006 CM6636JW LXV6 AT

WEIGHT INFORMATION

Base curb weight

3,415.00

Max Trailer Wt. Max Tongue Load

TRAILERING

Dead Weight Hitch (lb) Weight Distributing Hitch (lb)

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 4:49:37 PM

Page 13

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - 2006 CM6636JW LXV6 AT

SUSPENSION	Front	Rear	
Suspension Type	Double Wishbone	Five-Link	
Suspension Type (cont.)		Double Wishbone	
Shock Absorber Diameter (mm)	- TBD -	- TBD -	
Stabilizer Bar Diameter (in)	1.00	0.55	
BRAKES			
Brake type	Pwr		
ABS System	4-Wheel		
	Front	Rear	
Disc	Yes	Yes	
Rotor Diam x Thickness (in)	11.1 x - TBD -	10.2 x - TBD -	
Drum			
Drum Diam x Width (in)			
TIRES	Front	Rear	Spare
Tire Order Code			-
Tire Size	P215/50VR17	P215/50VR17	- TBD -
WHEELS	Front	Rear	Spare
Wheel Size	17 x - TBD -	17 x - TBD -	- TBD -
Wheel Type	Alloy	Alloy	- TBD -
STEERING			
Steering type	Pwr Rack & Pinion		
Ratio (:1)			
Overall	15.00		
Lock-to-Lock Turns	2.75		
Turning Diameter			
Curb-to-Curb	39.60		
Wall-to-Wall	- TBD -		
FUEL TANK	Main		
Capacity	17.10		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 4:49:37 PM

Page 14

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - 2006 CM6636JW LXV6 AT

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 4:49:37 PM

Page 15

TECHNICAL SPECIFICATIONS

EXTERIOR DIMENSIONS		
Wheelbase (in)	107.90	
Length, Overall (in)	191.10	
Width, Max w/o mirrors (in)	71.60	
Height, Overall (in)	57.30	
Tread Width		
Tread Width, Front	61.1	
Tread Width, Rear	61.2	
Min Ground Clearance (in)	- TBD -	
CARGO AREA DIMENSIONS		
Liftover Height (in)	- TBD -	
Trunk Volume	14.0	
NTERIOR DIMENSIONS		
Passenger Capacity	5	
Passenger Volume (ft3)	97.70	
EPA Classification	Midsize	
Seating Position	Front	Second
Head Room (in)	38.30	36.80
Leg Room (in)	42.60	36.80
Shoulder Room (in)	56.90	56.10
Hip Room (in)	54.60	53.50

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 4:49:37 PM

Page 16