# **2006 Pontiac Grand Prix**

2WP69 4dr Sdn

Photo may not represent exact vehicle or selected equipment.

# TABLE OF CONTENTS

TABLE OF CONTENTS - 2006 2WP69 4dr Sdn

Selected Model & Options Standard Equipment Weight Rating Color Availability Warranty Information Technical Specifications

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 5:45:49 PM

Page 2

### **VEHICLE DETAILS**

#### SELECTED MODEL - 2006 2WP69 4dr Sdn

#### Code Description

2WP69 2006 Pontiac Grand Prix 4dr Sdn

#### SELECTED VEHICLE COLORS - 2006 2WP69 4dr Sdn

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

#### SELECTED OPTIONS - 2006 2WP69 4dr Sdn

<u>Code</u>	Description	Front Wt	Rear Wt
B	CLOTH SEAT TRIM (STD)	0.00	0.00
AR9	SEATS, FRONT BUCKET, WITH PASSENGER SIDE MAP POCKET (STD)	0.00	0.00
B34	FLOORMATS, CARPETED, FRONT AND REAR	0.00	0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	0.00	0.00
L26	ENGINE, 3.8L 3800 SERIES III V6 SFI, WITH ELECTRONIC THROTTLE CONTROL (200 HP [149.2 kW] @ 5200 rpm, 230 lbft. [310.5 N-m] @ 4000 rpm) (STD)	0.00	0.00
MX0	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE (STD)	0.00	0.00
QB5	WHEELS, 16" (40.6 CM) BLACK PAINTED STEEL, WITH BOLT-ON WHEEL COVERS (Requires a Fleet or Government order type.) *CREDIT*	0.00	0.00
QNX	TIRES, P225/60R16, TOURING, BLACKWALL (STD)	0.00	0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 5:45:49 PM

Page 3

### **VEHICLE DETAILS**

#### SELECTED OPTIONS - 2006 2WP69 4dr Sdn

<u>Code</u>	Description	Front Wt	Rear Wt
R6M	NEW JERSEY COST SURCHARGE *Required on all vehicles to be registered in New Jersey*	0.00	0.00
U1P	SOUND SYSTEM, ETR AM/FM STEREO WITH CD PLAYER, includes Radio Data System, seek-and-scan, digital clock, auto- tone control, speed-compensated volume, TheftLock and programmable equalizer (STD)	0.00	0.00
UE0	ONSTAR NOT INSTALLED (Requires a Fleet or Government order and one of the following order types: FBC, FLS, FNR, FRC, FEF or SGO) *CREDIT*	0.00	0.00
	SOLID PAINT (STD)	0.00	0.00
OPTIONS TOT	AL	0	0

Total Weight

As spec'd curb weight

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 5:45:49 PM

Page 4

# **VEHICLE DETAILS**

### STANDARD EQUIPMENT - 2006 2WP69 4dr Sdn

EPA FUEL ECONOMY RATINGS

• City 20/hwy 30 (3.8L engine/4-speed auto trans)

EXTERIOR

- Fascia, lower accents, Gray, front and rear
- Moldings, protective, bodyside, body-color
- License plate mounting, front
- Spoiler, rear, aerodynamic
- Headlamps, halogen, high-intensity, composite
- Daytime running lamps
- Mirrors, outside rearview, power, body-color Sport
- Glass, Solar-Ray light tinted
- Wipers, intermittent, front
- Doors, rear, 3 detent positions to 82 degrees, "wide opening"

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 5:45:49 PM

# **VEHICLE DETAILS**

#### STANDARD EQUIPMENT - 2006 2WP69 4dr Sdn

#### INTERIOR

- Seats, front bucket, with passenger side map pocket
- Seat adjuster, power, driver 6-way
- Seats, rear, 60/40 split-folding seatbacks
- Console, front, center, floor, includes floor shifter, integral armrest with leather cover, lighted shift indicator, storage compartment, 2 front cupholders, 2 rear cupholders/removable, 2 auxiliary power outlets and covered small items storage
- Steering wheel, urethane rim and shift knob
- Steering column, Tilt-Wheel, adjustable
- Instrumentation, analog, red back lighting, includes speedometer, temperature, fuel and tachometer
- Driver Information Center, 3-button system, includes language selection (English, Spanish and French), date, PRNDL, oil life monitor, tire pressure, odometer, driver warning messages and personalization features (door locks and interior/exterior lighting)
- Windows, power, includes driver express-down
- Door locks, power programmable, enhanced safety, includes lockout protection
- Retained accessory power, power windows and radio remain operational after ignition is switched off for 10 minutes or until a door is opened
- Keyless entry, remote, includes content theft deterrent system
- OnStar, one-year of Safe and Sound Service, Includes Automatic Notification of Air Bag Deployment, Emergency Services, Stolen Vehicle Location Assistance, Remote Door Unlock, OnStar Vehicle Diagnostics, Roadside Assistance, Accident Assist and Remote Horn and Lights. Also featuring Hands-Free Calling (Includes front center mounted roof antenna. If the order type is FDR, (UE0) OnStar, not installed will be forced on. OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details.)
- Cruise control, electronic with set and resume speed, includes telltale in instrument panel cluster
- Trunk release, front driver and passenger door lock buttons, push and hold 3 seconds
- Theft-deterrent alarm system, vehicle, includes PASS-Key III
- Air conditioning, front manual

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 5:45:49 PM

### **VEHICLE DETAILS**

#### STANDARD EQUIPMENT - 2006 2WP69 4dr Sdn

- Defogger, rear-window, electric, includes front and side window outlets, driver and front passenger
- Sound system, ETR AM/FM stereo with CD player, includes Radio Data System, seek-and-scan, digital clock, autotone control, speed-compensated volume, TheftLock and programmable equalizer
- Sound system feature, 6-speakers
- Antenna, integral, rear, backlight
- Mirror, inside rearview, manual day/night
- Assist handles, front and rear

#### MECHANICAL

- Engine, 3.8L 3800 Series III V6 SFI, with Electronic Throttle Control (200 HP [149.2 kW] @ 5200 rpm, 230 lb.-ft. [310.5 N-m] @ 4000 rpm)
- Transmission, 4-speed automatic, electronically controlled with overdrive
- Transmission controls, floor shift, 7-position PRNDL
- Brake/transmission shift interlock, automatic transmission
- Drivetrain, front-wheel drive
- · Battery, maintenance free, with glass mat technology
- Suspension, Wide Track System, 4-wheel independent
- Tires, P225/60R16, touring, blackwall
- Tire, spare, compact
- Wheels, 16" (40.6 cm) aluminum, painted
- Steering, power, rack-and-pinion
- Brakes, 4-wheel disc Electronic Brake Force Distribution
- Fuel capacity, approximate, 17 gallons (64 liters)
- Exhaust, stainless-steel, single outlet

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 5:45:49 PM

# **VEHICLE DETAILS**

#### STANDARD EQUIPMENT - 2006 2WP69 4dr Sdn

#### SAFETY

- Air bags, frontal, driver and right front passenger (Always use safety belts and proper child restraints, even with air bags. Children are safer when properly secured in a rear seat. See the Owners Manual for more safety information.)
- Safety belts, 3-point, driver and front passenger, height-adjustable shoulder belt
- Safety belts, 3-point, rear, all positions, with child comfort guides in outboard positions
- Brake/transmission shift interlock, automatic transmission
- Daytime running lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 5:45:49 PM

Page 8

# **VEHICLE DETAILS**

### WEIGHT RATINGS - 2006 2WP69 4dr Sdn

Front Gross Axle Weight Rating: Rear Gross Axle Weight Rating: Gross Vehicle Weight Rating:

0

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 5:45:49 PM

Page 9

# COLOR AVAILABILITY

#### COLOR CHART - 2006 2WP69 4dr Sdn

EXTERIOR	IN	ITERIOR
	Ebny (19B)	Sand (31B)
Crimson Red (27U)	Х	Х
Ivory White (40U)	Х	Х
Black (41U)	Х	Х
Stealth Gray Metallic (46U)	Х	
Bronzestone Metallic (53U)		Х
Sport Red Metallic (63U)	Х	Х
Liquid Silver Metallic (67U)	Х	

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 5:45:49 PM

Page 10

### WARRANTY INFORMATION

WARRANTY INFORMATION - 2006 2WP69 4dr Sdn

WARRANTY Basic: 3 Years/36,000 Miles Corrosion: 6 Years/100,000 Miles Roadside Assistance: 3 Years/36,000 Miles

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 5:45:49 PM

Page 11

### **TECHNICAL SPECIFICATIONS**

#### POWERTRAIN - BASIC SPECIFICATIONS - 2006 2WP69 4dr Sdn

ENGINE	
Engine Order Code	L26
Engine Type	Gas V6
Displacement	3.8L/231 CID
SAE Net Horsepower @ RPM	200 @ 5200
SAE Net Torque (lb ft) @ RPM	230 @ 4000
TRANSMISSION	
Transmission order code	MX0
Transmission Type Description	* 4-Speed Automatic w/OD
Drive Train	Front Wheel Drive
MILEAGE	
City EPA fuel economy estimate	20.00
Hwy EPA fuel economy estimate	30.00
City cruising range	340.00
Hwy cruising range	510.00
* Indicates equipment which is in addition to or replaces base	a model's standard aquipment

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 5:45:49 PM

Page 12

# **TECHNICAL SPECIFICATIONS**

POWERTRAIN - ADVANCED SPECIFICATIONS - 2006 2WP69 4dr Sdn

TRANSMISSION	
Gear Ratio (:1)	
First Gear Ratio (:1)	2.92
Second Gear Ratio (:1)	1.56
Third Gear Ratio (:1)	1.00
Fourth Gear Rato (:1)	0.70
Reverse Ratio (:1)	2.38
Clutch size (in)	
Final Drive Axle Ratio (:1)	3.05
ELECTRICAL	
Battery	1
Battery cold cranking Amps @ 0 F	- TBD -
Alternator	
Alternator Amps	- TBD -
COOLING SYSTEM	
Cooling system capacity	11.20
* Indiantes aquipment which is in addition to an replaces have m	adalla atandard aguinm

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 5:45:49 PM

Page 13

# TECHNICAL SPECIFICATIONS

#### PAYLOAD/TRAILERING SPECIFICATIONS - 2006 2WP69 4dr Sdn

#### WEIGHT INFORMATION

Base curb weight

#### TRAILERING

Dead Weight Hitch (lb) Weight Distributing Hitch (lb) 3,477.00

 Max Trailer Wt.
 Max Tongue Load

 1,000.00
 100.00

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 5:45:49 PM

Page 14

### **TECHNICAL SPECIFICATIONS**

### CHASSIS SPECIFICATIONS - 2006 2WP69 4dr Sdn

SUSPENSION	Front	Rear	
Suspension Type	Wide Track	Wide Track	
Suspension Type (cont.)	Independent	Independent	
Shock Absorber Diameter (mm)	- TBD -	- TBD -	
Stabilizer Bar Diameter (in)	0.79	0.68	
BRAKES			
Brake type	Pwr		
ABS System			
	Front	Rear	
Disc	Yes	Yes	
Rotor Diam x Thickness (in)	11.7 x - TBD -	10.5 x - TBD -	
Drum			
Drum Diam x Width (in)			
TIRES	Front	Rear	Spare
Tire Order Code	QNX	QNX	-
Tire Size	P225/60R16	P225/60R16	- TBD -
WHEELS	Front	Rear	Spare
Wheel Size	16 x - TBD -	16 x - TBD -	- TBD -
Wheel Type	* Steel	* Steel	- TBD -
STEERING			
Steering type	Pwr Rack & Pinion		
Ratio (:1)			
Overall	13.20		
Lock-to-Lock Turns	2.40		
Turning Diameter			
Curb-to-Curb	37.40		
Wall-to-Wall	- TBD -		
FUEL TANK	Main		
Capacity	17.00		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 5:45:49 PM

# TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - 2006 2WP69 4dr Sdn

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 5:45:49 PM

Page 16

# TECHNICAL SPECIFICATIONS

DIMENSIONS - 2006 2WP69 4dr Sdn			
EXTERIOR DIMENSIONS			
Wheelbase (in)	110.50		
Length, Overall (in)	198.30		
Width, Max w/o mirrors (in)	71.60		
Height, Overall (in)	55.90		
Tread Width			
Tread Width, Front	61.6		
Tread Width, Rear	61.3		
Min Ground Clearance (in)	- TBD -		
CARGO AREA DIMENSIONS			
Liftover Height (in)	- TBD -		
Trunk Volume	16.0		
INTERIOR DIMENSIONS			
Passenger Capacity	5		
Passenger Volume (ft <sup>3</sup> )	97.00		
EPA Classification	Mid-Size		
Seating Position	Front	Second	
Head Room (in)	38.80	36.20	
Leg Room (in)	42.20	36.20	
Shoulder Room (in)	58.00	54.80	
Hip Room (in)	54.50	54.30	

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved. Customer File:

February 21, 2006 5:45:49 PM

Page 17