

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL



Photo may not represent exact vehicle or selected equipment.

• TABLE OF CONTENTS

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

TABLE OF CONTENTS

- Pricing Summary*
- Selected Model & Options*
- Standard Equipment*
- Weight Rating*
- Vehicle Image*
- Optional Equipment*
- Color Availability*
- Warranty Information*
- Window Sticker*
- Technical Specifications*

• VEHICLE REPORT

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

PRICING SUMMARY

| Price Component | MSRP |
|----------------------------|--------------------|
| <i>Base Price</i> | \$28,185.00 |
| <i>Total Options</i> | -\$285.00 |
| <i>Vehicle Subtotal</i> | \$27,900.00 |
| <i>Advert/Adjustments</i> | \$0.00 |
| <i>Destination Charge</i> | \$745.00 |
| TOTAL VEHICLE PRICE | \$28,645.00 |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008

Page 3

• VEHICLE REPORT

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

SELECTED MODEL

| Code | Description | Front Wt | Rear Wt | MSRP |
|---------|--|----------|----------|-------------|
| CT15506 | 2008 Chevrolet TrailBlazer 4WD 4dr Fleet w/1FL | 2,435.00 | 2,071.00 | \$28,185.00 |

SELECTED VEHICLE COLORS

| Code | Description |
|------|---|
| - | Interior: No color has been selected. |
| - | Exterior 1: No color has been selected. |
| - | Exterior 2: No color has been selected. |

SELECTED OPTIONS

| Code | Description | Front Wt | Rear Wt | MSRP |
|------|---|----------|---------|--------|
| __H | PREMIUM CLOTH SEAT TRIM (STD) | 0.00 | 0.00 | \$0.00 |
| 1FL | FLEET PREFERRED EQUIPMENT GROUP includes Standard Equipment | 0.00 | 0.00 | \$0.00 |
| A50 | SEATS, FRONT BUCKET with Premium Cloth, driver lumbar control, adjustable outboard head restraints and manual recline (STD) | 0.00 | 0.00 | \$0.00 |
| C5N | GVWR, 5750 LBS. (2608 kg) (STD) (CT15506 models only.) | 0.00 | 0.00 | \$0.00 |
| GU6 | REAR AXLE, 3.42 RATIO (STD) | 0.00 | 0.00 | \$0.00 |
| LL8 | ENGINE, 4.2L I6 SFI with transmission oil cooler (285 hp [212 kW] @ 6000 rpm, 276 lb-ft of torque [374 Nm] @ 4600 rpm) (STD) | 0.00 | 0.00 | \$0.00 |
| M30 | TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE (STD) | 0.00 | 0.00 | \$0.00 |
| NC7 | EMISSIONS OVERRIDE, FEDERAL (for vehicles ordered by retailers in Federal emission states with California, Connecticut, Maine, Massachusetts, New York, Pennsylvania, Rhode Island or Vermont emissions; may also be used by retailers in states of California, Connecticut, Maine, Massachusetts, New York, Pennsylvania, Rhode Island or Vermont to order different state-specific emissions) (Requires (YF5) California state emissions requirements or (NE1) Connecticut, Maine, Massachusetts, New York, Pennsylvania, Rhode Island or Vermont state emission requirements.) | 0.00 | 0.00 | \$0.00 |
| ___ | NO LOCKING REAR DIFFERENTIAL (STD) | 0.00 | 0.00 | \$0.00 |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008

Page 4

• VEHICLE REPORT

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

SELECTED OPTIONS

| Code | Description | Front Wt | Rear Wt | MSRP |
|-----------------------|---|----------|----------|-----------|
| QTM | TIRES, P245/65R17 ALL-SEASON, BLACKWALL (STD) (Upgradeable to (QTE) P245/6R17 on-/off-road blackwall tires.) | 0.00 | 0.00 | \$0.00 |
| R7M | ONSTAR, DELETE (Fleet or Government order types only) *CREDIT* | 0.00 | 0.00 | -\$85.00 |
| R9W | DEFOGGER, REAR-WINDOW, DELETE (Must specify (C49) rear-window defogger or (R9W) rear-window defogger delete.) | 0.00 | 0.00 | \$0.00 |
| U2J | XM SATELLITE RADIO DELETE (Available for Fleet or Government order types only.) *CREDIT* | 0.00 | 0.00 | -\$200.00 |
| UB0 | AUDIO SYSTEM, AM/FM STEREO WITH CD PLAYER, seek-and-scan, digital clock, auto-tone control, speed- compensated volume and TheftLock (STD) (May be substituted with (UC6) AM/FM stereo with 6-disc CD changer) | 0.00 | 0.00 | \$0.00 |
| VK3 | LICENSE PLATE BRACKET, FRONT (will be forced on orders with ship-to states that require a front license plate) | 0.00 | 0.00 | \$0.00 |
| YF5 | EMISSIONS, CALIFORNIA STATE REQUIREMENTS | 0.00 | 0.00 | \$0.00 |
| ZY1 | PAINT, SOLID (STD) | 0.00 | 0.00 | \$0.00 |
| OPTIONS TOTAL | | 0 | 0 | -\$285.00 |
| Total Weight | | 2,435.00 | 2,071.00 | |
| As spec'd curb weight | | 4,506.00 | | |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008

Page 5

• VEHICLE REPORT

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

STANDARD EQUIPMENT

Mechanical

- *Engine, 4.2L I6 SFI with transmission oil cooler (285 hp [212 kW] @ 6000 rpm, 276 lb-ft of torque [374 Nm] @ 4600 rpm)*
- *Transmission, 4-speed automatic, electronically controlled with overdrive*
- *Transfer case, electronic Autotrac, includes auto 4WD and panel-mounted electronic controls (CT15506 models only.)*
- *Rear axle, 3.42 ratio*
- *4-wheel drive*
- *Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power*
- *Alternator, 150 amps (Standard with (LL8) Vortec 4.2L I6 SFI engine only.)*
- *Trailer equipment, heavy-duty, includes trailer hitch platform, 7-wire harness, CHMSL wire and heavy-duty flasher (4-wire harness on SS model) (7-wire adaptor shipped loose in glove box)*
- *GVWR, 5750 lbs. (2608 kg) (CT15506 models only.)*
- *StabiliTrak, Stability Control System*
- *Suspension Package, Premium Smooth Ride*
- *Suspension, front independent*
- *Suspension, rear 5-link coil springs*
- *Stabilizer bars, front and rear*
- *Tires, P245/65R17 all-season, blackwall (Upgradeable to (QTE) P245/6R17 on-/off-road blackwall tires.)*
- *Tire, spare P235/75R16, all-season, blackwall (Included and only available with (LL8) Vortec 4.2L I6 SFI engine and (QTM) P245/65R17 all-season blackwall tires or (QTE) P245/65R17 on-/off-road blackwall tires.)*
- *Wheels, 4 - 17" x 7" (43.2 cm x 17.8 cm) Sport aluminum, includes center caps and steel spare*
- *Wheel, 16" (40.6 cm) full-size spare (Included and only available with (LL8) Vortec 4.2L I6 SFI engine and (N75) 4 - 17" x 7" (43.2 cm x 17.8 cm) Sport aluminum wheels.)*
- *Steering, power*
- *Brakes, 4-wheel antilock, 4-wheel disc*
- *Exhaust, aluminized stainless-steel muffler and tailpipe*
- *Tools, mechanical jack and wheel wrench*
- *Key, single, 2-sided*

Exterior

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008

Page 6

• VEHICLE REPORT

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

STANDARD EQUIPMENT

- *Paint, solid*
- *Side rails, roof-mounted, Black*
- *Door handles, Black*
- *Bumpers, front and rear body-color, rear step includes pad*
- *Grille, chrome bar*
- *Headlamps, dual composite halogen with automatic exterior lamp control*
- *Daytime Running Lamps*
- *Mirrors, outside manual, Black*
- *Glass, Solar-Ray light-tinted*
- *Wipers, front intermittent with pulse washers*
- *Wipers, rear intermittent with washer*
- *Body, liftgate with liftglass*

Interior

- *Seats, front buckets with Premium Cloth , driver lumbar control, adjustable outboard head restraints and manual recline*
- *Seats, second row split-folding*
- *Console, floor with CD storage*
- *Floor covering, full-floor color-keyed carpeting*
- *Floor mat delete, first and second rows*
- *Quiet Package with strategically placed elements of sound insulation*
- *Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock*
- *Steering wheel, vinyl*
- *Theft-deterrent system, vehicle, PASSlock*
- *Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure, tachometer, liftgate ajar, warning light for safety belt, ABS/parking brake, directional hazard signals and high beam*
- *Warning tones, headlamp on, key-in-ignition, driver safety belt unfasten and turn signal on*
- *Tire pressure monitoring system*

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008

Page 7

• VEHICLE REPORT

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

STANDARD EQUIPMENT

- Convenience Package, power windows and door locks, programmable with lighted switches, driver and front passenger Express-Down windows, power rear glass release and rear-window wiper/washer
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock, OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist, and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Stolen Vehicle Location Assistance and remote Door Unlock success varies with conditions. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. Not available with certain FDR order types. Not available with a ship-to of Puerto Rico or the Virgin Islands.)
- Cruise control, electronic with set and resume speed
- Audio system, AM/FM stereo with CD player, seek-and-scan, digital clock, auto-tone control, speed-compensated volume and TheftLock
- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xradio.com)
- Air conditioning, dual-zone manual climate control
- Heater and defogger with front and side front door window defoggers and rear passenger heating ducts
- Glovebox, passenger-side of instrument panel
- Power outlets, auxiliary
- Mirror, inside rearview manual day/night
- Armrests, driver and passenger doors, padded
- Door trim, integral padded armrests and driver- and front passenger-side map pockets
- Headliner, Neutral-colored cloth with matching retainer moldings
- Visors, driver and front passenger vanity mirrors, padded with cloth trim, color-keyed
- Assist handles, front passenger and rear outboard
- Lighting, interior with theater dimming, cargo compartment, reading lights for front seats, second row dome light, door- and tailgate-activated switches and illuminated entry and exit feature
- Cup holders, front and rear
- Cargo tie downs, 5 in-floor, located in the rear compartment

Epa Fuel Economy Ratings

- City 14/hwy 20 (4.2L engine/4-speed auto trans)
- City 13/hwy 19 (5.3L engine/4-speed auto trans)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008

Page 8

• VEHICLE REPORT

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

STANDARD EQUIPMENT

Safety

- *Brakes, 4-wheel antilock, 4-wheel disc*
- *Air bags, frontal, driver and front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)*
- *Air bags, head curtain side-impact, front and rear outboard seating positions (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the rear side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)*
- *Door locks, rear child security*
- *LATCH system (Lower Anchors and Top tethers for Children), for child safety seats*
- *StabiliTrak, Stability Control System*
- *Daytime Running Lamps*
- *Horn, dual note high and low*

• WEIGHT RATINGS

WEIGHT RATINGS

| | |
|--|-----------------|
| <i>Front Gross Axle Weight Rating:</i> | <i>2,950.00</i> |
| <i>Rear Gross Axle Weight Rating:</i> | <i>3,200.00</i> |
| <i>Gross Vehicle Weight Rating:</i> | <i>5,750.00</i> |



2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

• VEHICLE REPORT

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

OPTIONAL EQUIPMENT

| Code | Description | Front Wt | Rear Wt | MSRP |
|------------------|---|----------|---------|------------|
| EMISSIONS | | | | |
| FE9 | EMISSIONS, FEDERAL REQUIREMENTS | 0.00 | 0.00 | \$0.00 |
| YF5 | EMISSIONS, CALIFORNIA STATE REQUIREMENTS | 0.00 | 0.00 | \$0.00 |
| NE1 | EMISSIONS, CONNECTICUT, MAINE, MASSACHUSETTS, NEW YORK, PENNSYLVANIA, RHODE ISLAND AND VERMONT STATE REQUIREMENTS | 0.00 | 0.00 | \$0.00 |
| NB8 | EMISSIONS OVERRIDE, CALIFORNIA, CONNECTICUT, MASSACHUSETTS, NEW YORK, PENNSYLVANIA OR RHODE ISLAND (Requires (FE9) Federal emissions requirements. Not available in Maine or Vermont.) | 0.00 | 0.00 | \$0.00 |
| NC7 | EMISSIONS OVERRIDE, FEDERAL (for vehicles ordered by retailers in Federal emission states with California, Connecticut, Maine, Massachusetts, New York, Pennsylvania, Rhode Island or Vermont emissions; may also be used by retailers in states of California, Connecticut, Maine, Massachusetts, New York, Pennsylvania, Rhode Island or Vermont to order different state-specific emissions) (Requires (YF5) California state emissions requirements or (NE1) Connecticut, Maine, Massachusetts, New York, Pennsylvania, Rhode Island or Vermont state emission requirements.) | 0.00 | 0.00 | \$0.00 |
| ENGINE | | | | |
| LL8 | ENGINE, 4.2L I6 SFI with transmission oil cooler (285 hp [212 kW] @ 6000 rpm, 276 lb-ft of torque [374 Nm] @ 4600 rpm) (STD) | 0.00 | 0.00 | \$0.00 |
| LH6 | ENGINE, 5.3L V8 SFI with Active Fuel Management (300 hp [223 kW] @ 5300 rpm, 321 lb-ft of torque [435Nm] @ 4000 rpm) (Requires (N79) 17" (43.2 cm) full-size spare wheel.) | 42.00 | 16.00 | \$1,250.00 |
| GVWR | | | | |
| C5N | GVWR, 5750 LBS. (2608 kg) (STD) (CT15506 models only.) | 0.00 | 0.00 | \$0.00 |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008

Page 11

• VEHICLE REPORT

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

OPTIONAL EQUIPMENT

| Code | Description | Front Wt | Rear Wt | MSRP |
|---------------------------|--|----------|---------|----------|
| EB1 | GVWR, 6001 LBS. (2722 kg) (Included and only available with (LH6) Vortec 5.3L V8 SFI engine.) | 0.00 | 0.00 | \$0.00 |
| TRANSMISSION | | | | |
| M30 | TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE (STD) | 0.00 | 0.00 | \$0.00 |
| DIFFERENTIAL | | | | |
| — | NO LOCKING REAR DIFFERENTIAL (STD) | 0.00 | 0.00 | \$0.00 |
| G80 | DIFFERENTIAL, HEAVY-DUTY LOCKING REAR | 0.00 | 1.00 | \$270.00 |
| AXLE | | | | |
| GU6 | REAR AXLE, 3.42 RATIO (STD) | 0.00 | 0.00 | \$0.00 |
| GT4 | REAR AXLE, 3.73 RATIO (Requires (LH6) Vortec 5.3L V8 SFI engine or (LL8) Vortec 4.2L I6 SFI engine.) | 0.00 | 1.00 | \$50.00 |
| PREFERRED EQUIPMENT GROUP | | | | |
| 1FL | FLEET PREFERRED EQUIPMENT GROUP includes Standard Equipment | 0.00 | 0.00 | \$0.00 |
| TIRES | | | | |
| QTM | TIRES, P245/65R17 ALL-SEASON, BLACKWALL (STD) (Upgradeable to (QTE) P245/6R17 on-/off-road blackwall tires.) | 0.00 | 0.00 | \$0.00 |
| QTE | TIRES, P245/65R17 ON-/OFF-ROAD, BLACKWALL | 0.00 | 0.00 | \$95.00 |
| SEAT TYPE | | | | |
| A50 | SEATS, FRONT BUCKET with Premium Cloth, driver lumbar control, adjustable outboard head restraints and manual recline (STD) | 0.00 | 0.00 | \$0.00 |
| SEAT TRIM | | | | |
| —H | PREMIUM CLOTH SEAT TRIM (STD) | 0.00 | 0.00 | \$0.00 |
| PAINT | | | | |
| ZY1 | PAINT, SOLID (STD) | 0.00 | 0.00 | \$0.00 |
| RADIO | | | | |
| UB0 | AUDIO SYSTEM, AM/FM STEREO WITH CD PLAYER, seek-and-scan, digital clock, auto-tone control, speed-compensated volume and TheftLock (STD) (May be substituted with (UC6) AM/FM stereo with 6-disc CD changer) | 0.00 | 0.00 | \$0.00 |
| UC6 | AUDIO SYSTEM, AM/FM STEREO WITH 6-DISC CD CHANGER, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume, TheftLock and 6 speakers | 0.00 | 0.00 | \$395.00 |
| REAR DEFOGGER | | | | |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008

Page 12

• VEHICLE REPORT

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

OPTIONAL EQUIPMENT

| Code | Description | Front Wt | Rear Wt | MSRP |
|---------------------------|---|----------|---------|-----------|
| R9W | DEFOGGER, REAR-WINDOW, DELETE (Must specify (C49) rear-window defogger or (R9W) rear-window defogger delete.) | 0.00 | 0.00 | \$0.00 |
| C49 | DEFOGGER, REAR-WINDOW ELECTRIC | 0.00 | 0.00 | \$200.00 |
| ADDITIONAL OPTIONS | | | | |
| N79 | WHEEL, 17" (43.2 CM) FULL-SIZE SPARE (Required and only available with (LH6) Vortec 5.3L V8 SFI engine) | 0.00 | 0.00 | \$0.00 |
| ZTM | TIRE, SPARE P245/65R17 BLACKWALL (Required and only available with (N79) 17" (43.2) full-size spare wheel. (QTM) P245/65R17 all-season, blackwall tires, or (QTE) P245/65R17 on-/off-road, blackwall tires are substituted for (ZTM) P245/65R17 blackwall spare tire, when (QTM) P245/65R17 all-season, blackwall tires or (QTE) P245/65R17 on-/off-road, blackwall tires are ordered and (N79) 17" (43.2 cm) full-size spare wheel is required.) | 0.00 | 0.00 | \$0.00 |
| AU0 | REMOTE KEYLESS ENTRY, programmable with 2 transmitters and panic button | 0.00 | 0.00 | \$175.00 |
| UA6 | THEFT-DETERRENT ALARM SYSTEM, CONTENT THEFT ALARM, includes beeping horn and flashing lights (Included and only available with (AU0) Remote Keyless Entry and only available with Fleet orders.) | 0.00 | 0.00 | \$0.00 |
| DT4 | SMOKERS PACKAGE, includes ashtray and lighter | 1.00 | 0.00 | \$30.00 |
| B32 | FLOOR MATS, COLOR-KEYED CARPETED FRONT AND REAR, REMOVABLE | 0.00 | 0.00 | \$40.00 |
| U2J | XM SATELLITE RADIO DELETE (Available for Fleet or Government order types only.) *CREDIT* | 0.00 | 0.00 | -\$200.00 |
| BVE | ASSIST STEPS, BLACK | 31.00 | 31.00 | \$375.00 |
| VK3 | LICENSE PLATE BRACKET, FRONT (will be forced on orders with ship-to states that require a front license plate) | 0.00 | 0.00 | \$0.00 |
| AJ1 | GLASS, SOLAR-RAY DEEP-TINTED (all windows except light-tinted glass on windshield and driver-and front passenger-side glass) | 0.00 | 0.00 | \$100.00 |
| V1K | LUGGAGE RACK, ROOF-MOUNTED, BLACK, ADJUSTABLE with center and side rails | 1.00 | 5.00 | \$45.00 |
| PDL | OFF-ROAD PACKAGE, includes (V76) Recovery hooks and (ZM5) Skid Plate Package (CT15506 models only.) | 0.00 | 0.00 | \$170.00 |
| V76 | RECOVERY HOOKS, 2 FRONT, FRAME-MOUNTED (Included and only available with (PDL) Off-Road Package.) | 0.00 | 0.00 | \$0.00 |
| ZM5 | SKID PLATE PACKAGE, includes shielding for radiator, front differential and oil-pan and transfer case (Included and only available with (PDL) Off-Road Package.) | 15.00 | 9.00 | \$0.00 |
| K05 | ENGINE BLOCK HEATER (4x4 only. Available on 2WD models for Fleet and Government orders only) | 1.00 | 0.00 | \$75.00 |
| UY7 | TRAILERING WIRE HARNESS, CONNECTOR IN BUMPER | 0.00 | 1.00 | \$10.00 |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008

Page 13

• VEHICLE REPORT

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

OPTIONAL EQUIPMENT

| Code | Description | Front Wt | Rear Wt | MSRP |
|------|--|----------|---------|----------|
| R7M | ONSTAR, DELETE (Fleet or Government order types only) *CREDIT* | 0.00 | 0.00 | -\$85.00 |
| R8G | ONSTAR 1 ADDITIONAL YEAR OF SAFE AND SOUND SERVICE. Provides 1 year of Safe and Sound service following the first year of OnStar service included in the price of the vehicle. Fleet may also order (RFA) OnStar Business Vehicle Manager Service (Requires one of the following Fleet or Government order types: FLS, FEF, FNR, FRC, FBC or FGO. Not available with the R8P, R8W, R8Y, R8Z, RFG or RFH. Not available with (R7M) OnStar delete.) | 0.00 | 0.00 | \$0.00 |
| R8P | ONSTAR 2 ADDITIONAL YEARS OF SAFE AND SOUND SERVICE. Provides 2 additional years of Safe and Sound service following the first year of OnStar service included in the price of the vehicle. Fleet may also order (RFA) OnStar Business Vehicle Manager Service (Requires one of the following Fleet or Government order types: FLS, FEF, FNR, FRC, FBC or FGO. Not available with R8G, R8W, R8Y, R8Z, RFG or RFH. Not available with (R7M) OnStar delete.) | 0.00 | 0.00 | \$0.00 |
| R8W | ONSTAR 1-YEAR DIRECTIONS AND CONNECTIONS SERVICE. Provides an upgrade from Safe and Sound service included in the price of the vehicle in the first year. OnStar Business Vehicle Manager Service (RFA) is not available (Requires one of the following Fleet or Government order types: FLS, FEF, FNR, FRC, FBC or FGO. Not available with R8G, R8P, R8Y, R8Z, RFG or RFH. Not available with (R7M) OnStar delete.) | 0.00 | 0.00 | \$0.00 |
| R8Y | ONSTAR 2-YEARS DIRECTIONS AND CONNECTIONS SERVICE. Provides cumulative 2 Years of Directions and Connections service. In the first year, this is an upgrade from Safe and Sound service included in the price of the vehicle. Fleet may also order (RFA) OnStar Business Vehicle Manager Service (Requires one of the following Fleet or Government order types: FLS, FEF, FNR, FRC, FBC or FGO. Not available with R8G, R8P, R8W, R8Z, RFG or RFH. Not available with (R7M) OnStar delete.) | 0.00 | 0.00 | \$0.00 |
| R8Z | ONSTAR 3-YEARS DIRECTIONS AND CONNECTIONS SERVICE. Provides cumulative 3 Years of Directions and Connections service. In the first year, this is an upgrade from Safe and Sound service included in the price of the vehicle. Fleet may also order (RFA) OnStar Business Vehicle Manager Service (Requires one of the following Fleet or Government order types: FLS, FEF, FNR, FRC, FBC or FGO. Not available with R8G, R8P, R8W, R8Y, RFG or RFH. Not available with (R7M) OnStar delete.) | 0.00 | 0.00 | \$0.00 |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008

Page 14

• VEHICLE REPORT

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

OPTIONAL EQUIPMENT

| Code | Description | Front Wt | Rear Wt | MSRP |
|---------------------------|---|----------|---------|--------|
| RFG | ONSTAR 3 ADDITIONAL YEARS SAFE AND SOUND SERVICE. Provides 3 additional Years of Safe and Sound service following the first year of OnStar service included in the price of the vehicle. Fleet may also order (RFA) OnStar Business Vehicle Manager Service (Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8G, R8P, R8W, R8Y, R8Z or RFH. Not available with (R7M) OnStar delete.) | 0.00 | 0.00 | \$0.00 |
| RFH | ONSTAR 4 ADDITIONAL YEARS SAFE AND SOUND SERVICE. Provides 4 additional Years of Safe and Sound service following the first year of OnStar service included in the price of the vehicle. Fleet may also order (RFA) OnStar Business Vehicle Manager Service (Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8G, R8P, R8W, R8Y, R8Z or RFG. Not available with (R7M) OnStar delete.) | 0.00 | 0.00 | \$0.00 |
| RFA | ONSTAR BUSINESS VEHICLE MANAGER SERVICE. Provides OnStar Business Vehicle Manager Service equal to the length of OnStar multi year order. RFA MUST be ordered to receive service (Requires one of the following Fleet or Government order types: FLS, FEF, FNR, FRC, FBC or FGO. Requires one of the following options R8G, R8P, R8Y, R8Z, RFG or RFH. Not available with R8W. Requires Fleet Master Agreement (FMA). Not available with (R7M) OnStar delete. Available for Fleets with 20 or more active OnStar Multi-Year Subscriptions.) | 0.00 | 0.00 | \$0.00 |
| R8Q | ILLINOIS COST SURCHARGE | 0.00 | 0.00 | \$0.00 |
| R6M | NEW JERSEY COST SURCHARGE *Required on all vehicles to be registered in New Jersey* | 0.00 | 0.00 | \$0.00 |
| FVX | NATIONAL FLEET INCENTIVE **The dealer, on behalf of the fleet customer, will have the option of selecting the greater of the available fleet incentive (FVX/FPP) or a regional retail consumer cash incentive (CNC, CNE, CSE, CSR, CWE) IN EFFECT AT THE TIME OF DELIVERY, but not both. See the retail consumer cash administrative message for full guidelines. Regardless of the incentive taken, all deliveries are to be reported as fleet** | 0.00 | 0.00 | \$0.00 |
| VQ1 | FLEET PROCESSING OPTION | 0.00 | 0.00 | \$0.00 |
| VQ2 | FLEET PROCESSING OPTION | 0.00 | 0.00 | \$0.00 |
| VQ3 | FLEET PROCESSING OPTION | 0.00 | 0.00 | \$0.00 |
| --- | BID ASSISTANCE | 0.00 | 0.00 | \$0.00 |
| SPECIAL EQUIPMENT OPTIONS | | | | |
| PFE | WHEELS, 17" X 7" (43.2 CM X 17.8 CM), ALUMINUM WHEELS For use with on/off road tires on as a base decor level. (Requires SEO (5TE) P245/65R17 on/off-road tire and a Fleet or Government sales order.) | 0.00 | 0.00 | \$0.00 |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

• VEHICLE REPORT

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

OPTIONAL EQUIPMENT

| Code | Description | Front Wt | Rear Wt | MSRP |
|------|---|----------|---------|----------|
| 5TE | TIRES, P245/65R17 ON/OFF ROAD TIRE (Requires SEO (PFE) aluminum wheels and a Fleet or Government sales order.) | 0.00 | 0.00 | \$98.00 |
| T96 | FOG LAMPS, FRONT Provides front fog lamps on base level decor (Requires a Fleet order) | 0.00 | 0.00 | \$128.00 |
| 8X1 | LABEL, FASTEN SAFETY BELTS "Fasten Safety Belts" reminder label on the front door glass. | 0.00 | 0.00 | \$2.00 |
| 9V5 | PAINTS, SOLID WOODLAND GREEN Includes black front and rear fascia components leiu of color-keyed. (Includes Black front and rear fascia in lieu of color-keyed. Requires SEO (TGK) Solid paint, one color.) | 0.00 | 0.00 | \$0.00 |
| 9V9 | PAINTS, SOLID DOESKIN TAN Includes black front and rear fascia components leiu of color-keyed. (Includes Black front and rear fascia in lieu of color-keyed. Requires SEO (TGK) Solid paint, one color.) | 0.00 | 0.00 | \$0.00 |
| TGK | SPECIAL PAINT, SOLID, ONE COLOR. Includes black front and rear fascia components leiu of color-keyed. (Required with any SEO paint selection. May require an extended lead time.) | 0.00 | 0.00 | \$275.00 |
| | | 0.00 | 0.00 | \$0.00 |
| | | 0.00 | 0.00 | \$275.00 |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

• VEHICLE REPORT

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

COLOR AVAILABILITY

| Exterior | Interior |
|-----------------------------|-----------|
| | Gray |
| | Gray (28) |
| Dark Cherry Metallic (12) | X |
| Graystone Metallic (16) | X |
| Moondust Metallic (32) | X |
| Imperial Blue Metallic (37) | X |
| Black (41) | X |
| Summit White (50) | X |
| Silverstone Metallic (67) | X |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

• **WARRANTY INFORMATION**

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

WARRANTY INFORMATION

WARRANTY
<<< PRELIMINARY 2008 WARRANTY >>>

Basic:
3 Years/36,000 Miles

Drivetrain:
5 Years/100,000 Miles

Corrosion:
6 Years/100,000 Miles

Roadside Assistance:
5 Years/100,000 Miles

• VEHICLE REPORT

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

WINDOW STICKER

| Code | Model | MSRP |
|--------------------|---|--------------------|
| CT15506 | 2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL | \$28,185.00 |
| Code | Options | MSRP |
| __H | PREMIUM CLOTH SEAT TRIM | \$0.00 |
| 1FL | FLEET PREFERRED EQUIPMENT GROUP | \$0.00 |
| A50 | SEATS, FRONT BUCKET | \$0.00 |
| C5N | GVWR, 5750 LBS. (2608 kg) | \$0.00 |
| GU6 | REAR AXLE, 3.42 RATIO | \$0.00 |
| LL8 | ENGINE, 4.2L I6 SFI | \$0.00 |
| M30 | TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE | \$0.00 |
| NC7 | EMISSIONS OVERRIDE, FEDERAL | \$0.00 |
| ___ | NO LOCKING REAR DIFFERENTIAL | \$0.00 |
| QTM | TIRES, P245/65R17 ALL-SEASON, BLACKWALL | \$0.00 |
| R7M | ONSTAR, DELETE | -\$85.00 |
| R9W | DEFOGGER, REAR-WINDOW, DELETE | \$0.00 |
| U2J | XM SATELLITE RADIO DELETE | -\$200.00 |
| UB0 | AUDIO SYSTEM, AM/FM STEREO WITH CD PLAYER, | \$0.00 |
| VK3 | LICENSE PLATE BRACKET, FRONT | \$0.00 |
| YF5 | EMISSIONS, CALIFORNIA STATE REQUIREMENTS | \$0.00 |
| ZY1 | PAINT, SOLID | \$0.00 |
| SUBTOTAL | | \$27,900.00 |
| Advert/Adjustments | | \$0.00 |
| Destination Charge | | \$745.00 |
| TOTAL PRICE | | \$28,645.00 |

Est City: 14.00 mpg
 Est Highway: 20.00 mpg
 Est Highway Cruising Range: 440.00 mi

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

• VEHICLE REPORT

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

WINDOW STICKER

• TECHNICAL SPECIFICATIONS

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

POWERTRAIN - BASIC SPECIFICATIONS

Engine

| | |
|-------------------------------------|--------------|
| <i>Engine Order Code</i> | LL8 |
| <i>Engine Type</i> | Gas I6 |
| <i>Displacement</i> | 4.2L/254 CID |
| <i>SAE Net Horsepower @ RPM</i> | 285 @ 6000 |
| <i>SAE Net Torque (lb ft) @ RPM</i> | 276 @ 4600 |

Transmission

| | |
|--------------------------------------|------------------------|
| <i>Transmission order code</i> | M30 |
| <i>Transmission Type Description</i> | 4-Speed Automatic w/OD |
| <i>Drive Train</i> | 4-Wheel Drive |

Mileage

| | |
|---|--------|
| <i>City EPA fuel economy estimate (MPG)</i> | 14.00 |
| <i>Hwy EPA fuel economy estimate (MPG)</i> | 20.00 |
| <i>City cruising range (mi)</i> | 308.00 |
| <i>Hwy cruising range (mi)</i> | 440.00 |

* Indicates equipment which is in addition to or replaces base model's standard equipment.

• TECHNICAL SPECIFICATIONS

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

POWERTRAIN - ADVANCED SPECIFICATIONS

Transmission

| | |
|-------------------------------|------|
| <i>Gear Ratio (:1)</i> | |
| <i>First Gear Ratio (:1)</i> | 3.06 |
| <i>Second Gear Ratio (:1)</i> | 1.63 |
| <i>Third Gear Ratio (:1)</i> | 1.00 |
| <i>Fourth Gear Ratio (:1)</i> | 0.70 |
| <i>Reverse Ratio (:1)</i> | 2.29 |
| <i>Clutch size (in)</i> | |
| <i>Power Take-Off</i> | |

Transfer Case

| | |
|--------------------------------------|-----------------|
| <i>Transfer case model</i> | New Venture 226 |
| <i>Gear Ratio (:1)</i> | |
| <i>Transfer case high gear ratio</i> | 1.00 |
| <i>Transfer case low gear ratio</i> | 2.72 |
| <i>Transfer case power take off</i> | |

Differential

| | Front | Rear |
|------------------------|-------|------|
| <i>Axle Ratio (:1)</i> | 3.42 | 3.42 |

Electrical

| | 1 | 2 | 3 | Total |
|---|---------|---|---|---------|
| <i>Battery</i> | | | | |
| <i>Battery cold cranking Amps @ 0 F</i> | - TBD - | | | - TBD - |
| <i>Alternator</i> | | | | |
| <i>Alternator Amps</i> | 150.00 | | | |

Cooling System

| | |
|--------------------------------|-------|
| <i>Cooling system capacity</i> | 13.90 |
| <i>Engine oil cooler</i> | |

* Indicates equipment which is in addition to or replaces base model's standard equipment.

• TECHNICAL SPECIFICATIONS

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

PAYLOAD/TRAILERING SPECIFICATIONS

| Weight Information | Front | Rear | Total |
|---------------------------------|-----------------|-----------------|-----------|
| Gross Axle Wt Rating (lbs) | 2,950.00 | 3,200.00 | |
| Curb Weight (lbs) | 2,435.00 | 2,071.00 | 4,506.00 |
| Total Option Weight (lbs) | 0.00 | 0.00 | 0.00 |
| As Spec'd Curb Weight (lbs) | 2,435.00 | 2,071.00 | 4,506.00 |
| As spec'd payload (lbs) | | | 1,244.00 |
| Total Weight (lbs) | 2,435.00 | 2,071.00 | 4,856.00 |
| Reserve Axle Capacity (lbs) | 515.00 | 1,129.00 | 1,644.00 |
| Gross Vehicle Wt Rating (lbs) | | | 5,750.00 |
| Gross Combined Wt Rating (lbs) | | | 10,000.00 |
| Trailer | Max Trailer Wt. | Max Tongue Load | |
| Dead Weight Hitch (lbs) | 5,000.00 | 500.00 | |
| Weight Distributing Hitch (lbs) | 5,194.00 | 623.28 | |
| Fifth Wheel Hitch (lbs) | | | |

* Indicates equipment which is in addition to or replaces base model's standard equipment.

• TECHNICAL SPECIFICATIONS

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

CHASSIS SPECIFICATIONS

| Suspension | Front | Rear | |
|-------------------------------------|------------------------------|----------------------|---------------------|
| <i>Spring</i> | | | |
| <i>Spring Type</i> | <i>Independent</i> | <i>Coil</i> | |
| <i>Spring Capacity</i> | <i>3,100.00</i> | <i>3,200.00</i> | |
| <i>Axle</i> | | | |
| <i>Axle Type</i> | <i>Independent</i> | <i>Semi-Floating</i> | |
| <i>Axle Capacity</i> | <i>2,950.00</i> | <i>3,200.00</i> | |
| <i>Shock Absorber Diameter (mm)</i> | <i>46.00</i> | <i>36.00</i> | |
| <i>Stabilizer Bar Diameter (in)</i> | <i>1.33</i> | <i>0.94</i> | |
| <i>Brakes</i> | | | |
| <i>Brake type</i> | <i>Power</i> | | |
| <i>ABS System</i> | <i>4-Wheel</i> | | |
| | Front | Rear | |
| <i>Disc</i> | Yes | Yes | |
| <i>Rotor Diam x Thickness (in)</i> | <i>12.0 x 1.14</i> | <i>12.8 x 0.78</i> | |
| <i>Drum</i> | | | |
| <i>Drum Diam x Width (in)</i> | | | |
| <i>Tires</i> | | | |
| | Front | Rear | Spare |
| <i>Tire Order Code</i> | <i>QTM</i> | <i>QTM</i> | <i>ZNF</i> |
| <i>Tire Size</i> | <i>P245/65R17</i> | <i>P245/65R17</i> | <i>P235/75R16</i> |
| <i>Capacity</i> | <i>1,793.00</i> | <i>1,793.00</i> | <i>- TBD -</i> |
| <i>Revolutions/Mile @ 45mph</i> | <i>- TBD -</i> | <i>- TBD -</i> | <i>- TBD -</i> |
| <i>Wheels</i> | | | |
| | Front | Rear | Spare |
| <i>Wheel Size</i> | <i>17 x 7</i> | <i>17 x 7</i> | <i>16 x - TBD -</i> |
| <i>Wheel Type</i> | <i>Aluminum</i> | <i>Aluminum</i> | <i>Steel</i> |
| <i>Steering</i> | | | |
| <i>Steering type</i> | <i>Pwr Rack & Pinion</i> | | |
| <i>Ratio (:1)</i> | | | |
| <i>On Center</i> | <i>20.40</i> | | |
| <i>At Lock</i> | <i>20.40</i> | | |
| <i>Turning Diameter</i> | | | |
| <i>Curb-to-Curb</i> | <i>36.40</i> | | |
| <i>Wall-to-Wall</i> | <i>- TBD -</i> | | |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

• TECHNICAL SPECIFICATIONS

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

CHASSIS SPECIFICATIONS

| Fuel Tank | Main | Auxiliary |
|-----------------|---------|-----------|
| <i>Capacity</i> | 22.00 | |
| <i>Location</i> | - TBD - | |

* Indicates equipment which is in addition to or replaces base model's standard equipment.

• TECHNICAL SPECIFICATIONS

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

DIMENSIONS

Exterior Dimensions

| | |
|---|-----------|
| <i>Wheelbase (in)</i> | 113.00 |
| <i>Length, Overall w/rear bumper (in)</i> | 191.80 |
| <i>Width, Max w/o mirrors (in)</i> | 74.70 |
| <i>Height, Overall (in)</i> | 72.50 |
| <i>Overhang</i> | |
| <i>Overhang, Front</i> | 34.96 |
| <i>Overhang, Rear w/o bumper</i> | |
| <i>Ground to Top of Load Floor (in)</i> | 32.10 |
| <i>Ground Clearance</i> | |
| <i>Ground Clearance, Front</i> | 7.80 |
| <i>Ground Clearance, Rear</i> | 7.80 |
| <i>Rear Door</i> | |
| <i>Rear Door Type</i> | Liftgate |
| <i>Rear Door Opening Height</i> | |
| <i>Rear Door Opening Width</i> | |
| <i>Side Door</i> | |
| <i>Side Door Type</i> | Swing-out |
| <i>Side Door Opening Height (in)</i> | |
| <i>Side Door Opening Width (in)</i> | |
| <i>Step Up Height - Front (in)</i> | |
| <i>Step Up Height - Side (in)</i> | |

Cargo Area Dimensions

| | |
|--|-------|
| <i>Length @ Floor</i> | |
| <i>Cargo Area Length @ Floor to Console (in)</i> | |
| <i>Cargo Area Length @ Floor to Seat 1</i> | 80.10 |
| <i>Cargo Area Length @ Floor to Seat 2</i> | 43.70 |
| <i>Cargo Area Length @ Floor to Seat 3</i> | |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008

Page 26

• TECHNICAL SPECIFICATIONS

2008 Chevrolet TrailBlazer CT15506 4WD 4dr Fleet w/1FL

DIMENSIONS

Cargo Area Dimensions

Cargo Area Length @ Floor to Console (in)

Width

Cargo Area Width @ Beltline - TBD -

Cargo Box Width @ Wheelhousings - TBD -

Cargo Box (Area) Height (in) 39.60

Cargo Volume

Cargo Volume to Seat 1 80.10

Cargo Volume to Seat 2 41.00

Cargo Volume to Seat 3

Cargo Volume to Seat 4

Interior Dimensions

Passenger Capacity 5

| | | |
|------------------|-------|--------|
| Seating Position | Front | Second |
|------------------|-------|--------|

| | | |
|----------------|-------|-------|
| Head Room (in) | 40.20 | 39.60 |
|----------------|-------|-------|

| | | |
|---------------|-------|-------|
| Leg Room (in) | 46.90 | 37.00 |
|---------------|-------|-------|

| | | |
|--------------------|-------|-------|
| Shoulder Room (in) | 58.50 | 58.50 |
|--------------------|-------|-------|

| | | |
|---------------|-------|-------|
| Hip Room (in) | 56.00 | 58.20 |
|---------------|-------|-------|

* Indicates equipment which is in addition to or replaces base model's standard equipment.