2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial



Photo may not represent exact vehicle or selected equipment.

• TABLE OF CONTENTS

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

TABLE OF CONTENTS

Pricing Summary
Selected Model & Options
Standard Equipment
Weight Rating
Vehicle Image
Optional Equipment
Color Availability
Warranty Information
Window Sticker
Technical Specifications

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

PRICING SUMMARY

Price Component	MSRP	
Base Price	\$39,495.00	
Total Options	-\$2,055.00	
Vehicle Subtotal	\$37,440.00	
Advert/Adjustments	\$0.00	
Destination Charge	\$900.00	
TOTAL VEHICLE PRICE	\$38,340.00	

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

SELECTED MODEL

Code	Description	Front Wt	Rear Wt	MSRP
CC20906	2008 Chevrolet Suburban 2WD 4dr 2500 Commercial	3,042.00	2,931.00	\$39,495.00

SELECTED VEHICLE COLORS

Code Description

Interior: No color has been selected.

Exterior 1: No color has been selected.

Exterior 2: No color has been selected.

SELECTED OPTIONS

Code	Description	Front Wt	Rear Wt	MSRP
D	CUSTOM CLOTH SEAT TRIM (STD)	0.00	0.00	\$0.00
1FL	COMMERCIAL PREFERRED EQUIPMENT GROUP Includes Standard Equipment *CREDIT*	0.00	0.00	-\$1,675.00
AM8	SEATS, SECOND ROW 60/40 SPLIT-FOLDING BENCH, 3-passenger with center armrest (STD)	0.00	0.00	INC
ANJ	GLASS, NON-DEEP TINTED *CREDIT*	0.00	0.00	-\$295.00
AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH with Custom Cloth, 3-passenger, includes (AG1) 6-way power driver seat adjuster, (AM1) driver manual lumbar control, driver and front passenger manual reclining, center fold-down armrest with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets (STD)	-10.00	0.00	\$0.00
GT4	REAR AXLE, 3.73 RATIO (STD)	0.00	0.00	\$0.00
LY6	ENGINE, VORTEC 6.0L V8 SFI (352 hp [262.5 kW] @ 5400 rpm, 383 lb-ft of torque [517.1 N-m] @ 4300 rpm) (STD) (Requires 3/4 ton models.)	0.00	0.00	\$0.00
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED with overdrive and tow/haul mode (Requires 3/4 ton models.)	0.00	0.00	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

SELECTED OPTIONS

Code	Description	Front Wt	Rear Wt	MSRP
NC7	EMISSIONS OVERRIDE, FEDERAL (for vehicles ordered by dealers in Federal emission states with California, Connecticut, Maine, Massachusetts, New York, Pennsylvania, Rhode Island or Vermont emissions; may also be used by dealers in states of California, Connecticut, Maine, Massachusetts, New York, Pennsylvania, Rhode Island or Vermont to order different state-specific emissions) (Requires (YF5) California state emissions requirements or (NE1) Connecticut, Maine, Massachusetts, New York, Pennsylvania, Rhode Island or Vermont state emission requirements.)	0.00	0.00	\$0.00
_	NO THIRD ROW SEAT (STD)	0.00	0.00	\$0.00
_	NO LOCKING REAR DIFFERENTIAL (STD)	0.00	0.00	\$0.00
QB5	WHEELS, 4-16" X 6.5" (40.6 CM X 16.5 CM) STEEL DISC (STD) (3/4 ton models only.)	0.00	0.00	\$0.00
Q <i>IZ</i>	TIRES, LT245/75R16E ALL-SEASON, BLACKWALL (STD) (Standard on 2WD 3/4 ton models. Available on 4x4 3/4 ton models.)	0.00	0.00	\$0.00
UE0	ONSTAR, DELETE (Requires (U2J) XM Satellite Radio, delete.) *CREDIT*	-1.00	0.00	-\$85.00
US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed- compensated volume, TheftLock and auxiliary audio input jack (STD)	0.00	0.00	\$0.00
YF5	EMISSIONS, CALIFORNIA STATE REQUIREMENTS	0.00	0.00	\$0.00
	PAINT, SOLID (STD)	0.00	0.00	\$0.00
OPTIONS TOTAL		-11	o	-\$2,055.00
Total Weig	ht	* 3,031.00	2,931.00	

As spec'd curb weight * 5,962.00

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

STANDARD EQUIPMENT

Mechanical

- Engine, Vortec 6.0L V8 SFI (352 hp [262.5 kW] @ 5400 rpm, 383 lb-ft of torque [517.1 N-m] @ 4300 rpm) (Requires 3/4 ton models.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires 3/4 ton models.)
- Rear axle, 3.73 ratio
- · Rear wheel drive
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps (Not available on 1/2 ton models.)
- Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil (Requires (GT5) 4.10 rear axle ratio on 1/2 ton models. Not available with (GT4) 3.73 rear axle ratio on 1/2 ton models. Standard on 3/4 ton models.)
- Trailering equipment, heavy-duty, includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and (VR4) 2" trailering receiver
- Recovery hooks, front, frame-mounted (Available on 1/2 ton models, standard on 3/4 ton models.)
- GVWR, 8600 lbs. (3901 kg) (Requires 3/4 ton models.)
- StabiliTrak, stability control system with Proactive Roll Avoidance
- Suspension Package, Handling/Trailering, heavy-duty (3/4 ton models only.)
- Suspension, front independent with torsion bar (3/4 ton models only.)
- Suspension, rear multi-stage leaf springs (3/4 ton models only)
- Tires, LT245/75R16E all-season, blackwall (Standard on 2WD 3/4 ton models. Available on 4x4 3/4 ton models.)
- Tire, spare LT245/75R16 all-season, blackwall (3/4 ton models only. Upgradeable to (4GK) LT245/75R16E on-/off-road, blackwall spare tire.)
- Wheels, 4 16" X 6.5" (40.6 cm x 16.5 cm) steel disc (3/4 ton models only.)
- Wheel, 16" (40.6 cm) full-size spare (3/4 ton models only.)
- Tire carrier, lockable outside spare, winch-type mounted under frame at rear
- · Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc with hydroboost (3/4 ton models only.)

Exterior

- · Luggage rack side rails, roof-mounted, Black
- · Fascia, front color-keyed

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

STANDARD EQUIPMENT

- · Fascia, rear color-keyed
- · Assist steps, Black
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- · Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside heated power-adjustable, manual-folding (Mirror caps are Black.)
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)
- Wiper, rear intermittent with washer
- Door handles, Black
- Body, liftgate with liftglass, rear door system with rear-window wiper/washer

Interior

- Seats, front 40/20/40 split-bench with Custom Cloth, 3-passenger, includes (AG1) 6-way power driver seat adjuster, (AM1) driver manual lumbar control, driver and front passenger manual reclining, center fold-down armrest with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets)
- Seats, second row 60/40 split-folding bench, 3-passenger with center armrest
- Floor covering, Black rubberized-vinyl (Required with (AZ3) front 40/20/40 split-bench seat with vinyl or SEO (9S1) vinyl bucket seats.)
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- · Steering wheel, vinyl
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil
 pressure and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and right-front passenger safety belt unfasten and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- · Windows, power with driver Express-Down and lockout features
- Door locks, power programmable with lockout protection
- Remote vehicle starter prep package, includes Remote Keyless Entry (Remote vehicle starter fob available through GM Accessories.)
- · Cruise control, electronic with set and resume speed

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

STANDARD EQUIPMENT

- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock, OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Stolen Vehicle Location Assistance and Remote Door Unlock success varies with conditions. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com or call 1-888-466-7827 for system limitations and details.)
- · Theft-deterrent system, vehicle, PASS-Key III
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume, TheftLock and auxiliary audio input jack
- Audio system feature, 8-speaker system
- XM Satellite Radio, delete
- · Heater, rear auxiliary with rear passenger heating ducts
- Air conditioning, dual-zone manual climate control with individual climate settings for driver and right-front passenger
- Air conditioning, rear auxiliary
- Defogger, rear-window electric
- Power outlets, 3 auxiliary, 12-volt, includes 2 on the instrument panel and 1 in the cargo area
- Mirror, inside rearview auto-dimming with 8-point compass and outside temperature display
- Headliner, cloth
- Visors, driver and front passenger illuminated vanity mirrors, padded with cloth trim, extends on rod
- · Assist handles, front passenger and second row outboard
- Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
- Fleet Package

Safety

- Brakes, 4-wheel antilock, 4-wheel disc with hydroboost (3/4 ton models only.)
- Air bags, dual-stage frontal, driver and right-front passenger with Passenger Sensing System (right-front passenger air bag status on overhead console) (Always use safety belts and the correct child restraints for your childs age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicles Owners Manual and child safety seat instructions for more safety information.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

STANDARD EQUIPMENT

- Air bags, head curtain side-impact, first and second row outboard seating positions with rollover sensor, includes third row seating positions with (AS3) 3-passenger third row 50/50 split-bench seat or (AW2) 2-passenger third row 50/50 split-bench seat (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your childs age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicles Owners Manual and child safety seat instructions for more safety information.)
- · Safety belts, 3-point, driver and right-front passenger
- · LATCH system (Lower Anchors and Top tethers for CHildren), for child safety seats
- · StabiliTrak, stability control system with Proactive Roll Avoidance
- · Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- · Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

• WEIGHT RATINGS

WEIGHT RATINGS

Front Gross Axle Weight Rating: 3,800.00

Rear Gross Axle Weight Rating: 5,500.00

Gross Vehicle Weight Rating: 8,600.00



2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

• VEHICLE REPORT

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

OPTIONAL EQUIPMENT

January 03, 2008

Code	Description	Front Wt	Rear Wt	MSRP
	EMISSIONS			
FE9	EMISSIONS, FEDERAL REQUIREMENTS	0.00	0.00	\$0.00
NE1	EMISSIONS, CONNECTICUT, MAINE, MASSACHUSETTS, NEW YORK, PENNSYLVANIA, RHODE ISLAND AND VERMONT STATE REQUIREMENTS	0.00	0.00	\$0.00
YF5	EMISSIONS, CALIFORNIA STATE REQUIREMENTS	0.00	0.00	\$0.00
NB8	EMISSIONS OVERRIDE, CALIFORNIA, CONNECTICUT, MASSACHUSETTS, NEW YORK, PENNSYLVANIA OR RHODE ISLAND (for vehicles ordered by dealers in the states of California, Connecticut, Massachusetts, New York, Pennsylvania or Rhode Island with Federal emissions) (Requires (FE9) Federal emissions requirements. Not available in Maine or Vermont.)	0.00	0.00	\$0.00
NC7	EMISSIONS OVERRIDE, FEDERAL (for vehicles ordered by dealers in Federal emission states with California, Connecticut, Maine, Massachusetts, New York, Pennsylvania, Rhode Island or Vermont emissions; may also be used by dealers in states of California, Connecticut, Maine, Massachusetts, New York, Pennsylvania, Rhode Island or Vermont to order different state-specific emissions) (Requires (YF5) California state emissions requirements or (NE1) Connecticut, Maine, Massachusetts, New York, Pennsylvania, Rhode Island or Vermont state emission requirements.)	0.00	0.00	\$0.00
	ENGINE			
LY6	ENGINE, VORTEC 6.0L V8 SFI (352 hp [262.5 kW] @ 5400 rpm, 383 lb-ft of torque [517.1 N-m] @ 4300 rpm) (STD) (Requires 3/4 ton models.)	0.00	0.00	\$0.00
	TRANSMISSION			
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED with overdrive and tow/haul mode (Requires 3/4 ton models.)	0.00	0.00	\$0.00
	DIFFERENTIAL			

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

Page 11

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

TIONA		

Code	Description	Front Wt	Rear Wt	MSRP
	NO LOCKING REAR DIFFERENTIAL (STD)	0.00	0.00	\$0.00
G80	DIFFERENTIAL, HEAVY-DUTY LOCKING REAR (Required with (GT5) 4.10 rear axle ratio.)	0.00	8.00	\$295.00
	AXLE			
GT4	REAR AXLE, 3.73 RATIO (STD)	0.00	0.00	\$0.00
	PREFERRED EQUIPMENT GROUP			
1FL	COMMERCIAL PREFERRED EQUIPMENT GROUP Includes Standard Equipment *CREDIT*	0.00	0.00	-\$1,675.00
	TIRES			
Q <i>IZ</i>	TIRES, LT245/75R16E ALL-SEASON, BLACKWALL (STD) (Standard on 2WD 3/4 ton models. Available on 4x4 3/4 ton models.)	0.00	0.00	\$0.00
Q/W	TIRES, LT245/75R16E ON-/OFF-ROAD, BLACKWALL (Standard on 4x4 3/4 ton models. Available on 2WD 3/4 ton models.)	4.00	4.00	\$150.00
	SEATING ARRANGEMENT			
	NO THIRD ROW SEAT (STD)	0.00	0.00	\$0.00
AS3	SEATS, THIRD ROW 50/50 SPLIT-BENCH, 3-passenger, removable, all-belts-to-seat	0.00	0.00	\$460.00
	SEAT TYPE			
AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH with Custom Cloth, 3-passenger, includes (AG1) 6-way power driver seat adjuster, (AM1) driver manual lumbar control, driver and front passenger manual reclining, center fold-down armrest with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets (STD)	-10.00	0.00	\$0.00
AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH with vinyl, 3- passenger, (AM1) driver manual lumbar control, driver and front passenger manual reclining, center fold-down armrest with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets (Requires (19V) Ebony vinyl and (BG9) Black rubberized-vinyl floor covering.)	-10.00	0.00	\$0.00
A95	SEATS, FRONT BUCKET with (AG1) 6-way power driver and (AG2) front passenger seat adjusters, adjustable head restraints, (AM1) driver manual lumbar control, floor console and rear storage pockets	-9.00	-8.00	\$935.00
AM8	SEATS, SECOND ROW 60/40 SPLIT-FOLDING BENCH, 3-passenger with center armrest (STD)	0.00	0.00	INC
AM8	SEATS, SECOND ROW 60/40 SPLIT-FOLDING BENCH with vinyl, 3-passenger with center armrest	0.00	0.00	\$0.00
	SEAT TRIM			

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

January 03, 2008

Code	Description	Front Wt	Rear Wt	MSRP
D	CUSTOM CLOTH SEAT TRIM (STD)	0.00	0.00	\$0.00
V	VINYL SEAT TRIM	0.00	0.00	\$0.00
	PAINT			
	PAINT, SOLID (STD)	0.00	0.00	\$0.00
	RADIO			
US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed- compensated volume, TheftLock and auxiliary audio input jack (STD)	0.00	0.00	\$0.00
	WHEEL TYPE			
QB5	WHEELS, 4-16" X 6.5" (40.6 CM X 16.5 CM) STEEL DISC (STD) (3/4 ton models only.)	0.00	0.00	\$0.00
PY0	WHEELS, 4-16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG POLISHED FORGED ALUMINUM, includes chrome center caps and steel spare (3/4 ton models only.)	-29.00	-29.00	\$425.00
	ADDITIONAL OPTIONS			
D07	CONSOLE, FLOOR with storage area, cup holders and integrated second row audio controls (Included and only available with (A95) front bucket seats with Custom Cloth. 2nd row audio controls are not included)	15.00	11.00	\$0.00
TRW	PROVISION FOR CAB ROOF-MOUNTED LAMP/BEACON, provides a switch and electrical wiring tucked beneath the headliner for a body upfitter to connect a body-mounted warning or emergency lamp. 30-amp nominal rating (Included with (VYU) Snow Plow Prep Package.)	0.00	0.00	\$30.00
T96	FOG LAMPS, FRONT HALOGEN	2.00	0.00	\$140.00
ANJ	GLASS, NON-DEEP TINTED *CREDIT*	0.00	0.00	-\$295.00
JF4	PEDALS, POWER-ADJUSTABLE FOR ACCELERATOR AND BRAKE (Requires (UD7) Rear Parking Assist. Not available with (9L4) 12 volt power supply.)	6.00	2.00	\$150.00
AP3	REMOTE VEHICLE STARTER SYSTEM, includes Remote Keyless Entry	1.00	0.00	\$195.00
B30	FLOOR COVERING, COLOR-KEYED CARPETING (Includes (B58) color-keyed floor mats.)	0.00	12.00	\$190.00
B58	FLOOR MATS, COLOR-KEYED CARPETED first and second row, removable (Included and only available with (B30) color-keyed floor covering.)	0.00	0.00	\$0.00
V1K	LUGGAGE RACK CENTER RAILS	2.00	7.00	\$90.00
G63	LUGGAGE RACK, DELETE *CREDIT*	0.00	0.00	-\$25.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

Page 13

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

OPTIONAL EQUIPMENT

Code	Description	Front Wt	Rear Wt	MSRP
DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER, MANUAL-FOLDING AND EXTENSION with integrated turn signal indicators	6.00	2.00	\$175.00
UD7	REAR PARKING ASSIST, ULTRASONIC with rearview LED display and audible warning (Requires (JF4) power adjustable pedals.)	0.00	1.00	\$265.00
K47	AIR CLEANER, HIGH-CAPACITY	1.00	0.00	\$25.00
K05	ENGINE BLOCK HEATER	1.00	0.00	\$75.00
UE0	ONSTAR, DELETE (Requires (U2J) XM Satellite Radio, delete.) *CREDIT*	-1.00	0.00	-\$85.00
R8G	ONSTAR 1 ADDITIONAL YEAR OF SAFE AND SOUND SERVICE. Provides 1 year of Safe and Sound service following the first year of OnStar service included in the price of the vehicle. Fleet may also order (RFA) OnStar Business Vehicle Manager Service (Requires (UE1) OnStar 1-year Safe and Sound plan. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8P, R8W, R8Y, R8Z, RFG or RFH.)	0.00	0.00	\$0.00
R8P	ONSTAR 2 ADDITIONAL YEARS OF SAFE AND SOUND SERVICE. Provides 2 additional years of Safe and Sound service following the first year of OnStar service included in the price of the vehicle. Fleet may also order (RFA) OnStar Business Vehicle Manager Service (Requires (UE1) OnStar 1-year Safe and Sound plan. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8G, R8W, R8Y, R8Z, RFG or RFH.)	0.00	0.00	\$0.00
R8W	ONSTAR 1-YEAR DIRECTIONS AND CONNECTIONS SERVICE. Provides an upgrade from Safe and Sound service included in the price of the vehicle in the first year. OnStar Business Vehicle Manager Service (RFA) is not available (Requires (UE1) OnStar 1-year Safe and Sound plan. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8G, R8P, R8Y, R8Z, RFG or RFH.)	0.00	0.00	\$0.00
R8Y	ONSTAR 2-YEARS DIRECTIONS AND CONNECTIONS SERVICE. Provides cumulative 2 Years of Directions and Connections service. In the first year, this is an upgrade from Safe and Sound service included in the price of the vehicle. Fleet may also order (RFA) OnStar Business Vehicle Manager Service (Requires (UE1) OnStar 1-year Safe and Sound plan. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8G, R8P, R8W, R8Z, RFG or RFH.)	0.00	0.00	\$0.00

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

OPTIONAL EQUIPMENT

Code	Description	Front Wt	Rear Wt	MSRP
R8Z	ONSTAR 3-YEARS DIRECTIONS AND CONNECTIONS SERVICE. Provides cumulative 3 Years of Directions and Connections service. In the first year, this is an upgrade from Safe and Sound service included in the price of the vehicle. Fleet may also order (RFA) OnStar Business Vehicle Manager Service (Requires (UE1) OnStar 1-year Safe and Sound plan. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8G, R8P, R8W, R8Y, RFG or RFH.)	0.00	0.00	\$0.00
RFG	ONSTAR 3 ADDITIONAL YEARS SAFE AND SOUND SERVICE. Provides 3 additional Years of Safe and Sound service following the first year of OnStar service included in the price of the vehicle. Fleet may also order (RFA) OnStar Business Vehicle Manager Service (Requires (UE1) OnStar 1-year Safe and Sound plan. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8G, R8P, R8W, R8Y, R8Z or RFH.)	0.00	0.00	\$0.00
RFH	ONSTAR 4 ADDITIONAL YEARS SAFE AND SOUND SERVICE. Provides 4 additional Years of Safe and Sound service following the first year of OnStar service included in the price of the vehicle. Fleet may also order (RFA) OnStar Business Vehicle Manager Service (Requires (UE1) OnStar 1-year Safe and Sound plan. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8G, R8P, R8W, R8Y, R8Z or RFG.)	0.00	0.00	\$0.00
RFA	ONSTAR BUSINESS VEHICLE MANAGER SERVICE. Provides OnStar Business Vehicle Manager Service equal to the length of OnStar multi year order. RFA MUST be ordered to receive service (Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Requires one of the following options: R8G, R8P, R8Y, R8Z, RFG or RFH. Requires Fleet Master Agreement (FMA). Not available with R8W. Available for Fleets with 20 or more active OnStar Multi-Year Subscriptions.)	0.00	0.00	\$0.00
R8Q	ILLINOIS COST SURCHARGE	0.00	0.00	\$0.00
R6M	NEW JERSEY COST SURCHARGE *Required on all vehicles to be registered in New Jersey*	17.00	17.00	\$0.00
FVX	NATIONAL FLEET INCENTIVE **The dealer, on behalf of the fleet customer, will have the option of selecting the greater of the available fleet incentive (FVX/FPP) or a regional retail consumer cash incentive (CNC, CNE, CSE, CSR, CWE) IN EFFECT AT THE TIME OF DELIVERY, but not both. See the retail consumer cash administrative message for full guidelines. Regardless of the incentive taken, all deliveries are to be reported as fleet**	0.00	0.00	\$0.00
VQ1	FLEET PROCESSING OPTION	0.00	0.00	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

OPTIONAL EQUIPMENT

Code	Description	Front Wt	Rear Wt	MSRP
VQ2	FLEET PROCESSING OPTION	0.00	0.00	\$0.00
VQ3	FLEET PROCESSING OPTION	0.00	0.00	\$0.00
_	BID ASSISTANCE	0.00	0.00	\$0.00
	SPECIAL EQUIPMENT OPTIONS			
9N5	FLOOR CONSOLE DELETE Deletes the floor console and associated audio equipment that is included with custom cloth high back bucket seats. All exposed floor areas will remain untrimmed. (Requires RPO (A95) front bucket seats with custom cloth.) *CREDIT*	0.00	0.00	-\$740.00
575	SEATS, 2ND ROW VINYL WITH FRONT CLOTH SEATS Provides vinyl middle rear seats and cloth front seats. If RPO (AS3) third row 50/50 split-bench seat is ordered, it will be vinyl. (Requires interior trim code (19D) Ebony, and RPO (AZ3) front 40/20/40 split-bench with custom cloth seats or RPO (A95) front bucket with custom cloth seats.) *CREDIT*	0.00	0.00	-\$30.00
9\$1	SEATS, DRIVER AND PASSENGER FRONT BUCKET SEATS IN BASE VINYL TRIM Derived from RPO (AZ3) 40/20/40 Split Bench with center 20% section removed. Seats are manual, not power. Does not include floor console. Exposed floor areas will remain untrimmed. Rear seat will also be vinyl trimmed (Requires interior trim code (19V) Ebony and RPO (BG9) Black rubberized-vinyl floor covering.)	0.00	0.00	\$0.00
5T4	EXTERIOR BODY COLORED PARTS, VICTORY RED special painted exterior body parts in lieu of glossy black color normally installed with special painted bodies (MSRP = \$50.00) Victory Red painted parts will consist of front fascia, rear bumper fascia, rear liftgate license plate applique and rear liftgate handle. Door handles, mirrors, rear D-pillar applique and liftgate spoiler will remain Black. Body side moldings are deleted. Priced in addition to SEO option (TGK) Special Paint (Requires special paint (WA-9260) Victory Red body paint. Not available with RPO (T96) front fog lamps, RPO (UD7) rear parking assist or RPO (UVC) rearview camera system.)	0.00	0.00	\$50.00
8X1	LABEL, FASTEN SAFETY BELTS "Fasten Safety Belts" reminder label on side door window glass.	0.00	0.00	\$2.00
6C5	BATTERY, SINGLE 730 CCA Provides a 730 CCA HD cranking battery, replacing the standard 600 CCA battery.	0.00	0.00	\$57.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

OPTIONAL EQUIPMENT

Code	Description	Front Wt	Rear Wt	MSRP
9L4	POWER SUPPLY, 12-VOLT DIRECT POWER SUPPLY FROM THE BATTERY With two (2) separate 30 amp fused circuits. Each circuit has a 30 amp mini-fuse for both positive and ground to protect electrical accessories. Main supply lead has a 60 amp maxi-fuse. All fuses are serviceable. Provides either direct battery power or operation through the ignition system. Hook-up wire is located at the front of the floor console. Operational amperage is 21 amps each circuit, 42 amps total. Hook-up and operational instructions are provided (Requires RPO (UE0) OnStar, delete. Not available with RPO (JF4) power-adjustable pedals.)	0.00	0.00	\$172.00
9V9	PAINTS, SOLID, DOESKIN TAN All extraneous body components formerly color-keyed to body color, will be gloss Black with SEO paint (Required with any SEO paint selection. May require extended lead time.)	0.00	0.00	\$0.00
9W4	PAINTS, SOLID, TANGIER ORANGE All extraneous body components formerly color-keyed to body color, will be gloss Black with SEO paint (Required with any SEO paint selection. May require extended lead time.)	0.00	0.00	\$0.00
9W3	PAINTS, SOLID, WHEATLAND YELLOW All extraneous body components formerly color-keyed to body color, will be gloss Black with SEO paint (Required with any SEO paint selection. May require extended lead time.)	0.00	0.00	\$0.00
9V5	PAINTS, SOLID, WOODLAND GREEN All extraneous body components formerly color-keyed to body color, will be gloss Black with SEO paint (Required with any SEO paint selection. May require extended lead time.)	0.00	0.00	\$0.00
TGK	SPECIAL PAINT, SOLID, ONE COLOR All normally body colored non-sheet metal parts will be gloss Black. (Required with any SEO paint selection. May require extended lead time.)	0.00	0.00	\$275.00
	w/9V9 or 9V5 or 9W4 or 9W3	0.00	0.00	\$0.00
	w/o 9V9 or 9V5 or 9W4 or 9W3	0.00	0.00	\$275.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

COLOR AVAILABILITY

	Ebny (19)	Csmr Ebny (31)	Tita nium (83)
Graystone Metallic (16)	X	X	X
Dark Blue Metallic (25)	X	X	X
Black (41)	X	X	X
Blue Granite Metallic (46)	X	X	X
Summit White (50)	X	X	X
Gold Mist Metallic (51)	X	X	
Silver Birch Metallic (59)	X	X	X
Deep Ruby Metallic (66)	X	X	X

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

WARRANTY INFORMATION

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

WARRANTY INFORMATION

WARRANTY <>< PRELIMINARY 2008 WARRANTY >>>

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/100,000 Miles

Corrosion:

6 Years/100,000 Miles

Roadside Assistance:

5 Years/100,000 Miles

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

WINDOW STICKER

Code	Model	MSRP
CC20906	2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial	\$39,495.00
Code	Options	MSRP
D	CUSTOM CLOTH SEAT TRIM	\$0.00
1FL	COMMERCIAL PREFERRED EQUIPMENT GROUP	-\$1,675.00
AM8	SEATS, SECOND ROW 60/40 SPLIT-FOLDING BENCH,	INC
ANJ	GLASS, NON-DEEP TINTED	-\$295.00
AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH	\$0.00
GT4	REAR AXLE, 3.73 RATIO	\$0.00
LY6	ENGINE, VORTEC 6.0L V8 SFI	\$0.00
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
NC7	EMISSIONS OVERRIDE, FEDERAL	\$0.00
	NO THIRD ROW SEAT	\$0.00
	NO LOCKING REAR DIFFERENTIAL	\$0.00
QB5	WHEELS, 4-16" X 6.5" (40.6 CM X 16.5 CM) STEEL DISC	\$0.00
Q <i>IZ</i>	TIRES, LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
UE0	ONSTAR, DELETE	-\$85.00
US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER,	\$0.00
YF5	EMISSIONS, CALIFORNIA STATE REQUIREMENTS	\$0.00
	PAINT, SOLID	\$0.00
	SUBTOTAL	\$37,440.00
	Advert/Adjustments	\$0.00
	Destination Charge	\$900.00
	TOTAL PRICE	\$38,340.00
	Est City: mpg	
	Est Highway: mpg	

Est Highway Cruising Range: mi

2008	Chevro	At Su	hurbar
/UU0	CHEVIO	er ou	Durbar

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

WINDOW STICKER

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

POWERTRAIN - BASIC SPECIFICATIONS

Engine

Engine Order Code	LY6
Engine Type	Gas V8
Displacement	6.0L/366 CID
SAE Net Horsepower @ RPM	352 @ 5400
SAE Net Torque (lb ft) @ RPM	383 @ 4300

Transmission

Transmission order codeMT1Transmission Type Description6-Speed Automatic w/ODDrive TrainRear Wheel Drive

Mileage

City EPA fuel economy estimate (MPG)

Hwy EPA fuel economy estimate (MPG)

City cruising range (mi)

Hwy cruising range (mi)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

^{*} Indicates equipment which is in addition to or replaces base model's standard equipment.

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

POWERTRAIN - ADVANCED SPECIFICATIONS

•	•	aı	151	111	33	·IU	11

Gear Ratio (:1)	
First Gear Ratio (:1)	4.03
Second Gear Ratio (:1)	2.36
Third Gear Ratio (:1)	1.53
Fourth Gear Rato (:1)	1.15
Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.67
Reverse Ratio (:1)	3.06
Clutch size (in)	
Power Take-Off	

Transfer Case

Transfer case model

Gear Ratio (:1)

Transfer case high gear ratio

Transfer case low gear ratio

Transfer case power take off

Differential	Front		Rear		
Axle Ratio (:1)		3.		73	
Electrical					
Battery	1	2	3	Total	
Battery cold cranking Amps @ 0 F	600.00			600.00	
Alternator					
Alternator Amps	145.00				
Cooling System					
Cooling system capacity	17.80				
Engine oil cooler * Indicates equipment which is in addition to or replaces hase model's standard equipmen	- TBD -				

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008 Page 23

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

PAYLOAD/TRAILERING SPECIFICATIONS

Weight Information	Front	Rear	Total
Gross Axle Wt Rating (lbs)	3,800.00	5,500.00	
Curb Weight (lbs)	3,042.00	2,931.00	5,973.00
Total Option Weight (lbs)	* -11.00	0.00	* -11.00
As Spec'd Curb Weight (lbs)	* 3,031.00	2,931.00	* 5,962.00
As spec'd payload (lbs)			* 2,638.00
Total Weight (lbs)	* 3,031.00	2,931.00	* 6,312.00
Reserve Axle Capacity (lbs)	* 769.00	2,569.00	* 3,338.00
Gross Vehicle Wt Rating (lbs)			8,600.00
Gross Combined Wt Rating (lbs)			16,000.00
Trailering	Max Trailer Wt.	Max Tongue Load	
Dead Weight Hitch (lbs)	* 5,000.00	* 500.00	
Weight Distributing Hitch (lbs)	* 9,600.00	* 1,152.00	
Fifth Wheel Hitch (lbs)		*	

Fifth Wheel Hitch (lbs)

* Indicates equipment which is in addition to or replaces base model's standard equipment.

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

CHASSIS SPECIFICATIONS

Suspension	Front	Rear	
Spring			
Spring Type	Torsion Bar	Leaf springs	
Spring Capacity	4,100.00	5,500.00	
Axle			
Axle Type	Independent	Semi-floating	
Axle Capacity	4,100.00	6,000.00	
Shock Absorber Diameter (mm)	1.38	1.38	
Stabilizer Bar Diameter (in)	1.40		
Brakes			
Brake type	Pwr		
ABS System	4-Wheel		
	Front	Rear	
Disc	Yes	Yes	_
Rotor Diam x Thickness (in)	13.0 x 1.18	13.5 x 0.79	
Drum			
Drum Diam x Width (in)			
Tires	Front	Rear	Spare
Tire Order Code	Q <i>IZ</i>	Q <i>IZ</i>	ZIZ
Tire Size	LT245/75R16E	LT245/75R16E	LT245/75R16
Capacity	2,205.00	2,790.00	- TBD -
Revolutions/Mile @ 45mph	- TBD -	- TBD -	- TBD -
Wheels	Front	Rear	Spare
Wheel Size	16 x 6.5	16 x 6.5	16 x - TBD -
Wheel Type	Steel	Steel	Steel
Steering			
Steering type	Pwr		
Ratio (:1)			
On Center	- TBD -		
At Lock	- TBD -		
Turning Diameter			
Curb-to-Curb	45.30		
Wall-to-Wall	- TBD -		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

CHASSIS SPECIFICATIONS

Fuel Tank	Main	Auxiliary	
Capacity	39.00		
Location	- TRD -		

^{*} Indicates equipment which is in addition to or replaces base model's standard equipment.

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

DIMENSIONS

Wheelbase (in)	130.00
Length, Overall w/rear bumper (in)	222.40
Width, Max w/o mirrors (in)	79.10
Height, Overall (in)	76.80
Overhang	
Overhang, Front	- TBD -
Overhang, Rear w/o bumper	
Ground to Top of Load Floor (in)	31.80
Ground Clearance	
Ground Clearance, Front	10.50
Ground Clearance, Rear	9.10
Rear Door	
Rear Door Type	Liftgate
Rear Door Opening Height	- TBD -
Rear Door Opening Width	- TBD -
Side Door	
Side Door Type	
Side Door Opening Height (in)	
Side Door Opening Width (in)	
Step Up Height - Front (in)	
Step Up Height - Side (in)	
Cargo Area Dimensions	

Cargo Area Length @ Floor to Console (in)

Cargo Area Length @ Floor to Seat 1 101.80
Cargo Area Length @ Floor to Seat 2 69.60
Cargo Area Length @ Floor to Seat 3 35.60

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

2008 Chevrolet Suburban CC20906 2WD 4dr 2500 Commercial

39.50

65.20

61.80

DIMENSIONS

Cargo	Area	Dimer	neinne
Cargo	Alea	Diffiel	1210112

Leg Room (in)

Hip Room (in)

Shoulder Room (in)

Cargo Area Length @ Floor to Console (in)			
Width			
Cargo Area Width @ Beltline	- TBD -		
Cargo Box Width @ Wheelhousings	49.10		
Cargo Box (Area) Height (in)	41.40		
Cargo Volume			
Cargo Volume to Seat 1	137.40		
Cargo Volume to Seat 2	90.00		
Cargo Volume to Seat 3	45.80		
Cargo Volume to Seat 4			
Interior Dimensions			
Passenger Capacity	6		
Seating Position	Front	Second	Third
Head Room (in)	41.10	38.50	38.10

41.30

65.30

64.40

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008 Page 28

34.90

64.70

49.40

^{*} Indicates equipment which is in addition to or replaces base model's standard equipment.