



2012 INDUSTRIAL PRICE GUIDE

Peosta, Iowa is home to the Mi-T-M Corporation and it is where we manufacture our products. Our 850,000-square-foot facility is state-of-the-art from the latest engineering and design software to the robotic welding and high tech laser equipment. For more than 40 years the Mi-T-M name has stood for performance, quality, value and dependability. This is what customers think of when they see our logo and use our equipment. But Mi-T-M is so much more. Performance, quality, value and dependability are the words we use to describe our people.

Our founder, A.J. Spiegel is often heard saying, "It's the people who make us Mi-T-M." Starting with the person on the assembly line who proudly builds the powerful black equipment to the customer service rep that proudly takes your order and answers your questions, Mi-T-M employees strive to be the best in our industry.

It is the vision of our founder that continues to drive innovation in our products and processes and we'll always demand the highest quality standards be met, that is what we are known for. But it is the pride and commitment of every employee who has made Mi-T-M the company it is today.

Our Promise

We promise to deliver unmatched performance – from the quality of our products to the dedication of each employee who does what's right for our customer every time.



Brad Klein, Customer Service Representative, 5 years



John Brashaw, Quality Assurance Technician, 5 years



Kevin Langel, Machine Operator, 4 years



Carl Vorwald, Hot Water Tester, 8 years



Jeff Gansen, Shipping Leadman, 19 years



Cory Young, Material Handler, Parts Department, 6 years



Performance Under Pressure.®

Gasoline Direct Drive

CD Series



CD-2003-3MHH



Model Number	PSI	GPM	Displacement/Engine	Ship Wt.	Net Wt.	List Price
CD-2003-3MHH	2000	2.7	196cc Honda OHV	75 lbs.	56 lbs.	\$1,560.00

ACCESSORY

Part Number	Description	Fits Models	List Price
50-0161	High pressure detergent injection - High pressure water mixes with detergent to clean even the heaviest build-up	CD-2003-3MHH	\$99.20

- Performance-proven OHV engine with low-oil shutdown
- Direct drive triplex piston AR pump with ceramic plungers
- Powder coated steel mounting plate with center balanced lift and four rubber isolators

Gasoline Direct Drive

JP Series



JP-2703-0MHB



Model Number	PSI	GPM	Displacement/Engine	Ship Wt.	Net Wt.	List Price
JP-2403-0MHB	2400	2.4	196cc Honda OHV	100 lbs.	75 lbs.	\$1,710.00
JP-2403-0MRB	2400	2.4	211cc Subaru OHC	100 lbs.	75 lbs.	\$1,690.00
JP-2703-0MHB	2700	2.4	196cc Honda OHV	110 lbs.	85 lbs.	\$1,790.00
JP-2703-0MRB	2700	2.4	211cc Subaru OHV	110 lbs.	85 lbs.	\$1,770.00
JP-3003-0MHB	3000	3.0	270cc Honda OHV	185 lbs.	130 lbs.	\$2,400.00
JP-3003-0MRB	3000	3.0	265cc Subaru OHC	185 lbs.	130 lbs.	\$2,290.00
JP-3504-0MHB	3500	3.5	389cc Honda OHV	192 lbs.	142 lbs.	\$2,850.00
JP-3504-0MRB	3500	3.5	404cc Subaru OHC	192 lbs.	142 lbs.	\$2,900.00
JP-4004-1MHB	4000	3.5	389cc Honda OHV	192 lbs.	142 lbs.	\$3,000.00
JP-4004-1MRB	4000	3.5	404cc Subaru OHC	192 lbs.	142 lbs.	\$3,060.00

ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
50-0161	High pressure detergent injection - High pressure water mixes with detergent to clean even the heaviest build-up	All models	\$99.20
AW-8400-0021	Low pressure detergent injection - Allows the user to apply the recommended detergents	All models	\$81.00
CX-0005	Insulated dual lance - Has both a high and low pressure tip that allows you to switch to the low pressure chemical injector without having to change tips	All models	\$182.50
CX-0083	External bypass - Allows more water into the system to protect from heat build-up	2400 to 2700-PSI models	\$207.50
CX-0084	External bypass - Allows more water into the system to protect from heat build-up	3000 to 4000-PSI models	\$175.00
TX-1002-W	Puncture-proof tires - Tires are flat-free and maintenance-free, 10-inch, white hub, two tires	All models	\$102.50

- Performance-proven engine with low-oil protection
- Direct drive triplex piston AR pump with ceramic plungers
- Powder coated steel base plate
- 1-inch powder coated steel tube handles

Cold Water

Gasoline Direct Drive



New Kohler Engine Models



CA-3003-OMKB

- Performance-proven engine with low-oil protection
- Direct drive triplex piston General or AR pump with ceramic plungers
- Aluminum base plate
- 1-inch aluminum tube handles
- Patented isolation plate for less frame vibration

CA Aluminum Series

Model Number	PSI	GPM	Displacement/Engine	Ship Wt.	Net Wt.	List Price
CA-2403-OMHB	2400	2.4	196cc Honda OHV	100 lbs.	73 lbs.	\$1,770.00
CA-2403-OMRB	2400	2.4	211cc Subaru OHC	100 lbs.	73 lbs.	\$1,750.00
CA-2703-OMHB	2700	2.4	196cc Honda OHV	100 lbs.	73 lbs.	\$1,850.00
CA-2703-OMKB	2700	2.4	208cc Kohler OHV	100 lbs.	73 lbs.	\$1,650.00
CA-2703-OMRB	2700	2.4	211cc Subaru OHC	100 lbs.	73 lbs.	\$1,830.00
CA-3003-OMHB	3000	3.0	270cc Honda OHV	155 lbs.	105 lbs.	\$2,560.00
CA-3003-OMKB	3000	3.0	277cc Kohler OHV	155 lbs.	105 lbs.	\$2,230.00
CA-3003-OMRB	3000	3.0	265cc Subaru OHC	155 lbs.	105 lbs.	\$2,460.00
CA-3504-OMHB	3500	3.5	389cc Honda OHV	175 lbs.	125 lbs.	\$2,860.00
CA-3504-OMRB	3500	3.5	404cc Subaru OHC	175 lbs.	125 lbs.	\$2,940.00
CA-3504-1MHB*	3500	4.0	389cc Honda OHV	175 lbs.	125 lbs.	\$3,050.00
CA-4004-OMHB	4000	3.5	389cc Honda OHV	175 lbs.	125 lbs.	\$2,960.00
CA-4004-OMKB	4000	3.5	429cc Kohler OHV	175 lbs.	125 lbs.	\$3,550.00
CA-4004-OMRB	4000	3.5	404cc Subaru OHC	175 lbs.	125 lbs.	\$3,020.00
CA-4004-1MHB*	4000	4.0	389cc Honda OHV	175 lbs.	125 lbs.	\$3,110.00

*Model comes standard with external bypass system and General pump.

ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
50-0161	High pressure detergent injection - High pressure water mixes with detergent to clean even the heaviest build-up	All models	\$99.20
AW-8400-0021	Low pressure detergent injection - Allows the user to apply the recommended detergents	All models	\$81.00
CX-0005	Insulated dual lance - Has both a high and low pressure tip that allows you to switch to the low pressure chemical injector without having to change tips	All models	\$182.50
CX-0083	External bypass - Allows more water into the system to protect from heat build-up	2400 to 2700-PSI models	\$207.50
CX-0084	External bypass - Allows more water into the system to protect from heat build-up	3000 to 4000-PSI models	\$175.00
TX-1002-W	Puncture-proof tires - Tires are flat-free and maintenance-free, 10-inch, white hub, two tires	All models	\$102.50

Gasoline Belt Drive



CBA-3504-OMRB

- Performance-proven engine with low-oil protection
- Belt drive triplex piston General or AR pump with ceramic plungers
- Aluminum base plate
- 1-inch aluminum tube handles
- Patented isolation plate for less frame vibration

CBA Aluminum Series

NEW KOHLER ENGINE MODELS

Model Number	PSI	GPM	Displacement/Engine	Ship Wt.	Net Wt.	List Price
CBA-3504-OMHB	3500	3.7	389cc Honda OHV	215 lbs.	165 lbs.	\$3,400.00
CBA-3504-OMKB	3500	3.7	429cc Kohler OHV	215 lbs.	165 lbs.	\$2,980.00
CBA-3504-OMRB	3500	3.7	404cc Subaru OHC	215 lbs.	165 lbs.	\$3,460.00
CBA-3504-1MHB*	3500	4.0	389cc Honda OHV	215 lbs.	165 lbs.	\$3,750.00
CBA-4004-OMHB	4000	3.4	389cc Honda OHV	215 lbs.	165 lbs.	\$3,440.00
CBA-4004-OMKB	4000	3.4	429cc Kohler OHV	215 lbs.	165 lbs.	\$3,010.00
CBA-4004-OMRB	4000	3.4	404cc Subaru OHC	215 lbs.	165 lbs.	\$3,500.00
CBA-4004-1MHB*	4000	3.5	389cc Honda OHV	215 lbs.	165 lbs.	\$3,800.00

*Model comes standard with external bypass system and General pump.

ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
50-0161	High pressure detergent injection - High pressure water mixes with detergent to clean even the heaviest build-up	All models	\$99.20
AW-8400-0021	Low pressure detergent injection - Allows the user to apply the recommended detergents	All models	\$81.00
CX-0005	Insulated dual lance - Has both a high and low pressure tip that allows you to switch to the low pressure chemical injector without having to change tips	All models	\$182.50
CX-0082	External bypass - Allows more water into the system to protect from heat build-up; attaches to the pump	All models except 1MHB	\$252.50
TX-1302-W	Puncture-proof tires - Tires are flat-free and maintenance-free, 13-inch, white hub, two tires	All models	\$112.00

Gasoline Belt Drive

JCW Series



Model Number	PSI	GPM	Displacement/Engine	Ship Wt.	Net Wt.	List Price
JCW-2403-0MHB	2400	2.8	196cc Honda OHV	171 lbs.	121 lbs.	\$2,080.00
JCW-2403-0MRB	2400	2.8	211cc Subaru OHC	171 lbs.	121 lbs.	\$2,060.00
JCW-2703-0MHB	2700	2.4	196cc Honda OHV	171 lbs.	121 lbs.	\$2,190.00
JCW-2703-0MRB	2700	2.4	211cc Subaru OHC	171 lbs.	121 lbs.	\$2,170.00
JCW-3504-0MHB	3500	3.7	389cc Honda OHV	245 lbs.	191 lbs.	\$3,140.00
JCW-3504-0MRB	3500	3.7	404cc Subaru OHC	245 lbs.	191 lbs.	\$3,190.00
JCW-4004-1MHB	4000	3.4	389cc Honda OHV	249 lbs.	195 lbs.	\$3,190.00
JCW-4004-1MRB	4000	3.4	404cc Subaru OHC	249 lbs.	195 lbs.	\$3,230.00



JCW-3504-0MHB

- Performance-proven engine with low-oil protection
- Belt drive triplex piston AR pump with ceramic plungers
- Powder coated steel base plate
- 1¼-inch powder coated steel tube handles (1-inch on 2400 & 2700 PSI models)

ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
50-0161	High pressure detergent injection - High pressure water mixes with detergent to clean even the heaviest build-up	All models	\$99.20
AW-8400-0021	Low pressure detergent injection - Allows the user to apply the recommended detergents	All models	\$81.00
CX-0005	Insulated dual lance - Has both a high and low pressure tip that allows you to switch to the low pressure chemical injector without having to change tips	All models	\$182.50
CX-0082	External bypass - Allows more water into the system to protect from heat build-up; attaches to the pump	All models	\$252.50
CX-0085	External bypass - Allows more water into the system to protect from heat build-up; attaches to the base plate	All models	\$560.00
TX-1002-W	Puncture-proof tires - Tires are flat-free and maintenance-free, 10-inch, white hub, two tires	2400 to 2700-PSI models	\$102.50
TX-1302-W	Puncture-proof tires - Tires are flat-free and maintenance-free, 13-inch, white hub, two tires	3500 to 4000-PSI models	\$112.00

Gasoline Belt Drive

CW Premium Series



Model Number	PSI	GPM	Displacement/Engine	Ship Wt.	Net Wt.	List Price
CW-2505-4MGH	2500	4.4	389cc Honda OHV	290 lbs.	216 lbs.	\$3,390.00
CW-3004-4MGH	3000	3.5	389cc Honda OHV	290 lbs.	216 lbs.	\$3,420.00
CW-3504-4MGH	3500	3.7	389cc Honda OHV	290 lbs.	216 lbs.	\$3,920.00
CW-3504-4MGR	3500	3.7	404cc Subaru OHC	290 lbs.	216 lbs.	\$4,000.00
CW-4004-4MGH	4000	3.5	389cc Honda OHV	290 lbs.	216 lbs.	\$4,240.00
CW-4004-3MVO*	4000	4.0	480cc Vanguard OHV	330 lbs.	256 lbs.	\$5,330.00

*Electric start (battery included).

ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
50-0161	High pressure detergent injection - High pressure water mixes with detergent to clean even the heaviest build-up	All models	\$99.20
AW-8400-0021	Low pressure detergent injection - Allows the user to apply the recommended detergents	All models	\$81.00
CX-0005	Insulated dual lance - Has both a high and low pressure tip that allows you to switch to the low pressure chemical injector without having to change tips	All models	\$182.50
CX-0045	Electric start - For easy starting	All Honda models	\$712.00
CX-0054	Roll cage - Designed for cold water pressure washers to protect equipment, comes with a lifting hook, 1¼-inch powder coated steel tubing	All Honda & Subaru models	\$403.00
CX-0055	Roll cage - See CX-0054 for description	CW-4004-3MVO	\$403.00
TX-1302-M	Puncture-proof tires - Tires are flat-free and maintenance-free, 13-inch, white hub, two tires	All models	\$71.00



CW-3504-4MGH

- Performance-proven engine with low-oil protection
- Belt drive triplex piston General pump with ceramic plungers
- Powder coated steel base plate
- 1¼-inch powder coated steel tube handles
- Heavy-duty dual cogged belt drive system

Cold Water

Gasoline Belt Drive



CWC-5004-3MAH



Intertek
Certified
to UL-1776

ETL Certified:
CWC-5004 &
CWC-5005
models only

- Performance-proven engine with low-oil protection
- Belt drive triplex piston AR or General pump with ceramic plungers
- Patented powder coated steel frame with roll cage and lifting hook
- Pneumatic mag tires with tubes and locking tire brake

CWC Premium Series

Model Number	PSI	GPM	Displacement/Engine	Ship Wt.	Net Wt.	List Price
CWC-3008-3MGH	3000	8.0	688cc Honda OHV	511 lbs.	388 lbs.	\$8,920.00
CWC-5004-3MAH*	5000	4.0	688cc Honda OHV	501 lbs.	378 lbs.	\$7,080.00
CWC-5004-3MGH	5000	4.0	688cc Honda OHV	501 lbs.	378 lbs.	\$8,240.00
CWC-5005-3MGH	5000	5.0	688cc Honda OHV	511 lbs.	388 lbs.	\$8,410.00
CWC-6004-3MGH	6000	3.7	688cc Honda OHV	511 lbs.	388 lbs.	\$10,520.00

*Model equipped with AR pump, all other models equipped with General pumps.

OPTIONS

Part Number	Description	Fits Models	List Price
TX-1304-M	Puncture-proof tires - Tires are flat-free and maintenance-free, 13-inch, white hub, four tires	All models	\$141.00

Diesel Belt Drive



CW-3004-4MDY



Intertek
Certified
to UL-1776

- Professional Yanmar diesel engine
- Belt drive triplex piston General pump with ceramic plungers
- Powder coated steel tube handles
- Dual cogged belt drive system for increased belt life

CW Premium Series

Model Number	PSI	GPM	Horsepower/Engine	Ship Wt.	Net Wt.	List Price
CW-3004-4MDY	3000	3.5	9.0 HP Yanmar	321 lbs.	245 lbs.	\$6,900.00

ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
50-0161	High pressure detergent injection - High pressure water mixes with detergent to clean even the heaviest build-up	CW-3004-4MDY	\$99.20
AW-8400-0021	Low pressure detergent injection - Allows the user to apply the recommended detergents	CW-3004-4MDY	\$81.00
CX-0005	Insulated dual lance - Has both a high and low pressure tip that allows you to switch to the low pressure chemical injector without having to change tips	CW-3004-4MDY	\$182.50
CX-0044	Electric start (battery included) - For easy starting	CW-3004-4MDY	\$934.00
CX-0056	Roll cage - Designed for cold water pressure washers to protect equipment, comes with a lifting hook, 1 1/4-inch powder coated steel tubing	CW-3004-4MDY	\$403.00
TX-1302-W	Puncture-proof tires - Tires are flat-free and maintenance-free, 13-inch, white hub, two tires	CW-3004-4MDY	\$112.00

Electric Direct Drive



CD-1502-2MUH



CSA
CERTIFIED

- Totally enclosed fan-cooled electric motor with thermal overload motor protection
- Direct drive triplex piston General or AR pump with ceramic plungers
- Powder coated steel mounting plate with center balanced lift and four rubber isolators
- 35-foot power cord

CD Series

Model Number	PSI	GPM	Horsepower/Motor	Ship Wt.	Net Wt.	List Price
CD-1002-3MUH	1000	2.0	1.5 HP, 120V, 1Ø, 12.5A	70 lbs.	58 lbs.	\$1,310.00
CD-1002-2MUH*	1000	2.0	1.5 HP, 120V, 1Ø, 12.5A	71 lbs.	66 lbs.	\$1,780.00
CD-1502-3MUH	1500	2.0	2.0 HP, 120V, 1Ø, 17.0A	76 lbs.	70 lbs.	\$1,400.00
CD-1502-2MUH*	1500	2.0	2.0 HP, 120V, 1Ø, 17.0A	76 lbs.	70 lbs.	\$1,850.00


*Pump accepts incoming water up to 175°F.


ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
18-0370	Rotating nozzle - Increase your cleaning power and decrease your cleaning time	CD-1502 models	\$85.80
18-0371	Rotating nozzle - Increase your cleaning power and decrease your cleaning time	CD-1002 models	\$85.80
50-0161	High pressure detergent injection - High pressure water mixes with detergent to clean even the heaviest build-up	All models	\$99.20
CX-0030	50-foot high pressure hose - For when you need extra hose for added mobility	All models	\$82.00

Electric Direct Drive

JP Series

 Certified in USA & Canada:
JP-1002 & JP-1502 single
phase models

 Certified in USA only:
JP-2003, JP-2503 & JP-3004
single phase models



JP-2003-3ME1

- Totally enclosed fan-cooled electric motor
- Direct drive triplex piston General or AR pump with ceramic plungers
- Powder coated steel base plate
- 1-inch powder coated steel tube handles

Model Number	PSI	GPM	Horsepower/Motor	Ship Wt.	Net Wt.	List Price
JP-1002-3ME1*	1000	2.0	1.5 HP, 120V, 1Ø, 15.0A	120 lbs.	90 lbs.	\$1,400.00
JP-1002-2ME1*#	1000	2.0	1.5 HP, 120V, 1Ø, 15.0A	120 lbs.	90 lbs.	\$1,880.00
JP-1502-3ME1*	1500	2.0	2.0 HP, 120V, 1Ø, 20.0A	120 lbs.	90 lbs.	\$1,490.00
JP-1502-2ME1*#	1500	2.0	2.0 HP, 120V, 1Ø, 20.0A	120 lbs.	90 lbs.	\$2,010.00
JP-2003-3ME1*	2000	2.8	4.0 HP, 230V, 1Ø, 16.0A	162 lbs.	112 lbs.	\$2,190.00
JP-2503-1ME1*	2500	3.2	6.0 HP, 230V, 1Ø, 24.1A	275 lbs.	225 lbs.	\$3,230.00
JP-2503-0ME3	2500	3.2	6.0 HP, 230V, 3Ø, 15.0A or 6.0 HP, 460V, 3Ø, 7.5A	275 lbs.	225 lbs.	\$3,500.00
JP-3004-1ME1	3000	3.9	8.0 HP, 230V, 1Ø, 34.5A	275 lbs.	225 lbs.	\$3,570.00
JP-3004-0ME3	3000	3.9	8.0 HP, 230V, 3Ø, 20.0A or 8.0 HP, 460V, 3Ø, 10.0A	275 lbs.	225 lbs.	\$3,710.00

*35-foot cord with ground fault circuit interrupter (GFCI).
#Pump accepts incoming water up to 175°F.

ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
50-0161	High pressure detergent injection - High pressure water mixes with detergent to clean even the heaviest build-up	All models	\$99.20
CX-0005	Insulated dual lance - Has both a high and low pressure tip that allows you to switch to the low pressure chemical injector without having to change tips	All models	\$182.50
CX-0030	50-foot high pressure hose - For when you need extra hose for added mobility	1000 to 2000-PSI models	\$82.00
CX-0066	460V on 6.0-HP, 3-phase models - For when you have 460V of power available	JP-2503-0ME3	No charge
CX-0067	460V on 8.0-HP, 3-phase models - For when you have 460V of power available	JP-3004-0ME3	No charge
TX-1002-W	Puncture-proof tires - Tires are flat-free and maintenance-free, 10-inch, white hub, two tires	1000 to 2000-PSI models	\$102.50
TX-1302-W	Puncture-proof tires - Tires are flat-free and maintenance-free, 13-inch, white hub, two tires	2500 to 3000-PSI models	\$112.00

Electric Direct Drive

CW Premium Series



CW-3004-4ME3

- Totally enclosed fan-cooled electric motor with thermal overload protection
- Belt drive triplex piston General pump with ceramic plungers
- Powder coated steel base plate and handles
- Heavy-duty dual cogged belt drive system

Model Number	PSI	GPM	Horsepower/Motor	Ship Wt.	Net Wt.	List Price
CW-2405-4ME1	2400	4.6	7.5 HP, 230V, 1Ø, 35.7A	345 lbs.	333 lbs.	\$4,350.00
CW-2405-4ME3*	2400	4.6	8.0 HP, 230V, 3Ø, 24.7A or 8.0 HP, 460V, 3Ø, 11.5A	255 lbs.	243 lbs.	\$3,910.00
CW-3004-4ME1	3000	3.5	7.5 HP, 230V, 1Ø, 35.0A	350 lbs.	338 lbs.	\$4,400.00
CW-3004-4ME3*	3000	3.5	8.0 HP, 230V, 3Ø, 23.0A or 8.0 HP, 460V, 3Ø, 11.5A	330 lbs.	318 lbs.	\$3,960.00
CW-3005-0ME1	3000	4.8	10.0 HP, 230V, 1Ø, 37.5A	470 lbs.	396 lbs.	\$5,110.00
CW-3005-0ME3*	3000	4.8	10.0 HP, 230V, 3Ø, 25.6A or 10.0 HP, 460V, 3Ø, 12.8A	450 lbs.	376 lbs.	\$5,260.00
CW-4004-0ME3*	4000	3.9	15.0 HP, 230V, 3Ø, 40.0A or 15.0 HP, 460V, 3Ø, 20.0A	505 lbs.	431 lbs.	\$7,030.00
CW-5004-0ME3*	5000	4.0	15.0 HP, 230V, 3Ø, 40.0A or 15.0 HP, 460V, 3Ø, 20.0A	505 lbs.	431 lbs.	\$7,340.00

*460-volts available (see options).

ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
50-0161	High pressure detergent injection - High pressure water mixes with detergent to clean even the heaviest build-up	All models	\$99.20
AW-8400-0021	Low pressure detergent injection - Allows the user to apply the recommended detergents	All models	\$81.00
CX-0003	460V, 3-phase - For when you have 460V of power available	CW-2405-4ME3 & CW-3004-4ME3	No charge
CX-0005	Insulated dual lance - Has both a high and low pressure tip that allows you to switch to the low pressure chemical injector without having to change tips	All models	\$182.50
CX-0057	460V, 3-phase - See CX-0003 for option description	CW-4004 to CW-5004 models	No charge
CX-0062	460V, 3-phase - See CX-0003 for option description	CW-3005-0ME3	\$55.00
TX-1302-W	Puncture-proof tires - Tires are flat-free and maintenance-free, 13-inch, white hub, two tires	All models	\$112.00

Cold & Hot Water

Electric Belt Drive Stationary

CW Premium Series



Model Number	PSI	GPM	Horsepower/Motor	Ship Wt.	Net Wt.	List Price
CW-1003-SME1	1000	2.5	2.0 HP, 120V, 1Ø, 18.8A	222 lbs.	172 lbs.	\$3,910.00
CW-2004-SME1	2000	3.9	6.0 HP, 230V, 1Ø, 24.1A	272 lbs.	214 lbs.	\$4,820.00
CW-2004-SME3	2000	3.9	6.0 HP, 230V, 3Ø, 15.0A	262 lbs.	204 lbs.	\$4,330.00
CW-3004-SME3	3000	3.5	8.0 HP, 230V, 3Ø, 20.0A	292 lbs.	234 lbs.	\$4,720.00



CW-2004-SME1

- Totally enclosed fan-cooled electric motor (2000 PSI models)
- Open drip-proof motor (1000 & 3000 PSI models)
- Belt drive triplex piston General pump with ceramic plungers
- Easy-to-access stainless-steel cabinet design

ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
AW-9501-0000	Stainless-steel wall mounting bracket - Provides a permanent location for your pressure washer in a shop or plant facility	All models	\$880.70
AW-9502-0000	Powder coated steel wall mounting brackets - Provides a permanent location for your pressure washer in a shop or plant facility	All models	\$328.90
CX-0069	Auto start/stop - When trigger gun is released, the timer will turn unit off; when trigger gun is pulled unit will restart	All models	\$119.00
CX-0076	460V, 3-phase - For when you have 460V of power available	CW-2004-SME3	No charge
CX-0077	460V, 3-phase - See CX-0076 for description	CW-3004-SME3	No charge
CX-0078	Remote box - Adds control box which may be mounted away from unit to control on/off	All models	\$196.40
CX-0087	208V, single-phase - For when you have 208V of power available	CW-2004-SME1	Consult Factory
CX-0088	208V, 3-phase - See CX-0087 for option description	CW-2004-SME3	Consult Factory
CX-0090	208V, 3-phase - See CX-0087 for option description	CW-3004-SME3	Consult Factory
CX-0096	Hour meter - Displays number of hours unit has been in operation	All models	\$80.00

Gasoline Direct Drive

HSP Series

NEW KOHLER ENGINE MODEL



Model Number	PSI	GPM	Displacement/Engine	Ship Wt.	Net Wt.	List Price
HSP-2403-3MGH	2400	2.6	196cc Honda OHV	385 lbs.	269 lbs.	\$5,290.00
HSP-2403-3MGR	2400	2.6	211cc Subaru OHC	385 lbs.	269 lbs.	\$5,290.00
HSP-3003-3MGH	3000	2.9	270cc Honda OHV	530 lbs.	407 lbs.	\$5,910.00
HSP-3003-3MGR	3000	2.9	265cc Subaru OHC	530 lbs.	407 lbs.	\$5,810.00
HSP-3504-3MGH	3500	3.3	389cc Honda OHV	551 lbs.	428 lbs.	\$6,490.00
HSP-3504-3MGK	3500	3.3	429cc Kohler OHV	551 lbs.	428 lbs.	\$6,000.00
HSP-3504-3MGR	3500	3.3	404cc Subaru OHC	551 lbs.	428 lbs.	\$6,530.00



HSP-3504-3MGH

- Performance-proven engine with low-oil protection
- Direct drive triplex piston AR pump with ceramic plungers
- Reinforced powder coated steel tube frame with center balanced lifting hook
- Patented Electro Magnetic Firing (EMF) system

ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
20-0464A52	Rain cap - Protects boiler from moisture build-up when unit is left outside	3000 to 3500-PSI models	\$121.80
HX-0098	Electric start (battery included) - For easy starting	HSP-3504-3MGH	\$679.00
HX-0219	Electric start (battery included) - For easy starting	HSP-3504-3MGR	\$760.00
TX-1004-W	Puncture-proof tires - Tires are flat-free and maintenance-free, 10-inch, white hub, four tires	2400-PSI models	\$205.00
TX-1304-W	Puncture-proof tires - Tires are flat-free and maintenance-free, 13-inch, white hub, four tires	3000 to 3500-PSI models	\$223.00

Gasoline/Diesel Belt Drive



GASOLINE MODELS

Model Number	PSI	GPM	Displacement/Engine	Ship Wt.	Net Wt.	List Price
HS-3005-OMGV	3000	4.8	480cc Vanguard OHV	816 lbs.	710 lbs.	\$9,410.00
HS-3505-1MGH	3500	4.7	688cc Honda OHV	854 lbs.	750 lbs.	\$9,730.00
HS-3506-1MGH	3500	5.6	688cc Honda OHV	864 lbs.	760 lbs.	\$10,400.00
HS-4004-1MAH#+	4000	4.0	688cc Honda OHV	854 lbs.	750 lbs.	\$10,090.00

DIESEL MODELS

Model Number	PSI	GPM	Horsepower/Engine	Ship Wt.	Net Wt.	List Price
HS-3006-OMDK	3000	5.6	15.5 HP Kubota	940 lbs.	836 lbs.	\$18,360.00
HS-3505-OMDK	3500	4.7	15.5 HP Kubota	940 lbs.	836 lbs.	\$18,080.00
HS-4005-OMDK+	4000	4.5	15.5 HP Kubota	940 lbs.	836 lbs.	\$20,160.00

#Model equipped with AR pump, all other models equipped with General pumps.

+Model equipped with trapping unloader, all other models equipped with K7 flow actuated unloader.

ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
20-1070A18	Removable painted front panel - Provides a protective panel and gives unit a more finished look	All models	\$98.40
AW-5740-0000	Wheel kit - Allows unit to become portable	All models	\$973.60
AW-6000-1006	Hot water skid equipment cover - Keeps your equipment clean, dry and looking like new, made from 600-denier vinyl-backed polyester, water resistant, drawstrings to secure cover	All models	\$240.70
HX-0130	Three-way ball valve - Allows pressure washer to be operated from garden hose/float tank or trailer supply tank by adjusting ball valve lever	All models	\$218.00
HX-0131	High pressure detergent injection (K7) - Supplies soap injection through the high pressure pump while spraying; pressure washers with K7 flow actuated unloaders only	3000 to 3500-PSI models	\$87.50
HX-0133	Steam combination 250°F (K7) - Increases outlet temperature to 250°F. Steam option for models equipped with K7 flow actuated unloaders	HS-3005 & HS-3505 models	\$165.00
HX-0135	Steam combination 250°F (K7) - See HX-0133 for option description	HS-3506-1MGH	\$165.00
HX-0136	Steam combination 250°F (K7) - See HX-0133 for option description	HS-3006-OMDK	\$165.00
HX-0138	Steam combination 250°F (requires trapping unloader) - Increases outlet temperature to 250°F	HS-3005 models	\$30.00
HX-0139	Steam combination 250°F (requires trapping unloader) - Increases outlet temperature to 250°F	HS-3505 models	\$30.00
HX-0140	Steam combination 250°F (requires trapping unloader) - Increases outlet temperature to 250°F	HS-3506-1MGH	\$30.00
HX-0141	Steam combination 250°F (requires trapping unloader) - Increases outlet temperature to 250°F	HS-3006-OMDK	\$30.00
HX-0142	Steam combination 250°F (requires trapping unloader) - Increases outlet temperature to 250°F	4000-PSI models	\$30.00
HX-0143	Trapping unloader - High pressure water is trapped in outlet hose when trigger gun is released	HS-3005, HS-3006 & HS-3506 models	\$60.00
HX-0144	Dual gun (requires trapping unloader) - Two guns may be sprayed at the same time; flow is divided between the two guns while each operator maintains equal system pressure	HS-3006 & HS-3506 models	\$380.00
HX-0145	Adjustable temperature control - Operator is able to adjust outlet water temperature between 96°-198°F	All models	\$62.50
HX-0146	Hour meter - Displays number of hours unit has been in operation	All models	\$104.00
HX-0147	Four point lifting capability - Allows unit to be lifted by crane	All models	\$72.00
HX-0148	Detergent (requires trapping unloader) - Supplies soap injection through the high pressure pump while spraying; pressure washers with pressure trapping unloader only	All models	\$92.50
HX-0200	Trapping unloader - High pressure water is trapped in outlet hose when trigger gun is released	HS-3005 & HS-3505 models	\$75.00

Note: To order options HX-0138 to HX-0142, HX-0144 or HX-0148 you must order option HX-0143 or HX-0200 (not required for 4000-PSI models, which already come equipped with trapping unloader.)



HS-4004-1MAH

- Industrial gasoline or diesel engine with electric start (battery included)
- Belt drive triplex piston AR or General pump with ceramic plungers
- Heavy-duty powder coated 1½-inch steel square tube frame
- 2900-watt generator delivers clean power to the burner

Hot Water

Electric Direct/Belt Drive

HSE Series



HSE-2003-2M10



HSE-3004-0M10

- Totally enclosed fan-cooled electric motor with manual thermal overload protection
- Direct or drive triplex piston General or AR pump with ceramic plungers
- Reinforced powder coated steel tube frame with center balanced lifting hook
- Energy-efficient top-fired heat exchanger designed for convenient troubleshooting and easy maintenance

DIRECT DRIVE MODELS

Model Number	PSI	GPM	Horsepower/Motor	Ship Wt.	Net Wt.	List Price
HSE-1002-2M11*	1000	2.0	1.5 HP, 120V, 1Ø, 15.0A	368 lbs.	245 lbs.	\$3,880.00
HSE-1002-2M10	1000	2.0	1.5 HP, 120V, 1Ø, 15.0A	368 lbs.	245 lbs.	\$4,060.00
HSE-1002-SM12^	1000	2.0	1.5 HP, 120V, 1Ø, 15.0A	368 lbs.	245 lbs.	\$3,970.00
HSE-1502-2M10	1500	2.0	2.0 HP, 120V, 1Ø, 19.0A	373 lbs.	250 lbs.	\$4,150.00
HSE-2003-2M10	2000	2.8	4.0 HP, 230V, 1Ø, 18.0A	393 lbs.	270 lbs.	\$4,560.00

*Low pressure detergent injection.

^Combination wet steam cleaner/pressure washer.

BELT DRIVE MODELS

Model Number	PSI	GPM	Horsepower/Motor	Ship Wt.	Net Wt.	List Price
HSE-2504-0M10	2500	3.2	6.0 HP, 230V, 1Ø, 25.0A	699 lbs.	569 lbs.	\$7,470.00
HSE-2504-0M30	2500	3.2	6.0 HP, 230-460V, 3Ø, 16.0A	688 lbs.	558 lbs.	\$7,160.00
HSE-3004-0M10	3000	3.5	8.0 HP, 230V, 1Ø, 36.0A	737 lbs.	607 lbs.	\$7,760.00
HSE-3004-0M30	3000	3.5	8.0 HP, 230-460V, 3Ø, 24.0A	732 lbs.	602 lbs.	\$7,480.00
HSE-3504-0M10	3500	3.3	10.0 HP, 230V, 1Ø, 39.0A	761 lbs.	631 lbs.	\$8,180.00
HSE-3504-0M30	3500	3.3	10.0 HP, 230-460V, 3Ø, 28.0A	742 lbs.	612 lbs.	\$7,820.00

OPTIONS

Part Number	Description	Fits Models	List Price
HX-0050	Auto start/stop - When trigger gun is released, the timer will turn unit off; when trigger gun is pulled unit will restart	HSE-1002-2M11 & HSE-1002-2M10 & HSE-1502-2M10	\$551.00
HX-0051	Auto start/stop - When trigger gun is released, the timer will turn unit off; when trigger gun is pulled unit will restart	HSE-2003-2M10	\$694.00
HX-0052	Auto start/stop - steam - Auto start/stop option - when trigger gun is released, the timer will turn unit off; when trigger gun is pulled unit will restart; Steam option - reduces pressure to 350-PSI by adjusting unloader valve counter-clockwise, spray temperatures will rise 240°F above ambient with a maximum of 300°F	HSE-1002-2M11 & HSE-1002-2M10	\$1,204.00
HX-0053	Auto start/stop - steam - See HX-0052 for option description	HSE-1502-2M10	\$1,457.50
HX-0054	Auto start/stop - steam - See HX-0052 for option description	HSE-2003-2M10	\$1,352.00
HX-0055	Auto start/stop - CAD cell - Auto start/stop option - when trigger gun is released, the timer will turn unit off; when trigger gun is pulled unit will restart; CAD cell option - monitors burner for proper ignition	HSE-1002-2M11 & HSE-1002-2M10 & HSE-1502-2M10	\$1,082.50
HX-0056	Auto start/stop - CAD cell - See HX-0055 for option description	HSE-2003-2M10	\$837.00
HX-0057	Auto start/stop - steam - CAD cell - Auto start/stop option -when trigger gun is released, the timer will turn unit off; when trigger gun is pulled unit will restart; Steam option - reduces pressure to 350-PSI by adjusting unloader valve counter-clockwise, spray temperatures will rise 240°F above ambient with a maximum of 300°F; CAD cell option - monitors burner for proper ignition	HSE-1002-2M11 & HSE-1002-2M10	\$1,454.00
HX-0058	Auto start/stop - steam - CAD cell - See HX-0057 for option description	HSE-1502-2M10	\$1,485.00
HX-0059	Auto start/stop - steam - CAD cell - See HX-0057 for option description	HSE-2003-2M10	\$1,494.00
HX-0070	Auto start/stop - See HX-0050 for option description	2500 to 3500-PSI models	\$239.00
HX-0071	Auto start/stop - steam - See HX-0052 for option description	2500-PSI models	\$1,188.00
HX-0072	Auto start/stop - steam - See HX-0052 for option description	3000-PSI models	\$1,215.00
HX-0073	Auto start/stop - steam - See HX-0052 for option description	3500-PSI models	\$1,215.00
HX-0074	Auto start/stop - CAD cell - See HX-0055 for option description	2500 to 3500-PSI models	\$678.00
HX-0075	Auto start/stop - steam - CAD cell - See HX-0057 for option description	2500-PSI models	\$1,637.50
HX-0076	Auto start/stop - steam - CAD cell - See HX-0057 for option description	3000-PSI models	\$1,637.50
HX-0077	Auto start/stop - steam - CAD cell - See HX-0057 for option description	3500-PSI models	\$1,652.50
HX-0085	460V - Upgrades 230V 3-phase models to operate at 460V 3-phase	HSE-2504-0M30	\$322.00
HX-0086	460V - Upgrades 230V 3-phase models to operate at 460V 3-phase	HSE-3004-0M30	\$271.00
HX-0087	460V - Upgrades 230V 3-phase models to operate at 460V 3-phase	HSE-3504-0M30	\$403.00
HX-0088	Skid feet - Stationary applications	2500 to 3500-PSI models	No charge
HX-0161	Hour meter - Displays number of hours unit has been in operation	2000 to 3500-PSI models	\$72.50
HX-0214	Hour meter - Displays number of hours unit has been in operation	1000 to 1500-PSI models	\$85.00
TX-1004-W	Puncture-proof tires - Tires are flat-free and maintenance-free, 10-inch, white hub, four tires	1000 to 2000-PSI models	\$205.00
TX-1304-W	Puncture-proof tires - Tires are flat-free and maintenance-free, 13-inch, white hub, four tires	2500 to 3000-PSI models	\$223.00

Natural Gas/LP Belt Drive

HG Series



HG-3004-1208



Model Number	PSI	GPM	Horsepower/Motor	Ship Wt.	Net Wt.	List Price
HG-3004-1208	3000	3.9	8.0 HP, 208V, 1Ø, 40.5A	878 lbs.	758 lbs.	\$8,940.00
HG-3004-3208	3000	3.9	8.0 HP, 208V, 3Ø, 23.0A	878 lbs.	758 lbs.	\$8,590.00
HG-3004-1230	3000	3.9	8.0 HP, 230V, 1Ø, 37.0A	878 lbs.	758 lbs.	\$8,940.00
HG-3004-3230	3000	3.9	8.0 HP, 230V, 3Ø, 20.0A	878 lbs.	758 lbs.	\$8,590.00
HG-3004-3460	3000	3.9	8.0 HP, 460V, 3Ø, 10.0A	878 lbs.	758 lbs.	\$8,590.00

OPTIONS

Part Number	Description	Fits Models	List Price
HX-0104	K7 unloader (flow sensitive) (auto start/stop N/A) - Converts pressure trapping unloader system to flow actuated K7 unloader	All models	\$254.00
HX-0105	Liquid propane (vapor only) - Converts natural gas pressure washer to operate on liquid propane (vapor only)	All models	\$98.00
HX-0106	Hour meter - Displays number of hours unit has been in operation	All models	\$102.00
HX-0107	Time delay shutdown - Timer will shut unit off automatically when trigger gun is released and timer reaches setting	All models	\$465.00
HX-0108	(1) remote station (auto start/stop N/A) - Adds control box which may be mounted away from unit to control on/off, burner and soap injection	All models	\$1,170.00
HX-0109	Time delay shutdown and first remote box (kit option) - Timer will shut unit off automatically when trigger gun is released and timer reaches setting; adds control box which may be mounted away from unit to control on/off, burner and soap injection	All models	\$1,526.00
HX-0110	Additional remotes (up to 3) - Additional remotes that may be added to unit after the first remote is installed	All models	\$332.00
HX-0111	Auto start/stop - When trigger gun is released, the timer will turn unit off; when trigger gun is pulled unit will restart	All models	\$380.00
HX-0121	250°F steam upgrade - See HX-0120 for option description	All models	\$165.00
HX-0124	Auto start/stop and first remote option - When trigger gun is released, the timer will turn unit off; when trigger gun is pulled unit will restart; adds control box which may be mounted away from unit to control on/off, burner and soap injection	All models	\$1,610.30

- Open drip-proof motor with manual thermal overload protection
- Belt drive triplex piston General pump with ceramic plungers
- Powder coated steel side panels and frame
- 21-inch draft diverter, 10-inch opening

Note: You cannot order HX-0107 and HX-0108 together, you will need to order HX-0109 instead. HX-0107 and HX-0108 can be ordered separately.

Mi-T-M Pressure Washer Model Numbers

Cold Water Example...

- CW-3004-4MGH**
- CD = Cold Water - Direct Drive
 - JP = Job Pro - Commercial Duty - Direct Drive
 - CA = Cold Water - Aluminum Frame - Direct Drive
 - CBA = Cold Water - Belt Drive - Aluminum Frame
 - JCW = Job Pro - Commercial/Industrial Duty - Belt Drive
 - CW = Cold Water - Industrial Duty - Belt Drive
 - CWC = Cold Water - Industrial Duty - Belt Drive - Roll Cage

- CW-3004-4MGH**
- 3000 = PSI
 - 4 = Approximate GPM

- CW-3004-4MGH**
- 4 = Number of upgrades made to unit (0, 1, 2, 3, 4)
 - M = Mi-T-M labeled
 - G = Powered (**Gas, Diesel, Electric, etc.**)
 - H = Engine type (**Honda, Vanguard, Yanmar, etc.**)

Hot Water Example...

- HS-3506-1MGH**
- HSE = Hot Water - Electric - Portable
 - HSP = Hot Water - Portable - Direct Drive (EMF)
 - HS = Hot Water Skid - Generator Type - Stationary
 - HG = Hot Water - Electric - Natural Gas or Propane - Stationary
 - HGM = Hot Water - Electric - Natural Gas or Propane - Module

- HG-3506-1MGH**
- 3500 = PSI
 - 6 = Approximate GPM

- HS-3506-1MGH**
- 1 = Number of upgrades made to unit (0, 1, 2, 3, 4)
 - M = Mi-T-M labeled
 - G = Powered (**Gas, Diesel, Electric, etc.**)
 - H = Engine type (**Honda, Vanguard, Yanmar, etc.**)

Accessories

Detergents



All Purpose Cleaner

- Environmentally friendly, will not harm plants
- Cleans vehicles, lawn equipment and windows
- Hard water stable, prevents spotting

Heavy-Duty Degreaser

- Contains rust inhibitors to reduce corrosion
- Cleans grease, oil, diesel and petroleum spills
- Hard water stable, prevents spotting

Deck & House Wash

- Environmentally friendly, will not harm plants
- Cleans decks, homes and wooden surfaces
- Hard water stable, prevents spotting

Part Number	Description	List Price
AW-4018-0026	All purpose cleaner - 1-gallon, 4 per case	\$17.80
AW-4018-0005	All purpose cleaner - 5-gallons	\$78.30
AW-4018-0055	All purpose cleaner - 55-gallons	\$627.00
AW-4059-0026	Heavy-duty degreaser - 1-gallon, 4 per case	\$17.80
AW-4059-0005	Heavy-duty degreaser - 5-gallons	\$78.30
AW-4059-0055	Heavy-duty degreaser - 55-gallons	\$627.00
AW-4034-0026	Deck & house wash - 1-gallon, 4 per case	\$17.80
AW-4034-0005	Deck & house wash - 5-gallons	\$78.30
AW-4034-0055	Deck & house wash - 55-gallons	\$627.00

Pump Oil & Pump Saver

AW-4085-0016



AW-4070-0004

Pump Oil

- Specially designed for pressure washer pumps
- Convenient pour spout and resealable cap
- Change pump oil after first 25-hours of operation. After initial change, 250-hour intervals are recommended. If oil appears dirty or milky, changes may be required in greater frequency. Do not overfill.


Pump Saver

- For use with all pressure washers
- Protects pressure washer when not in use

Part Number	Description	List Price
AW-4085-0016	Pump oil - 1-pint bottles, 6 or 12 per case	\$9.70
AW-4070-0004	Pump saver - 16-oz. bottle	\$21.90

Injectors

AW-8400-0021



AW-3000-0000

50-0161

Low Pressure Detergent Injectors

- Solid brass body with stainless-steel orifice
- Quick connects for easy installation

High Pressure Detergent Injectors

- Brass and stainless-steel construction
- Steel mesh in-line water strainer
- 2.0-GPM minimum & 6.0-GPM maximum operating capacity

Sand Injector

- Includes sand probe and clear hose
- Consult factory for nozzle orifice size prior to ordering

Part Number	Description	List Price
AW-8400-0021	Low pressure - 2000 to 4000-PSI	\$81.00
AW-8000-0001	Low pressure - 5000-PSI	\$415.20
851-0022	Detergent injector shut-off valve	\$91.20
AW-8007-0000	High pressure - Diaphragm-style	\$381.20
50-0161	High pressure	\$85.00
AW-3000-0000	Wet sand injector - Carbide nozzle	\$399.00
18-0113	Carbide replacement nozzle	\$346.70

Rotating Nozzles

AW-7004-Series



- 0° spray pattern with a 25° coverage
- Quick connect and filter included
- Note: Consult factory for correct orifice size and repair kits.

Part Number	Description	List Price
AW-0018-0375	6000-PSI maximum rating (CWC-6004)	\$1,716.90
AW-7004-Series	6000-PSI maximum rating	\$358.30
AW-7300-Series	3600-PSI maximum rating	\$182.00
AW-7500-Series	6000-PSI maximum rating	\$293.00

HSE and HSP units require an addition of a male thread quick connect socket, Mi-T-M part number 17-0017 & 17-0028.

Long Range Chemical Nozzle



- Has a range of 30-feet while drawing chemical

Part Number	Description	List Price
18-0373	Long range chemical nozzle	\$6.50

Rotating Brush



- Natural hair bristles
- Quick connect
- Adjustable angle
- Rotating action, swivel head
- 3.0 - 6.0 GPM flow rate

Part Number	Description	List Price
AW-7003-1500	Rotating brush	\$159.00

Digital Hour Meter/Tachometer



- Updates every 3 seconds
- RPM to 9,900


Part Number	Description	List Price
32-0416	Hour meter with tachometer	\$120.10

Dual Lance - Hot Water



Part Number	Description	List Price
850-0175	Dual lance - hot water	\$337.10

Extended Reach Wands



Fiberglass & Aluminum Wands

- Professional-grade trigger gun with safety lock-off
- Complete with quick connects

Fiberglass Wands

- Available in 12, 18 or 24-foot lengths
- Compatible with all makes of pressure washers up to 4000-PSI

Aluminum Wands

- Available in 18 or 24-foot lengths
- Compatible with all makes of pressure washers up to 4000-PSI
- Push-button locks
- Includes belt for additional support

Telescoping Wand Belt

- Works with AW-7017 & AW-7018 telescoping wands
- Includes three plastic snap-on clips that snaps to your shoulder, waist and the wand
- Reduces fatigue and strain on operator

Part Number	Description	List Price
AW-7018-1200	Fiberglass wand - 12-foot	\$273.00
AW-7018-1800	Fiberglass wand - 18-foot	\$323.00
AW-7018-2400	Fiberglass wand - 24-foot	\$437.00
AW-7017-1800	Aluminum wand - 18-foot	\$460.00
AW-7017-2400	Aluminum wand - 24-foot	\$533.00
AW-7015-0001	Telescoping wand belt	\$42.00

Rotary Surface Cleaners



18-inch Rotary Surface Cleaner

- Heavy-duty, lightweight aluminum portable handle
- Heat treated sealed pressure swivel - requires no maintenance
- 212°F maximum temperature
- 4000-PSI rated

20-inch Rotary Surface Cleaner

- Professional-grade high pressure trigger gun
- Heavy-duty anodized aluminum handle
- Heat treated sealed pressure swivel - requires no maintenance
- 200°F maximum temperature
- 4000-PSI rated

28-inch Rotary Surface Cleaner

- Professional-grade aluminum housing
- Lightweight, portable frame
- Heat treated sealed pressure swivel - requires no maintenance
- 212°F maximum temperature
- 4000-PSI rated

Part Number	Description	List Price
AW-7020-8000	Rotary surface cleaner - 18-inch	\$2,343.50
AW-7020-8002	Rotary surface cleaner - 20-inch	\$1,230.90
AW-7020-8001	Rotary surface cleaner - 28-inch	\$2,902.50

High Pressure Hoses



Cold Water High Pressure Hoses


- Includes quick connects, swivel and bend restrictors
- Chemical resistant
- Wire-braided
- Non-marking

Hot Water High Pressure Hoses

- Includes screw connects, swivel and bend restrictors on 15-0077, 850-0174 & 850-0199
- Chemical resistant
- Wire-braided
- For use with hose reels

Part Number	Description	List Price
851-0006	Cold water - 50-foot x 3/8-inch, 4000-PSI, R2	\$306.00
851-0317	Cold water - 50-foot x 3/8-inch, 5000-PSI, R2	\$414.00
851-0338	Cold water - 50-foot x 3/8-inch, 4000-PSI, R1	\$259.10
851-0362	Cold water - 50-foot x 3/8-inch, 6000-PSI, R2	\$844.20
15-0006	Industrial water supply - 50-ft. x 3/4-inch	\$157.10
15-0077	Hot water - 50-foot x 3/8-inch, 3000-PSI, steam combination	\$633.70
850-0174	Hot water - 50-foot x 3/8-inch, 2500-PSI & HSP models, R1	\$206.60
850-0199	Hot water - 50-foot x 3/8-inch, 4000-PSI & HSP models, R2	\$282.00
15-0146	Hot water - 50-foot x 3/8-inch, 3000-PSI, R1	\$165.00
15-0160	Hot water - 75-foot x 3/8-inch, 4500-PSI, R2	\$338.00
15-0161	Hot water - 100-foot x 3/8-inch, 4500-PSI, R2	\$454.00
15-0162	Hot water - 150-foot x 3/8-inch, 4500-PSI, R2	\$683.00
15-0163	Hot water - 200-foot x 3/8-inch, 4500-PSI, R2	\$917.00

CD Series - Additional Accessories



- Powder coated steel
- Includes quick connects

Part Number	Description	List Price
851-0095	Gun & lance - Cold water, 36-inch	\$124.00
851-0371	Gun & lance - Cold water, 48-inch	\$128.30
AW-7103-1800	Wand extension - 18-inch	\$42.00
AW-7103-3600	Wand extension - 36-inch	\$54.90
AW-7103-7200	Wand extension - 72-inch	\$133.40

Accessories

Hose Reels



50-0195


- 360° pivoting action (50-0195 & 50-0196)
- Non-pivoting action (50-0164 & 50-0165)
- Easy mount bracket design
- Clean hands hose guides
- Live system

Note: Consult factory for correct mounting brackets and jumper hoses.

Part Number	Description	List Price
50-0195	Hose reel - 13-inch, 150-foot maximum hose length	\$880.00
50-0196	Hose reel - 16-inch, 200-foot maximum hose length	\$910.00
50-0164*	Hose reel without swivel - 13-inch, 100-foot maximum hose length	\$472.00
50-0165*	Hose reel without swivel - 16-inch, 200-foot maximum hose length	\$512.20
AW-0050-0138	Bracket - Universal mount (HS Series)	\$28.90
13-0175A01	Bracket - Cold water base mount (JCW & CW Series)	\$44.00
13-0179A01	Bracket - For hose reels on trailer unit	\$80.00
13-0207A01	Bracket - Wall mount (HG Series)	\$53.80
13-0208A01	Bracket - 45°, mounts reel without swivel over unit	\$59.60
13-0210A01	Bracket - 90°, mounts reel without swivel to side of unit	Consult Factory
50-0140	Bracket - 29-inch bar (CWC Series)	\$74.80
23-0243	Reducer - Required for use with 13-0208A01	\$8.60
23-0307	Elbow - Required for use with 13-0208A01	\$12.30
15-0159	Jumper hose - For hose reels on trailer units	\$33.00
850-0278	Jumper hose - Quick connect, 85-inch (HS Series)	\$84.00
852-0138	Jumper hose - Screw connect, 40-inch (HSP & Large HSE Series)	\$66.40
852-0139	Jumper hose - Quick connect, 40-inch (Cold water)	\$57.00
852-0161	Jumper hose - Screw connect, 57-inch (Small HSE Series)	\$82.20

*Must be mounted with 13-0208A01 (45° bracket). Also, 23-0307 (elbow) and 23-0243 (reducer) required for jumper hose mounting.

Single- & Dual-Axle Trailers



AW-9000-0005 shown with optional HS-3505-1MGH hot water pressure washer and optional hose reels

Single-Axle Trailers

- 5-foot x 8½-inch trailer
- 3-inch x 4¼-inch angle frame
- (1) 3,500-lb. axle
- (2) ST205-75R 15-inch radial tires with white spoke rims
- 2-inch coupler
- Swivel jack with pad
- 3,500-lb. gross vehicle weight
- Tank is enclosed in a powder coated steel frame

Dual-Axle Trailers

- 5-foot x 8½-inch trailer
- 3-inch x 4¼-inch angle frame
- (2) 3,500-lb. axles with brakes on both sides
- (4) ST205-75R 15-inch radial tires with 6-bolt white spoke rims
- 2-inch coupler
- Swivel jack with pad
- 7,000-lb. gross vehicle weight
- Tanks are enclosed in a powder coated steel frame

High Pressure Hose Reel Options


- These high pressure hose reel options are available for both single- and dual-axle trailers. They include the hose reel with mounting bracket and jumper hose.

Low Pressure Hose Reel Options


- These low pressure hose reel options are available for both single- and dual-axle trailers. They include the hose reel with mounting bracket and plumbing.

Back-Flow Preventors

- Back-flow preventors are required on trailer units in some states. These are mounted on the inlet side of the trailer and have several options for them to be mounted on trailers.



AW-9000-0003 shown with optional HS-3505-1MGH hot water pressure washer and optional hose reels



AW-9000-0008 shown with optional HS-3006-OMDK hot water pressure washer and optional hose reel

TRAILERS

Part Number	Description	List Price
AW-9000-0005	Single-axle trailer with 200-gallon water tank and surge brakes	\$7,500.00
AW-9000-0006	Single-axle trailer with 200-gallon water tank and electric brakes	\$8,250.00
AW-9000-0007	Single-axle trailer with 200-gallon water tank only	\$7,000.00
AW-9000-0003	Dual-axle trailer with (2) 200-gallon water tanks and surge brakes	\$11,280.00
AW-9000-0004	Dual-axle trailer with (2) 200-gallon water tanks and electric brakes	\$11,750.00
AW-9000-0008	Dual-axle trailer with (1) 200-gallon water tank and surge brakes	\$9,400.00

TRAILER OPTIONS

Part Number	Description	List Price
TX-0001	High pressure hose reel option - 13-inch	\$750.00
TX-0002	High pressure hose reel option - 16-inch	\$820.00
TX-0003*	Low pressure hose reel option - 16-inch	\$890.00
15-0159	Jumper hose	\$33.00
13-0179A01	Mounting bracket	\$80.00
50-0195	Hose reel - 13-inch, 150-foot maximum hose length	\$880.00
50-0196	Hose reel - 16-inch, 200-foot maximum hose length	\$910.00
22-0136	Back-flow preventor - Use if trailer has a hose reel for the supply	\$235.50
TX-0005	Trailer tank bypass - Used on dual-axle trailers, removes float system while adding the necessary plumbing, for use with HS Series pressure washers	No charge
TX-0007	Trailer tank bypass - Used on single-axle trailers, removes float system while adding the necessary plumbing, for use with HS Series pressure washers	No charge

*22-0136 back-flow preventor must be used with TX-0003 when used in California.

Water Transport Trailer

- 2-inch centrifugal pump with 118cc Honda OHV engine
- Easy to operate butterfly brass valves
- 1½-inch fire hose hook-up with 50-foot x 1½-inch hose and fog nozzle
- Break-away hydrant fill with 25-foot x 2½-inch hose



Part Number	Description	List Price
MWT-0510-2MHD	Dual-axle trailer with 510-gallon water tank and 2-inch centrifugal pump	\$11,725.00

Replacement Parts Kit

- Secure case locking system to keep lid latched and parts secure
- Diagram card includes Mi-T-M part numbers for quick reorder reference
- Lid hinges to reveal kit components and location
- Storage compartments with adjustable plastic separators, keeps all parts organized for easy access
- Durable case is made of heavy plastic to withstand abuse



Part Number	Description	List Price
AW-1162-0174	Replacement parts box	\$330.00

AW-1162-0174 Includes the following parts

Part Number	Description	Qty.
17-0001	¼-inch F x ¼-inch socket	2
17-0002	¼-inch M x ¼-inch plug	2
17-0074	⅜-inch F x ⅜-inch socket	2
17-0075	⅜-inch M x ⅜-inch plug	2
17-0006	⅜-inch F x ⅜-inch plug	2
17-0007	⅜-inch M x ⅜-inch socket	2
17-0028	¼-inch M x ¼-inch socket	2
18-0397	4.0 orifice - 0° (red)	2
18-0399	4.0 orifice - 15° (yellow)	2
18-0400	4.0 orifice - 25° (green)	2
18-0401	4.0 orifice - 40° (white)	2
18-0392	3.5 orifice - 0° (red)	2
18-0393	3.5 orifice - 15° (yellow)	2
18-0395	3.5 orifice - 25° (green)	2
18-0396	3.5 orifice - 40° (white)	2
18-0387	3.0 orifice - 0° (red)	2
18-0388	3.0 orifice - 15° (yellow)	2
18-0390	3.0 orifice - 25° (green)	2
18-0391	3.0 orifice - 40° (white)	2
19-0206	½-inch M x ¾-inch F inlet filter	1
22-0005	½-inch M thermal relief valve	2
25-0122	O-ring seal (tips)	10
25-0123	O-ring seal (¾-inch quick connects)	10

Accessory Packaging Program

Mi-T-M's accessory packaging program clearly identifies the part on the front of the card. The back of the card features the part number and where the part is used. Consult factory for more packaged accessories.

High Pressure Nozzles

- Sold in packs of individual nozzles, 3-packs and 4-packs
- Consult factory for correct orifice size and nozzle size needed.

O-rings

- 10 per pack

Fittings

- Available in screw connect or quick connect styles



4-Pack of Nozzles



AW-0025-0122



AW-0017-0002



AW-0016-0001

Part Number	Description	List Price
Consult Factory	Package of four nozzles - One each of 0, 15, 25 and 40-degree nozzles	\$56.00
Consult Factory	Package of three nozzles - Three nozzles with same orifice size and nozzle size	\$43.00
AW-0018-0148	65° detergent nozzle	\$10.80
AW-0025-0122	O-rings - ⅜ x ⅝-inch	\$5.90
AW-0025-0123	O-rings - ½ x 1⅞-inch	\$6.60
AW-0017-0001	¼-inch F x ¼-inch socket, quick connect	\$12.00
AW-0017-0002	¼-inch M x ¼-inch plug, quick connect	\$12.00
AW-0017-0004	⅜-inch F x ⅜-inch socket, quick connect	\$12.00
AW-0017-0005	⅜-inch M x ⅜-inch plug, quick connect	\$12.30
AW-0017-0006	⅜-inch F x ⅜-inch plug, quick connect	\$12.50
AW-0017-0028	¼-inch M x ¼-inch socket, quick connect	\$18.00
AW-0017-0029	¼-inch M x ⅜-inch socket, quick connect	\$14.30
AW-0017-0035	M22 x ⅜-inch FNPT, 2-piece, screw connect	\$34.60
AW-0023-0017	⅜-inch M x ¼-inch F adapter	\$5.00
AW-0023-0410	⅜-inch M x ¼-inch BSP-F adapter	\$14.40
AW-0024-0251	⅜-inch M x ¼-inch BSP-M adapter	\$14.30
AW-0016-0001	Trigger gun - Rated up to 5000-PSI	\$69.00
AW-0851-0096	36-inch wand assembly - Includes quick connect socket	\$31.40

Gasoline

5-Gallon Single Stage



AC1-HH04-05M

- Honda OHV or Subaru OHC engine
- 5-gallon powder coated twin tank assembly
- Quality single stage compressor
- Powder coated steel frame design with roll cage


Model Number	CFM @ PSI	Displacement/Engine	Ship Wt.	Net Wt.	List Price
AC1-HH04-05M	4.4 @ 100	118cc Honda OHV	87 lbs.	79 lbs.	\$1,320.00
AC1-HR45-05M	4.4 @ 100	126cc Subaru OHC	90 lbs.	82 lbs.	\$1,230.00

ACCESSORIES

Part Number	Description	Fits Models	List Price
70-0357	Engine oil drain - 14-inch flexible drain hose to make oil changes cleaner and easier	AC1-HH04-05M	\$39.90
70-0358	Engine oil drain - 14-inch flexible drain hose to make oil changes cleaner and easier	AC1-HR45-05M	\$41.50

8-Gallon Single Stage

NEW KOHLER ENGINE MODEL



AM1-PR07-08M

- Honda OHV, Kohler OHV or Subaru OHC engine
- 8-gallon powder coated twin tank receivers
- Quality cast iron single stage compressor

Model Number	CFM @ PSI	Displacement/Engine	Ship Wt.	Net Wt.	List Price
AM1-PH65-08M	13.1 @ 100	196cc Honda OHV	200 lbs.	175 lbs.	\$1,570.00
AM1-PK07-08M	13.1 @ 100	208cc Kohler OHV	200 lbs.	175 lbs.	\$1,410.00
AM1-PR07-08M	13.1 @ 100	211cc Subaru OHC	200 lbs.	175 lbs.	\$1,550.00

ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
70-0357	Engine oil drain - 14-inch flexible drain hose to make oil changes cleaner and easier	AM1-PH65-08M, AM1-PK07-08M	\$39.90
70-0380	Engine oil drain - 14-inch flexible drain hose to make oil changes cleaner and easier	AM1-PR07-08M	\$41.30
AX-0003	Manual drain metal bowl - Drains moisture from air system	All models	\$153.00
AX-0067	Electric start (battery and cables not included) - For easy starting	AM1-PR07-08M	\$380.00
Consult Factory	Cable throttle control - Automatically throttles down engine to conserve fuel	AM1-PH65-08M	Consult Factory
TX-1001-W	Puncture-proof tire - Tire is flat-free, maintenance-free, 10-inch, white hub, one tire	All models	\$52.50

20-Gallon Single Stage



AM1-PH65-20M


- Honda OHV or Subaru OHC engine
- Powder coated ASME coded 20-gallon receiver tank
- Quality cast iron single stage compressor

Model Number	CFM @ PSI	Displacement/Engine	Ship Wt.	Net Wt.	List Price
AM1-PH65-20M	13.1 @ 100	196cc Honda OHV	272 lbs.	212 lbs.	\$1,820.00
AM1-PR07-20M	13.1 @ 100	211cc Subaru OHC	272 lbs.	212 lbs.	\$1,830.00

ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
7-0228A01	Rear lifting handle (N/A for models with electric start option) - Allows unit to be lifted from both ends	All models	\$68.00
70-0357	Engine oil drain - 14-inch flexible drain hose to make oil changes cleaner and easier	AM1-PH65-20M	\$39.90
70-0380	Engine oil drain - 14-inch flexible drain hose to make oil changes cleaner and easier	AM1-PR07-20M	\$41.30
AX-0003	Manual drain metal bowl - Drains moisture from air system	All models	\$153.00
AX-0027	Stationary kit - Kit allows unit to be modified to a stationary unit	All models	No Charge
AX-0067	Electric start (battery and cables not included) - For easy starting	AM1-PR07-20M	\$380.00
Consult Factory	Cable throttle control - Automatically throttles down engine to conserve fuel	AM1-PH65-20M	Consult Factory
TX-1002-W	Puncture-proof tires - Tires are flat-free, maintenance-free, 10-inch, white hub, two tires	All models	\$102.50

8-Gallon Two Stage



AM2-PH09-08M

- Honda OHV, Kohler OHV or Subaru OHC engine
- 8-gallon powder coated twin tank receivers
- Quality cast iron two stage compressor


NEW KOHLER ENGINE MODEL

Model Number	CFM @ PSI	Displacement/Engine	Ship Wt.	Net Wt.	List Price
AM2-PH09-08M	17.2 @ 175	270cc Honda OHV	330 lbs.	260 lbs.	\$2,580.00
AM2-PK95-08M	17.2 @ 175	277cc Kohler OHV	330 lbs.	260 lbs.	\$2,310.00
AM2-PR09-08M	17.2 @ 175	265cc Subaru OHC	330 lbs.	260 lbs.	\$2,410.00

OPTIONS

Part Number	Description	Fits Models	List Price
AX-0003	Manual drain metal bowl - Drains moisture from air system	All models	\$153.00
AX-0015	Electric start (battery and cables not included) - For easy starting	AM2-PH09-08M	\$660.00
AX-0041	Electric start (battery and cables not included) - For easy starting	AM2-PR09-08M	\$470.00
Consult Factory	Cable throttle control - Automatically throttles down engine to conserve fuel	All models	Consult Factory
TX-1002-W	Puncture-proof tires - Tires are flat-free, maintenance-free, 10-inch, white hub, two tires	All models	\$102.50

20-Gallon Two Stage



AM2-PH09-20M

- Honda OHV engine
- ASME coded 20-gallon powder coated receiver tank
- Quality cast iron two stage compressor

PORTABLE MODEL

Model Number	CFM @ PSI	Displacement/Engine	Ship Wt.	Net Wt.	List Price
AM2-PH09-20M	17.2 @ 175	270cc Honda OHV	356 lbs.	306 lbs.	\$2,900.00


STATIONARY MODEL

Model Number	CFM @ PSI	Displacement/Engine	Ship Wt.	Net Wt.	List Price
AM2-SH09-20M	17.2 @ 175	270cc Honda OHV	356 lbs.	306 lbs.	\$2,740.00


ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
AW-0007-0196	Rear lifting handle (N/A for models with electric start options) - Allows unit to be lifted from both ends	AM2-PH09-20M	\$81.20
AX-0003	Manual drain metal bowl - Drains moisture from air system	All models	\$153.00
AX-0015	Electric start (battery and cables not included) - For easy starting	AM2-SH09-20M	\$660.00
AX-0017	Electric start (battery and cables included) - For easy starting	All models	\$900.00
Consult Factory	Cable throttle control - Automatically throttles down engine to conserve fuel	All models	Consult Factory
TX-1302-W	Puncture-proof tires - Tires are flat-free, maintenance-free, 13-inch, white hub, two tires	AM2-PH09-20M	\$112.00

30 & 80-Gallon Two Stage & Base-Mount



ABS-14S-30H



ABS-13H-B

- Honda OHV, Kohler OHV or Subaru OHC engine with electric start standard (battery and cables not included)
- ASME coded 30 or 80-gallon powder coated receiver tank (Tank-mounted models)
- Quality cast iron two stage compressor

NEW KOHLER ENGINE MODEL

30-GALLON TANK-MOUNTED MODELS

Model Number	CFM @ PSI	Displacement/Engine	Ship Wt.	Net Wt.	List Price
ABS-13H-30H	29.0 @ 175	389cc Honda OHV	480 lbs.	416 lbs.	\$4,310.00
ABS-14K-30H	29.0 @ 175	429cc Kohler OHV	480 lbs.	416 lbs.	\$3,580.00
ABS-14S-30H	29.0 @ 175	404cc Subaru OHC	480 lbs.	416 lbs.	\$4,180.00

80-GALLON TANK-MOUNTED MODELS

Model Number	CFM @ PSI	Displacement/Engine	Ship Wt.	Net Wt.	List Price
ABS-13H-80H	29.0 @ 175	389cc Honda OHV	560 lbs.	496 lbs.	\$4,560.00
ABS-14S-80H	29.0 @ 175	404cc Subaru OHC	560 lbs.	496 lbs.	\$4,460.00

BASE-MOUNT MODELS

Model Number	CFM @ PSI	Displacement/Engine	Ship Wt.	Net Wt.	List Price
ABS-13H-B	29.0 @ 175	389cc Honda OHV	279 lbs.	215 lbs.	\$3,840.00
ABS-14S-B	29.0 @ 175	404cc Subaru OHC	279 lbs.	215 lbs.	\$3,730.00

ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
3-0304	Pump - Replacement pump	All models	\$1,343.80
Consult Factory	Cable throttle control - Automatically throttles down engine to conserve fuel	Honda models	Consult Factory
IX-0001	Vibration pads - Isolators protect the unit from vibration during use	Tank-mounted models	\$120.00

Electric

5-Gallon Single Stage




AC1-HE02-05M1



Model Number	CFM @ PSI	Horsepower/Motor	Ship Wt.	Net Wt.	List Price
AC1-HE02-05M1	4.1 @ 100	2.0 HP, 120V, 14.0A	65 lbs.	56 lbs.	\$630.00

- 120V single-phase 60 Hz. motor with 15-amp plug
- 5-gallon powder coated twin tank assembly
- Quality single stage compressor
- Powder coated steel frame design with rubber handle

8-Gallon Single Stage



AM1-PE15-08M



Model Number	CFM @ PSI	Horsepower/Motor	Ship Wt.	Net Wt.	List Price
AM1-PE15-08M	6.5 @ 100	1.5 HP, 120V, 13.2A	190 lbs.	170 lbs.	\$1,170.00
AM1-PE02-08M	8.4 @ 100	2.0 HP, 120V, 18.8A	190 lbs.	170 lbs.	\$1,340.00

OPTIONS

Part Number	Description	Fits Models	List Price
AX-0002	Auto drain plastic bowl - Drains moisture from air system	All models	\$350.00
AX-0003	Manual drain metal bowl - Drains moisture from air system	All models	\$153.00
AX-0005	Dual control - Compressor can be operated in start/stop mode or continuous run where pilot valve exhausts air to atmosphere	All models	\$127.00
TX-1001-W	Puncture-proof tire - Tire is flat-free, maintenance-free, 10-inch, white hub, one tire	All models	\$52.50

- Industrial UL-listed electric motor
- 8-gallon powder coated twin tank receivers
- Quality cast iron single stage compressor

20-Gallon Single Stage



AM1-PE02-20M



Model Number	CFM @ PSI	Horsepower/Motor	Ship Wt.	Net Wt.	List Price
AM1-PE15-20M	6.5 @ 100	1.5 HP, 120V, 13.2A	265 lbs.	196 lbs.	\$1,480.00
AM1-PE02-20M	8.4 @ 100	2.0 HP, 120V, 18.8A	260 lbs.	198 lbs.	\$1,550.00

ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
AX-0002	Auto drain plastic bowl - Drains moisture from air system	All models	\$350.00
AX-0003	Manual drain metal bowl - Drains moisture from air system	All models	\$153.00
AX-0008	Dual control - Compressor can be operated in start/stop mode or continuous run where pilot valve exhausts air to atmosphere	All models	\$120.00
TX-1002-W	Puncture-proof tires - Tires are flat-free, maintenance-free, 10-inch, white hub, two tires	All models	\$102.50

- Industrial UL-listed electric motor
- Powder coated ASME coded 20-gallon receiver tank
- Quality cast iron single stage compressor

80 & 120-Gallon Two Stage



AAS-23105-80V

- ASME safety valves
- Powder coated ASME coded 80 and 120-gallon receiver tank
- Quality cast iron two stage compressor

80-GALLON HORIZONTAL MODELS

Model Number	CFM @ PSI	Horsepower/Motor	Ship Wt.	Net Wt.	List Price
AAS-23105-80H	17.8 @ 175	5.0 HP, 230V, 1Ø, 23.0A	570 lbs.	499 lbs.	\$2,640.00
ACS-23175-80H	23.5 @ 175	7.5 HP, 230V, 1Ø, 31.0A	665 lbs.	594 lbs.	\$3,810.00

80-GALLON VERTICAL MODELS

Model Number	CFM @ PSI	Horsepower/Motor	Ship Wt.	Net Wt.	List Price
AAS-23105-80V	17.8 @ 175	5.0 HP, 230V, 1Ø, 23.0A	570 lbs.	499 lbs.	\$2,720.00
ACS-23175-80V	23.5 @ 175	7.5 HP, 230V, 1Ø, 31.0A	665 lbs.	594 lbs.	\$3,930.00

120-GALLON HORIZONTAL MODELS

Model Number	CFM @ PSI	Horsepower/Motor	Ship Wt.	Net Wt.	List Price
ADS-23110-120H	17.8 @ 175	5.0 HP, 230V, 1Ø, 23.0A	570 lbs.	499 lbs.	\$5,580.00
AES-23315-120H	23.5 @ 175	7.5 HP, 230V, 1Ø, 31.0A	665 lbs.	594 lbs.	\$6,850.00

Note: Starter is not included with unit, must add starter option.
Consult factory for more air compressor models and voltages available.


ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
IX-0013	Starter (5.0 HP) - For thermal overload protection	AAS-23105-80H, AAS-23105-80V	\$393.00
IX-0017	Starter (7.5 HP) - For thermal overload protection	ACS-23175-80H, ACS-23175-80V	\$393.00
IX-0021	Starter (10.0 HP) - For thermal overload protection	ADS-23110-120H	\$393.00
IX-0026	Starter (15.0 HP) - For thermal overload protection	AES-23315-120H	\$393.00

Consult factory for more available options and accessories.

M Series

80 & 120-Gallon Two Stage



AES-23110-120HM

- ASME safety valves
- Powder coated ASME coded 80 and 120-gallon receiver tank
- Quality cast iron two stage compressor

80-GALLON HORIZONTAL MODELS

Model Number	CFM @ PSI	Horsepower/Motor	Ship Wt.	Net Wt.	List Price
ACS-23105-80HM	18.0 @ 175	5.0 HP, 230V, 1Ø, 23.0A	615 lbs.	544 lbs.	\$4,090.00
ACS-23175-80HM	23.2 @ 175	7.5 HP, 230V, 1Ø, 31.0A	780 lbs.	709 lbs.	\$4,530.00

80-GALLON VERTICAL MODELS

Model Number	CFM @ PSI	Horsepower/Motor	Ship Wt.	Net Wt.	List Price
ACS-23105-80VM	18.0 @ 175	5.0 HP, 230V, 1Ø, 23.0A	695 lbs.	544 lbs.	\$4,090.00
ACS-23175-80VM	23.2 @ 175	7.5 HP, 230V, 1Ø, 31.0A	780 lbs.	709 lbs.	\$4,530.00

120-GALLON HORIZONTAL MODELS

Model Number	CFM @ PSI	Horsepower/Motor	Ship Wt.	Net Wt.	List Price
ADS-23110-120HM	34.2 @ 175	10.0 HP, 230V, 1Ø, 39.0A	890 lbs.	811 lbs.	\$6,780.00
AES-23315-120HM	46.5 @ 175	15.0 HP, 230V, 1Ø, 38.0A	935 lbs.	856 lbs.	\$8,800.00

Consult factory for more air compressor models and voltages available.

These standard features are what sets the M Series air compressors apart from our standard line-up.

- NEMA-4 starter box with magnetic motor starter for thermal overload protection
- Hour meter displays the number of hours compressor has been in operation
- Air-cooled aftercooler removes up to 65% of moisture and drops temperature within 10°F of ambient
- Low oil sensor does not allow unit to start when oil levels fall below an adequate level
- Tank drain automatically drains liquid from air receiver
- Vibration isolation pads protect the tank from stress

Gasoline

8-Gallon Single & Two Stage Air Compressor/Generator Combination

SINGLE STAGE MODELS

Model Number	CFM @ PSI	Displacement/Engine	Max. Output	Ship Wt.	Net Wt.	List Price
AG1-PH65-08M1	11.6 @ 100	196cc Honda OHV	1800 watts	257 lbs.	207 lbs.	\$2,770.00
AG1-PR07-08M1	11.6 @ 100	211cc Subaru OHC	1800 watts	257 lbs.	207 lbs.	\$2,740.00

TWO STAGE MODELS

Model Number	CFM @ PSI	Displacement/Engine	Max. Output	Ship Wt.	Net Wt.	List Price
AG2-PH13-08M1	15.7 @ 175	389cc Honda OHV	3500 watts	430 lbs.	365 lbs.	\$3,810.00
AG2-SH13-08M1*	15.7 @ 175	389cc Honda OHV	3500 watts	425 lbs.	360 lbs.	\$3,630.00


*Stationary model.

ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
70-0357	Engine oil drain - 14-inch flexible drain hose to make oil changes cleaner and easier	AG1-PH65-08M1	\$39.90
70-0358	Engine oil drain - 14-inch flexible drain hose to make oil changes cleaner and easier	Two stage models	\$41.50
70-0380	Engine oil drain - See 70-0357 for description	AG1-PR07-08M1	\$41.30
854-0093	Service truck mount kit (recommended for models that are mounted in service truck applications) - Includes four rubber isolators to reduce wear	AG2-SH13-08M1	\$151.90
AX-0019	Electric start (battery and cables not included) - For easy starting	Two stage models	\$675.00
AX-0028	Lifting hook - For easier portability	Two stage models	\$39.00
AX-0066	230V outlet - Adds 230V outlet to model	Two stage models	\$180.00
AX-0068	Idle down - When activated it automatically throttles down engine to conserve fuel	AG2-PH13-08M1 AG2-SH13-08M1	\$1,250.00
TX-1002-W	Puncture-proof tires - Tires are flat-free, maintenance-free, 10-inch, white hub, two tires	Single stage models	\$102.50
TX-1302-W	Puncture-proof tires - Tires are flat-free, maintenance-free, 13-inch, white hub, two tires	AG2-PH13-08M1	\$112.00



AG1-PH65-08M1



AG2-SH13-08M1 shown with optional electric start (AX-0019)

- Honda OHV or Subaru OHC engine
- 8-gallon powder coated twin tank receivers
- Quality cast iron single or two stage compressor
- Industrial 1800 or 3500-watt generator


30-Gallon Two Stage Air Compressor/Generator Combination

NEW KOHLER ENGINE MODEL

Model Number	CFM @ PSI	Displacement/Engine	Max. Output	Ship Wt.	Net Wt.	List Price
AG2-SH13-30M	15.7 @ 175	389cc Honda OHV	3500 watts	500 lbs.	435 lbs.	\$4,000.00
AG2-SK14-30M	15.7 @ 175	429cc Kohler OHV	4000 watts	500 lbs.	435 lbs.	\$3,620.00
AG2-SR14-30M	15.7 @ 175	404cc Subaru OHC	4000 watts	500 lbs.	435 lbs.	\$4,050.00

ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
70-0358	Engine oil drain - 14-inch flexible drain hose to make oil changes cleaner and easier	AG2-SH13-30M, AG2-SK14-30M	\$41.50
70-0380	Engine oil drain - See 70-0358 for description	AG2-SR14-30M	\$41.30
854-0093	Service truck mount kit (recommended for models that are mounted in service truck applications) - Includes four rubber isolators to reduce wear	All models	\$151.90
AX-0019	Electric start (battery and cables not included) - For easy starting	AG2-SH13-30M	\$675.00
AX-0062	Electric start (battery and cables not included) - For easy starting	AG2-SR14-30M	\$370.00
AX-0063	Lifting hook - For easier portability	All models	\$80.00
AX-0064	Electric start (battery box included) - For easy starting	AG2-SH13-30M	\$702.50
AX-0065	Electric start (battery box included) - For easy starting	AG2-SR14-30M	\$430.00
AX-0066	230V outlet - Adds 230V outlet to model	All models	\$180.00
AX-0068	Idle down - When activated it automatically throttles down engine to conserve fuel	AG2-SH13-30M	\$1,250.00
AX-0069	Idle down - When activated it automatically throttles down engine to conserve fuel	AG2-SR14-30M	\$1,130.00



AG2-SR14-30M

- Honda OHV, Kohler OHV or Subaru OHC engine
- Powder coated ASME coded 30-gallon receiver tank
- Quality cast iron two stage compressor
- Industrial 3500 or 4000-watt generator

Air Compressor/Generator/Welder Combination



AGW-SR14-30M

- Subaru OHC engine
- Powder coated ASME coded 30-gallon receiver tank or base mount available
- Quality cast iron two stage compressor
- Industrial 5000-watt generator
- 170-amp arc welder

Stationary

Model Number	CFM @ PSI	Displacement/Engine	Max. Output	DC Voltage	Ship Wt.	Net Wt.	List Price
AGW-SR14-30M	15.7 @ 175	404cc Subaru OHC	5000 watts	50-170A working range	650 lbs.	585 lbs.	\$8,200.00

Base Mount

Model Number	CFM @ PSI	Displacement/Engine	Max. Output	DC Voltage	Ship Wt.	Net Wt.	List Price
AGW-SR14-B	15.7 @ 175	404cc Subaru OHC	5000 watts	50-170A working range	449 lbs.	384 lbs.	\$7,520.00

ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
70-0380	Engine oil drain - 14-inch flexible drain hose to make oil changes cleaner and easier	All models	\$41.30
IX-0001	Vibration pads - Isolators protect the unit from vibration during use	AGW-SR14-3M	\$120.00

Replacement Pumps

- Cast iron with cast iron head



Part Number	Description	List Price
3-0315	Single stage - Fits units up to 2.0-HP electric or 187cc gasoline	\$456.90
3-0303	Single stage - Fits units up to 3.0-HP electric or 210cc gasoline	\$537.50
3-0298	Two stage - Fits units up to 5.0-HP electric or 270cc gasoline	\$1,134.10
3-0304	Two stage - Fits units up 389cc gasoline	\$1,343.80
3-0312	Two stage - Fits ACS Series units	\$1,381.40
3-0313	Two stage - Fits ADS Series units	\$2,768.10
3-0314	Two stage - Fits AES Series units	\$4,074.30

Air Hoses

- 1/4-inch NPT fittings
- Rubber hoses have bend restrictors



15-0230

Part Number	Description	List Price
15-0230	PVC hose - 50-foot x 3/8-inch	\$41.00
15-0231	PVC hose - 25-foot x 3/8-inch	\$34.00
15-0232	Rubber hose - 50-foot x 3/8-inch	\$100.10
15-0233	Rubber hose - 25-foot x 3/8-inch	\$57.00
15-0229	Leader hose - 24-inch with swivel	\$25.00

Air Chucks

- Helps maintain proper tire pressure



AT-3002



AT-3001



AT-3003

Part Number	Description	List Price
AT-3001	Dual foot - 1/4-inch FPT	\$24.60
AT-3002	Ball foot - 1/4-inch FPT	\$5.00
AT-3003	Deluxe air inflator with 12-inch hose	\$69.00

Gauges

- 1/4-inch MPT



Part Number	Description	List Price
22-0257	200-PSI maximum rating	\$20.00
22-0271	300-PSI maximum rating	\$24.00

Accessories

Fittings



23-0069

Barbed Hose Fittings

- Corrosion-resistant brass construction
- Threaded end connects tools, fittings, couplers or plugs

Brass Couplings

- Corrosion-resistant brass construction
- Use to combine two short hoses into one long hose

Barbed Hose Splicers

- Corrosion-resistant brass construction
- Repair damaged hoses by combining hose sections together

Part Number	Description	List Price
23-0050	Barbed hose fitting - 3/8-inch male x 1/2-inch hose	\$9.00
23-0051	Barbed hose fitting - 1/4-inch male x 1/4-inch hose	\$2.00
23-0052	Barbed hose fitting - 3/8-inch male x 1/4-inch hose	\$3.00
23-0069	Barbed hose fitting - 1/4-inch male x 3/8-inch hose	\$2.20
23-0073	Barbed hose fitting - 3/8-inch male x 3/8-inch hose	\$3.00
23-0002	Brass coupling - 1/4-inch FPT x 1/4-inch FPT	\$5.20
23-0103	Brass coupling - 1/4-inch MPT x 1/4-inch MPT	\$4.00
23-0415	Hose splicer - Fits 1/4-inch ID hose	\$5.00
23-0416	Hose splicer - Fits 3/8-inch ID hose	\$5.00

Steel Hex Nipples



- Corrosion-resistant steel construction

Part Number	Description	List Price
24-0010	3/8-inch x 3/8-inch	\$3.60
24-0024	1/2-inch x 3/8-inch	\$6.00
24-0031	1/2-inch x 1/2-inch	\$4.00
24-0145	1/4-inch x 1/4-inch	\$4.00
24-0146	3/8-inch x 1/4-inch	\$3.00
24-0265	1/2-inch x 1/4-inch	\$5.00

Engine Oil Drains



- 14-inch flexible drain hose to make oil changes cleaner and easier

Part Number	Description	List Price
70-0357	196cc Honda engines	\$39.90
70-0358	270cc & 389cc Honda engines	\$41.50
70-0380	126cc, 211cc, 265cc & 404cc Subaru engines	\$41.30

Coupler Test Bar



- Includes four 1/4-inch plugs: Tru-flate Automotive Style, Industrial Interchange Style, ARO Style and Lincoln Style

Part Number	Description	List Price
17-4952	Coupler test bar	\$32.30

Air/Water Adapter Kit



- For filling tires with liquid

Part Number	Description	List Price
23-0414	Air/water adapter kit	\$21.90

Blow Guns



AT-3005



AT-3009

- Providing a leak-proof seal for blowing dirt and debris from lines with high pressure air

Part Number	Description	List Price
AT-3004	Blow gun - Standard rubber tip	\$18.00
AT-3005	Blow gun - Safety tip	\$18.00
AT-3007	AT-3005 with 1-foot extension	\$38.00
AT-3008	AT-3005 with 2-foot extension	\$43.00
AT-3009	AT-3005 with 4-foot extension	\$52.00

Air Filter Canisters



19-0083

- Houses air filter elements

Part Number	Description	List Price
19-0215	Paper filter canister - 2 1/2-inch diameter x 3/8-inch M	\$8.10
19-0217	Metal filter canister - 2 1/2-inch diameter x 3/8-inch M	\$45.00
19-0083	Metal filter canister - 3 1/4-inch diameter x 1/2-inch M	\$18.30
19-0240	Metal filter canister - 4 1/8-inch diameter x 1/2-inch M	\$27.70
19-0219	Metal filter canister - 4 1/8-inch diameter x 1-inch M	\$32.00
19-0225	Metal filter canister - 6-inch diameter x 3/4-inch M	\$33.00

Air Filter Elements



19-0218

– Paper air filter replacement elements

Part Number	Description	List Price
19-0218	Replacement filter for 19-0217 - 2½-inch diameter x ¾-inch M	\$11.60
19-0082	Replacement filter for 19-0083 - 3¼-inch diameter x ½-inch M	\$15.00
19-0220	Replacement filter for 19-0219, 19-0240 - 4⅞-inch diameter x 1-inch M	\$20.20
19-0226	Replacement filter for 19-0225 - 6-inch diameter x ¾-inch M	\$10.00

Automatic Electric Compressor Drain



– Automatically drains filters, compressor tanks, drip legs, aftercoolers and receivers
– ¼-inch NPT coupler

Part Number	Description	List Price
AT-4012	¼-inch automatic electric compressor drain	\$310.00

Filters



– Removes dirt, debris and water in air line

Part Number	Description	List Price
AT-4004-M	¼-inch poly bowl - 150 psig maximum supply pressure	\$58.00
AT-4005-M	½-inch metal bowl - 250 psig maximum supply pressure	\$69.00
AT-4006-M	¾-inch poly bowl - 150 psig maximum supply pressure	\$58.00
AT-4007-M	Disposable in-line filter - ¼-inch MPT x ¼-inch FPT	\$16.00
AT-4008-M	Air tool filter - ¼-inch MPT x ¼-inch FPT	\$8.00

Regulators



¼-inch Regulator
– ¼-inch inlet/outlet
– ⅜-inch gauge port
– 250 psig max. inlet/125 psig max. outlet pressure

⅜-inch Regulator
– ⅜-inch inlet/outlet
– ½-inch gauge port
– 300 psig max. inlet/125 psig max. outlet pressure

½-inch Regulator
– ½-inch inlet/outlet
– ¼-inch gauge port
– 300 psig max. inlet/250 psig max. outlet pressure

Part Number	Description	List Price
22-0326	¼-inch regulator	\$31.20
22-0231	⅜-inch regulator	\$58.20
22-0358	½-inch regulator	\$205.80

Filter/Regulator



– Removes dirt, debris and water in air line
– Poly bowl with manual drain
– 150 psig maximum supply pressure

Part Number	Description	List Price
AT-4011-M	¾-inch filter/regulator	\$113.00

In-Line Lubricators



– Used to lubricate air tools
– 150 psig maximum supply pressure

Part Number	Description	List Price
AT-4009-M	¼-inch poly bowl with bowl guard	\$80.00
AT-4010-M	¾-inch poly bowl with bowl guard	\$80.00

Accessories

Plugs, Couplers and Coupler/Plug Sets



Plugs



Couplers




Coupler/Plug Set

– Add the ability to easily connect and disconnect your air tools and air hoses with plugs, couplers and coupler/plug sets

Part Number	Description	List Price
17-0049	Plug - 1/4-inch MPT-1/4 Industrial Interchange Style	\$2.30
17-0050	Plug - 1/4-inch MPT-1/4 Automotive Style	\$2.50
17-0051	Plug - 1/4-inch MPT-1/4 Lincoln Style	\$2.50
17-0052	Plug - 1/4-inch MPT-1/4 ARO Style	\$2.50
17-0053	Plug - 1/4-inch FPT-1/4 Industrial Interchange Style	\$2.50
17-0054	Plug - 1/4-inch FPT-1/4 Automotive Style	\$2.50
17-0055	Plug - 1/4-inch FPT-1/4 Lincoln Style	\$3.60
17-0056	Plug - 1/4-inch FPT-1/4 ARO Style	\$2.40
17-0061	Plug - 3/8-inch MPT-3/8 Industrial Interchange Style	\$4.50
17-0062	Plug - 3/8-inch FPT-3/8 Industrial Interchange Style	\$4.60
23-0017	Reducer - 3/8-inch to 1/4-inch	\$3.70
17-0043	Coupler - 1/4-inch MPT-1/4 Industrial Interchange Style	\$7.30
17-0044	Coupler - 1/4-inch MPT-1/4 Automotive Style	\$10.60
17-0045	Coupler - 1/4-inch FPT-1/4 Industrial Interchange Style	\$11.00
17-0046	Coupler - 1/4-inch FPT-1/4 Automotive Style	\$11.00
17-0047	Coupler - 1/4-inch FPT-1/4 Lincoln Style	\$11.00
17-0048	Coupler - 1/4-inch FPT-1/4 ARO Style	\$11.00
17-0059	Coupler - 3/8-inch MPT-3/8 Industrial Interchange Style	\$12.80
17-0060	Coupler - 3/8-inch FPT-3/8 Industrial Interchange Style	\$13.40
17-0067	Coupler - 3/8-inch FPT-1/4 Industrial Interchange Style	\$14.00
17-0068	Coupler - 3/8-inch MPT-1/4 Industrial Interchange Style	\$11.00
17-0045K	Coupler/Plug Set - 1/4-inch FPT-1/4 Industrial Interchange Style coupler & 1/4-inch MPT-1/4 Industrial Interchange Style plug	\$8.00
17-0046K	Coupler/Plug Set - 1/4-inch FPT-1/4 Automotive Style coupler & 1/4-inch MPT-1/4 Automotive Style plug	\$12.50

Building an Efficient Air System

Compressed-air-powered equipment and machinery are critical elements in the productivity, efficiency and economy of today's industry. Quality air is the essential element for effective operation of this equipment. Water and dirt can cause major problems in compressed air lines. The use of filters that remove moisture and impurities from the air help high-speed pneumatic production lines operate more efficiently. Regulators and lubricators may also be added to control and lubricate downstream equipment. A quality air system can save time, money and keep equipment operating at maximum efficiency.



1700, 3200 & 4300-Watts



GEN-1700-iMSO




GEN-4300-iMSO


Model Number	Max. Output	Displacement/Engine	Ship Wt.	Net Wt.	List Price
GEN-1700-iMSO	1650 watts	86cc Subaru OHV	55 lbs.	45 lbs.	\$1,750.00
GEN-3200-iMSO	3200 watts	211cc Subaru OHC	143 lbs.	131 lbs.	\$3,320.00
GEN-4300-iMSO	4300 watts	265cc Subaru OHC	174 lbs.	162 lbs.	\$4,370.00

ACCESSORY

Part Number	Description	Fits Models	List Price
32-0915	RV generator adapter - 30A/125V female/male; use to connect RV cordsets to 30A generators	GEN-3200-iMSO, GEN-4300-iMSO	\$120.00



- GEN-1700-iMSO includes:
- Pilot lamp switch
 - Overload switch
 - Auto power save switch
 - AC output receptacle
 - Engine switch
 - Auxiliary battery charger
 - Ground terminal
 - On/off switch



- GEN-3200 & GEN-4300 include:
- Hour meter
 - AC output receptacle
 - Engine switch
 - Auxiliary battery charger
 - Ground terminal


- Inverter technology reduces the size, weight, noise and fuel consumption
- Inverter technology produces commercial quality AC power for sensitive electronic equipment
- Low oil shutdown engine
- Easy-grip frame design maximizes ease of handling (GEN-1700)
- Roll cage design with four wheels (GEN-3200 & GEN-4300)

3200 & 6000-Watts

ChoreMaster® Series



GEN-3200-OMMO




GEN-6000-SMHO




Model Number	Max. Output	Displacement/Engine	Ship Wt.	Net Wt.	List Price
GEN-3200-OMMO	3200 watts	208cc Mi-T-M OHV	140 lbs.	117 lbs.	\$1,440.00
GEN-6000-SMHO	6000 watts	337cc Honda OHV	228 lbs.	203 lbs.	\$2,500.00

ACCESSORIES

Part Number	Description	Fits Models	List Price
AW-5090-0002	Lifting hook - For easier portability, folds down and out of the way when not in use	GEN-6000-SMHO	\$82.00
AW-5740-0013	Wheel kit - For easier mobility, pneumatic tires with tubes, rubber gripped handles	GEN-6000-SMHO	\$206.00



- GEN-3200-OMMO Includes:
- 120V - 20A receptacle
 - 20A circuit breaker



- GEN-6000-SMHO Includes:
- (2) 120V - 20A receptacles
 - (2) 20A circuit breakers
 - 120V/240V - 20A receptacle
 - 20A receptacle

- Mi-T-M or Honda OHV gasoline engine with low-oil shutdown
- Heavy-duty wraparound frame with 1-inch powder coated steel tubing
- Large low-tone mufflers
- USDA/USFS-approved spark arrestors

Gasoline

3000, 4000 & 5000-Watts

NEW KOHLER ENGINE MODEL



GEN-5000-OMSO




Model Number	Max. Output	Displacement/Engine	Ship Wt.	Net Wt.	List Price
GEN-3000-1MHO	3000 watts	163cc Honda OHV	146 lbs.	130 lbs.	\$1,800.00
GEN-4000-0MHO	4000 watts	242cc Honda OHV	164 lbs.	142 lbs.	\$2,730.00
GEN-4000-0MSO	4000 watts	211cc Subaru OHC	168 lbs.	146 lbs.	\$2,170.00
GEN-5000-0MKO	5000 watts	277cc Kohler OHV	198 lbs.	176 lbs.	\$2,150.00
GEN-5000-0MSO	5000 watts	287cc Subaru OHC	198 lbs.	176 lbs.	\$2,390.00


ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
32-0915	RV generator adapter - 30A/125V female/male; use to connect RV cordsets to 30A generators	4000 & 5000-watt models	\$120.00
AW-5090-0003	Lifting hook - For easier portability, folds down and out of the way when not in use	4000 & 5000-watt models	\$80.00
AW-5740-0009	Wheel kit - For easier mobility, pneumatic tires with tubes, rubber gripped handles	4000 & 5000-watt models	\$209.00
GX-0004	Hour meter - Displays number of hours the unit has been in operation	4000 & 5000-watt models	\$46.00
TX-1002-W	Puncture-proof tires - Tires are flat-free and maintenance-free, 10-inch, white hub, two tires	4000 & 5000-watt models	\$102.50

- Low-oil shutdown engine
- Heavy-duty wraparound frame with 1-inch powder coated steel tubing
- Large low-tone mufflers to reduce noise to lowest level possible
- USDA/USFS-approved spark arrestors
- GEN-3000-1MHO has large fuel tank capacity for extended run times




- Includes:
- 120V - 20A receptacle
 - 20A circuit breaker



- Includes:
- Full power switch
 - (2) 125V - 20A receptacles
 - 120V/240V - 20A receptacle
 - (2) 20A circuit breakers
 - 125V - 30A receptacle

6000, 7500 & 8000-Watts

New Kohler Engine Models



GEN-8000-0MKO




Model Number	Max. Output	Displacement/Engine	Ship Wt.	Net Wt.	List Price
GEN-6000-0MHO	6000 watts	389cc Honda OHV	232 lbs.	210 lbs.	\$3,290.00
GEN-6000-0MHE*	6000 watts	389cc Honda OHV	232 lbs.	210 lbs.	\$3,730.00
GEN-6000-0MKO	6000 watts	429cc Kohler OHV	232 lbs.	210 lbs.	\$2,730.00
GEN-6000-0MSO	6000 watts	404cc Subaru OHC	232 lbs.	210 lbs.	\$3,290.00
GEN-6000-0MSE*	6000 watts	404cc Subaru OHC	232 lbs.	210 lbs.	\$3,630.00
GEN-7500-0MHO	7500 watts	389cc Honda OHV	255 lbs.	233 lbs.	\$3,410.00
GEN-7500-0MHE*	7500 watts	389cc Honda OHV	255 lbs.	233 lbs.	\$3,840.00
GEN-8000-0MKO	8000 watts	429cc Kohler OHV	255 lbs.	233 lbs.	\$2,850.00
GEN-8000-0MKE*	8000 watts	429cc Kohler OHV	255 lbs.	233 lbs.	\$3,110.00
GEN-8000-0MSO	8000 watts	404cc Subaru OHC	245 lbs.	223 lbs.	\$3,390.00
GEN-8000-0MSE*	8000 watts	404cc Subaru OHC	245 lbs.	223 lbs.	\$3,730.00

*Electric start model (battery included).

ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
32-0915	RV generator adapter - 30A/125V female/male; use to connect RV cordsets to 30A generators	All models	\$120.00
AW-5090-0004	Lifting hook - For easier portability, folds down and out of the way when not in use	All models	\$80.00
AW-5740-0010	Wheel kit - For easier mobility, pneumatic tires with tubes, rubber gripped handles	All models	\$209.00
TX-1002-W	Puncture-proof tires - Tires are flat-free and maintenance-free, 10-inch, white hub, two tires	All models	\$102.50

- Low-oil shutdown engine
- Heavy-duty wraparound frame with 1-inch powder coated steel tubing
- Large low-tone mufflers to reduce noise to lowest level possible
- USDA/USFS-approved spark arrestors



- Includes:
- Idle control
 - Hour meter
 - Volt meter
 - (2) 120V - 20A receptacles
 - (4) 20A circuit breakers
 - (2) 120V - 30A receptacles

13,000 & 14,000-Watts



GEN-14000-1MHE


- Low-oil shutdown engine with electric start (battery included)
- Brushless 120V/240V alternator
- Reinforced 1¼-inch powder coated steel tube frame with center balanced lifting hook
- Four pneumatic tires with tubes
- USDA/USFS-approved spark arrestors



Model Number	Max. Output	Displacement/Engine	Ship Wt.	Net Wt.	List Price
GEN-13000-1MSE	13,000 watts	650cc Subaru OHV	573 lbs.	513 lbs.	\$7,260.00
GEN-14000-1MHE	14,000 watts	688cc Honda OHV	568 lbs.	508 lbs.	\$7,260.00

ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
32-0915	RV generator adapter - 30A/125V female/male; use to connect RV cordsets to 30A generators	All models	\$120.00
GX-0003	Skid feet - For stationary applications	All models	No charge
GX-0005	50-amp twist lock receptacle - Marine receptacles for routine marine applications	All models	\$184.00
TX-1304-W	Puncture-proof tires - Tires are flat-free and maintenance-free, 13-inch, white hub, four tires	All models	\$223.00



- Includes:*
- Idle control
 - Hour meter
 - Volt meter
 - (2) 125V - 20A receptacles
 - (1) 125V - 30A receptacle
 - (2) 20A circuit breakers
 - (1) 125V/250V - 30A receptacle
 - (2) 30A circuit breakers
 - 125V/250V - 50A receptacle
 - 50A circuit breaker

6000-Watts

Diesel



GEN-6000-0MYE


- Low-oil shutdown engine with electric start (battery included)
- Brushless 120V/240V alternator
- Heavy-duty wraparound frame with 1-inch powder coated steel tubing
- USDA/USFS-approved spark arrestors



Model Number	Max. Output	Horsepower/Engine	Ship Wt.	Net Wt.	List Price
GEN-6000-0MYE	6000 watts	9.2 HP Yanmar	295 lbs.	273 lbs.	\$6,820.00

ACCESSORIES & OPTIONS

Part Number	Description	Fits Models	List Price
32-0915	RV generator adapter - 30A/125V female/male; use to connect RV cordsets to 30A generators	GEN-6000-0MYE	\$120.00
AW-5090-0007	Lifting hook - For easier portability, folds down and out of the way when not in use	GEN-6000-0MYE	\$80.00
AW-5740-0006	Wheel kit - For easier mobility, pneumatic tires with tubes, rubber gripped handles	GEN-6000-0MYE	\$326.00
TX-1002-W	Puncture-proof tires - Tires are flat-free and maintenance-free, 10-inch, white hub, two tires	GEN-6000-0MYE	\$102.50



- Includes:*
- Idle control
 - Hour meter
 - Volt meter
 - (2) 120V - 20A receptacles
 - (4) 20A circuit breakers
 - (2) 120V - 30A receptacles

Accessories

RV Generator Adapter



- Use to connect RV cordsets to 30A generators
- Fits generators 3200-watts or higher (excluding GEN-3200-OMMO, GEN-5500-OMMO, GEN-6000-SMHO & GEN-7500-OMMO)

Part Number	Description	List Price
32-0915	RV generator adapter - 30A/125V female/male	\$120.00

Lifting Hooks



- Made with 1/4-inch powder coated steel
- Bolts to generator with U-bolts
- Folds down and out of the way when not in use

Part Number	Description	List Price
AW-5090-0002	Lifting hook - Fits GEN-6000-SMHO	\$82.00
AW-5090-0003	Lifting hook - Fits 4000 & 5000-watt models	\$80.00
AW-5090-0004	Lifting hook - Fits 6000 to 8000-watt models	\$80.00
AW-5090-0007	Lifting hook - Fits GEN-6000-OMYE	\$80.00

GEN-4000-0MH0 shown with optional lifting hook (AW-5090-0003)

Wheel Kits



- Two 10-inch pneumatic tires with tubes
- Dual rubber isolator feet
- Powder coated and rubber gripped handles for comfort

Part Number	Description	List Price
AW-5740-0006	Wheel kit - Fits GEN-6000-OMYE	\$326.00
AW-5740-0009	Wheel kit - Fits 4000 & 5000-watt models	\$209.00
AW-5740-0010	Wheel kit - Fits 6000 to 8000-watt models	\$209.00
AW-5740-0013	Wheel kit - Fits GEN-6000-SMHO	\$206.00

GEN-7500-0MHE shown with optional wheel kit (AW-5740-0010)

9-Gallon Vacuum, Accessories & Replacement Parts

9-Gallon



- Two-stage blower motor for longer life
- 25-foot electrical cord
- High impact poly construction canister
- Wet and dry filter (no conversion necessary)
- Industrial-grade caster wheels with plates

Standard Accessories

- 10-foot x 1 1/4-inch hose with inlet cuff
- 14 1/4-inch curved plastic wand
- 2-piece aluminum/plastic extension wand
- 12-inch combination floor tool
- 8 1/2-inch crevice tool
- 12-inch commercial squeegee tool
- Cartridge filter
- 1 paper filter bag (replacement bags sold in packs of 5)

Model Number	Horsepower/Motor	CFM	Waterlift	Capacity	Water Recovery	Amps	Ship Wt.	Net Wt.	List Price
MV-900-OMEV	1.3 HP, 120V Two-stage bypass	101	87 in.	9.0 gal.	6.0 gal.	7.5	36 lbs.	25 lbs.	\$470.00

Suction Hose & Inlet Cuff



Suction Hose with Inlet Cuff

- 10-foot x 1 1/4-inch hose with inlet cuff

Suction Hose - Bulk

- 1 1/4-inch hose without fittings
- Sold by the foot

Inlet Cuff

- For bulk hose, to connect hose to vacuum

Part Number	Description	List Price
15-0241	Suction hose with inlet cuff	\$27.50
15-0242	Bulk suction hose	\$4.00
50-0178	Inlet cuff	\$19.30

Wands



Aluminum/Plastic Extension Wand

- 2-piece
- Plastic wand with aluminum inserts

Curved Plastic Wand

- Connects hand tools to hose

Part Number	Description	List Price
16-0402	Aluminum/plastic extension wand	\$14.00
16-0403	Curved plastic wand	\$9.00

Filters



Cartridge Filter

- Hydrophobic media for wet and dry use

Paper Filter Bag

- Disposable, for dry use only
- Recommended for fine dusts

Part Number	Description	List Price
19-0221	Cartridge filter	\$65.00
19-0222	Paper filter bag - 5 per pack	\$41.70

Tools



Commercial Squeegee Tool

- 12-inch high impact plastic
- Connects directly to extension wand

Combination Floor Tool

- 12-inch high impact plastic
- Connects directly to extension wand

Crevice Tool

- 8 1/2-inch high impact plastic
- Connects directly to curved plastic wand

Dusting Brush

- 2 1/2-inch high impact plastic
- Connects directly to extension wand

Part Number	Description	List Price
33-0410	Commercial squeegee tool	\$20.00
33-0411	Combination floor tool	\$40.00
33-0412	Crevice tool	\$4.00
33-0422	Dusting brush	\$31.80

13 & 18-Gallon Vacuums, Accessories & Replacement Parts

13 & 18-Gallon



- Two-stage blower motor for longer life
- 25-foot electrical cord
- High impact poly construction canister
- Wet and dry filter (no conversion necessary)
- Industrial-grade polyolefin wheels with stainless-steel shafts

Standard Accessories

- 10-foot x 1½-inch crushproof hose
- 2-piece aluminum extension wand
- 14-inch commercial squeegee tool
- 10¼-inch crevice tool
- 12-inch combination floor tool
- 5-inch upholstery tool
- Cartridge filter
- 1 paper filter bag (replacement bags sold in packs of 10)

Model Number	Horsepower/Motor	CFM	Waterlift	Capacity	Water Recovery	Amps	Ship Wt.	Net Wt.	List Price
MV-1300-OMEV	1.6 HP, 120V Two-stage bypass	108	111 in.	13.0 gal.	9.0 gal.	8.6	50 lbs.	38 lbs.	\$910.00
MV-1800-OMEV	1.6 HP, 120V Two-stage bypass	108	111 in.	18.0 gal.	13.0 gal.	8.6	55 lbs.	44 lbs.	\$960.00

OPTIONS

Part Number	Description	Fits Models	List Price
VX-0001	Vacuum accessories with paper bags - Includes 25-foot of 1½-inch crushproof vacuum hose, 10 disposable paper filter bags (19-0610), crevice tool (33-0326) and suction hand tool (33-0371)	All models	\$37.00
VX-0002	Vacuum accessories with cloth bag - Includes 25-foot of 1½-inch crushproof vacuum hose, cloth filter bag (19-0611), crevice tool (33-0326) and suction hand tool (33-0371)	All models	\$50.00
VX-0003	Vacuum accessories with vacuum bag liner - Includes 25-foot of 1½-inch crushproof vacuum hose, vacuum bag liner (19-0235), crevice tool (33-0326) and suction hand tool (33-0371)	All models	\$60.00

Note: These options will remove the 2-piece aluminum extension wand (16-0391), combination floor tool (33-0360), commercial squeegee floor tool (33-0359) and the upholstery tool (33-0327) that comes standard with the vacuum.

Suction Hose & Fittings



Suction Hose with Fittings

- 10-foot x 1½-inch crushproof hose with fittings

Suction Hose - Bulk

- 1½-inch hose without fittings
- Sold by the foot

Hose Fittings

Tapered Cuff End

- Connects hose to wand or to hose connector

Hose Connector

- Connects tapered cuff to hose extension

Inlet Cuff Fitting

- Connects hose to vacuum

Hose Adapter Kit

- Includes two inlet fittings and one hose connector

Part Number	Description	List Price
15-0207	Suction hose	\$50.00
15-0223	Bulk suction hose	\$4.00
50-0167	Tapered cuff end hose fitting	\$7.00
50-0168	Hose connector	\$8.00
50-0169	Inlet cuff fitting	\$6.00
852-0156	Hose adapter kit	\$22.00

Aluminum Extension Wand

- 2-piece, friction fit
- Chrome-plated



Part Number	Description	List Price
16-0391	Aluminum extension wand	\$39.00

Wall Bracket Kit

- Allows for a permanent cleaning station
- Mount vacuum to wall in your shop or home



Part Number	Description	List Price
AW-9500-0000	Wall bracket kit	\$219.00

13 & 18-Gallon Accessories & Replacement Parts

Tools



Part Number	Description	List Price
33-0326	Crevice tool	\$9.00
33-0327	Upholstery tool	\$14.00
33-0328	Dusting brush	\$13.00
33-0359	Commercial squeegee floor tool	\$50.00
33-0397	Front blade	\$10.00
33-0398	Back blade	\$10.00
33-0360	Combination floor tool	\$38.00
33-0361	Commercial nylon brush floor tool	\$47.00
33-0362	Power floor tool	\$104.00
33-0364	Suction wand tool	\$52.00
33-0371	Suction hand tool	\$9.00
AW-9500-0001	Accessory bag and hose hanger	\$64.00

Crevice Tool

- 10¼-inch high impact plastic
- Connects directly to hose

Upholstery Tool

- 5-inch width, serrated edge
- High impact plastic
- Connects directly to hose

Dusting Brush

- 2¾-inch nylon brush
- High impact plastic
- Connects directly to hose

Commercial Squeegee Floor Tool

- 14-inch with replaceable rubber blades
- High impact plastic
- Connects directly to extension wand

Replaceable Rubber Blades

- Fits commercial squeegee floor tool (33-0359)

Combination Floor Tool

- 12-inch with adjustable brush height
- High impact plastic
- Connects directly to extension wand

Commercial Nylon Brush Floor Tool

- 14-inch with nylon brush insert
- High impact plastic
- Connects directly to extension wand

Power Floor Tool

- 10¼-inch, air powered, belt drive
- High impact plastic
- Connects directly to extension wand

Suction Wand Tool

- 4-inch high impact plastic
- Connects directly to extension wand

Suction Hand tool

- 4-inch high impact plastic
- Connects directly to hose

Accessory Bag & Hose Hanger

- Fits over handle to store tools and hose
- Made from 600-denier vinyl-backed polyester



MV-1800-0MEV shown with accessory bag & hose hanger (AW-9500-0001)

Filters



Cartridge Filter

- Hydrophobic media for wet and dry use
- Completely washable
- Filters to 1.0-micron

HEPA (High Efficiency Particulate Air) Filter

- 99.7% efficient to 0.3-micron
- Recommended for fine dust and clean room applications

Paper Filter Bag

- Disposable, for dry use only
- Recommended for fine dusts

Cloth Filter Bag

- Reusable, for dry use only
- Machine washable

Part Number	Description	List Price
19-0230	Cartridge filter	\$88.00
19-0234	HEPA filter	\$172.00
19-0610	Paper filter bag - 10 per pack	\$67.00
16-0611	Cloth filter bag	\$105.00

Vacuum Bag Liner



- Fits inside canister to keep filter cartridge clean
- For dry use only
- Do not use with paper filter bag

Part Number	Description	List Price
19-0235	Vacuum bag liner	\$91.00

Boxes & Accessories

Jobsite Boxes



MB-4822 shown
with MX-22 tool tray

Model Number	Cubic Feet	Dimensions (LxWxH)	Ship Wt.	Net Wt.	List Price
MB-3619	6.33	36in.x19in.x16in.	83 lbs.	81 lbs.	\$520.00
MB-4822	13.44	48in.x22in.x22in.	128 lbs.	123 lbs.	\$740.00
MB-4830	25.00	48in.x30in.x30in.	174 lbs.	168 lbs.	\$880.00
MB-6024	21.66	60in.x24in.x26in.	177 lbs.	169 lbs.	\$870.00

- Heavy-duty solid steel construction with full arc welded seams
- Special powder coated finish for extreme durability
- Special tamper-proof designed padlock protectors for protection against break-ins
- Full-length concealed hinges are riveted for additional protection and strength
- Convenient swing-out handles for additional mobility

Tool Trays




MX-22

- Help sort and organize your tool box with tool trays
- Tool trays increase inside storage space
- Offers a convenient transportable tray for jobs when you need only select tools

Part Number	Fits Model	Tray Dimensions (LxWxH)	Tray Wt.	List Price
MX-19	One tray fits MB-3619	16.5in.x11in.x3in.	7 lbs.	\$66.00
MX-22	Two trays fit MB-4822	19.45in.x11in.x3in.	9 lbs.	\$66.00
MX-30	Two trays fit MB-4830	27.5in.x11in.x3in.	12 lbs.	\$74.00
MX-24	Two trays fit MB-6024	21.5in.x11in.x3in.	8 lbs.	\$66.00

Casters



MX-5

- When mobility is a must, casters are the solution
- Optional casters are industrial strength with ball bearing wheels that allow for smooth rolling over rough surfaces
- Caster sets include two ridged and two swivels with locks

Part Number	Description	List Price
MX-4	Casters - 4-inch	\$165.00
MX-5	Casters - 5-inch	\$177.50
MX-6	Casters - 6-inch	\$187.50

Kerosene & Propane Forced Air

Kerosene Forced Air



MH-0175-0M10



- Rugged steel body
- Extension cord wrap
- Powder coated hood and fuel tank
- 1-piece cast aluminum burner head
- Heavy-duty, high quality cast iron aluminum enclosed electric motor
- Built-in temperature control thermostat with control dial (Digital temperature read out on 125 to 215,000 BTU models)
- Dual connector ignitor
- Secured fully insulated ignition connection
- Factory tested for multiple fuels: Kerosene, JP8/Jet A fuel, No. 1 and No. 2 fuel oil and No. 1 and No. 2 diesel

Model Number	MH-0070-0M10	MH-0125-0M10	MH-0175-0M10	MH-0215-0M10	MH-0400-0M10	MH-0600-0M10
Heat Output	70,000 BTU	125,000 BTU	175,000 BTU	215,000 BTU	400,000 BTU	600,000 BTU
Hot-Air Flow	240 CFM	540 CFM	630 CFM	670 CFM	1,400 CFM	3,000 CFM
Air Pump Pressure	4.0 PSI	5.0 PSI	7.5 PSI	9.0 PSI	125 PSI	128 PSI
AC Power	120V, 60Hz, 1.5 Amp	120V, 60Hz, 2.3 Amp	120V, 60Hz, 2.7 Amp	120V, 60Hz, 2.8 Amp	120V, 60Hz, 2.8 Amp	120V, 60Hz, 5.5 Amp
Motor Size	1/8 HP	1/5 HP	1/4 HP	1/3 HP	1/2 HP	5/8 HP
Fuel Tank Capacity	5.0 gallons	10.0 gallons	13.0 gallons	13.0 gallons	24.0 gallons	40.0 gallons
Fuel Consumption	.53 gal./hr.	.95 gal./hr.	1.34 gal./hr.	1.63 gal./hr.	3.05 gal./hr.	4.5 gal./hr.
Max. Operating Hours	9.0 hours	10.0 hours	9.5 hours	8.0 hours	8.0 hours	9.0 hours
Heating Area	1,700 sq. ft.	3,100 sq. ft.	4,300 sq. ft.	5,300 sq. ft.	10,000 sq. ft.	15,000 sq. ft.
Ship Wt.	33 lbs.	60 lbs.	68 lbs.	71 lbs.	152 lbs.	320 lbs.
Net Wt.	28 lbs.	54 lbs.	61 lbs.	64 lbs.	143 lbs.	264 lbs.
List Price	\$380.00	\$520.00	\$590.00	\$710.00	\$2,220.00	\$3,150.00

Propane Forced Air



MH-0150-LM10



- Heavy-duty steel construction and base
- Easy-lift handle for portability at home or on the jobsite
- One touch electronic ignition and heat control for easy operation
- High performance fan
- 10-foot hose and regulator (not available on MH-0150-NM10)
- Adjustable height angle for heat where you need it (not available on MH-0375)
- Automatic shut-off if power is interrupted or flame is extinguished
- Enclosed gas controls
- Propane inlet connector - connects heater to propane tank via a supply hose

Model Number	MH-0050-LM10	MH-0150-LM10	MH-0150-LM10*	MH-0150-NM10*	MH-0375-LM10*
Heat Output	50,000 BTU	120-135-150,000 BTU	150,000 BTU	150,000 BTU	375,000 BTU
Hot-Air Flow	300 CFM	400 CFM	400 CFM	435 CFM	1,500 CFM
AC Power	120V, 60Hz, Less than 1.0 Amp	120V, 60Hz, Less than 1.0 Amp	120V, 60Hz, Less than 1.0 Amp	120V, 60Hz, Less than 1.0 Amp	120V, 60Hz, 1.45 Amp
Motor Size	1/10 HP	1/9 HP	1/9 HP	1/9 HP	1/5 HP
Fuel	Propane	Propane	Propane	Natural Gas	Propane
Fuel Consumption	2.3 lbs./hr.	5.5/6.2/6.9 lbs./hr.	6.9 lbs./hr.	150 cu. ft./hr.	17.3 lbs./hr.
Required Cylinder Size	20 lbs.	100 lbs.	100 lbs.	N/A	(2) 100 lbs.
Max. Operating Hours (per required cylinder size)	11.0 hours	18.0 hours	18 hours	N/A	11.5 hours
Heating Area	1,000 sq. ft.	3,800 sq. ft.	3,800 sq. ft.	3,800 sq. ft.	9,000 sq. ft.
Ship Wt.	19 lbs.	29 lbs.	29 lbs.	35 lbs.	49 lbs.
Net Wt.	15 lbs.	23 lbs.	23 lbs.	24 lbs.	41 lbs.
List Price	\$250.00	\$320.00	\$520.00	\$550.00	\$830.00

*Models include thermostat.

Indirect

Kerosene Indirect Ductable

Job Site Series



- Powder coated steel frame, handle and tank
- Heavy-duty, high quality cast aluminum electric motor
- Stainless-steel combustion chamber
- Thermostatically controlled
- Suitable for air ducting
- High capacity fuel tank
- Automatic ignition
- Water resistant control box
- Automatic fuel shut-off
- Functions on Kerosene or No. 1 or No. 2 fuel oil

MH-0300-OMIH

Model Number	MH-0092-OMIH	MH-0125-OMIH	MH-0300-OMIH
Heat Output	92,000 BTU	125,000 BTU	300,000 BTU
Hot Air Flow	557 CFM	1,180 CFM	2,650 CFM
AC Power	115V, 60Hz, 1Ø, 4.0 Amps	115V, 60Hz, 1Ø, 7.0 Amps	115V, 60Hz, 1Ø, 12.5 Amps
Power Consumption	250 watts	460 watts	800 watts
Fan Static Pressure	0.5-inch WC	0.7-inch WC	0.8-inch WC
Fuel Tank Capacity	12.2-gallons	13.5-gallons	36.0-gallons
Fuel Consumption	0.66 gal./hr.	0.9 gal./hr.	2.1 gal./hr.
Temperature Rise	120°F	130°F	130°F
Max. Output Temperature	240°F	240°F	240°F
Max. Operating Hours	18 hours	15 hours	17 hours
Ship Wt.	93 lbs.	162 lbs.	290 lbs.
Net Wt.	88 lbs.	154 lbs.	282 lbs.
List Price	\$1,960.00	\$2,670.00	\$4,520.00

ACCESSORIES

Part Number	Description	Fits Models	List Price
68-4001	Thermostat control with 20-foot cord - For light party use	All models	\$123.00
68-4002	Thermostat control with 20-foot cord - For use on a construction site	All models	\$188.00
68-4003	Duct adapter - Connects ducting to heater	MH-0092-OMIH	\$298.00
68-4004	Duct adapter - Connects ducting to heater	MH-0125-OMIH	\$298.00
68-4005	Duct adapter - Connects ducting to heater	MH-0300-OMIH	\$323.00
68-4006	15-foot x 12-inch black flexible air ducting - Ducting directs heat	MH-0092-OMIH	\$473.00
68-4007	25-foot x 12-inch black flexible air ducting - Ducting directs heat	MH-0125-OMIH	\$595.00
68-4008	25-foot x 18-inch black flexible air ducting - Ducting directs heat	MH-0300-OMIH	\$860.00
68-4056	Flue extension - Elevates rain cap	All models	\$123.00
68-4067	Rain cap - Protects flue from moisture when unit is left outside	All models	\$73.00

Propane/Natural Gas Directional



- Independent fan and burner controls for simple operation
- Durable powder coated outer casing and side lifting handles
- Thermostat control with 20-foot cord allows for a consistent, comfortable environment and use in remote locations
- 15-hose and regulator assembly
- Totally enclosed flame
- Electronic ignition
- Operates as both a fresh air circulator or a heater at the touch of a switch



MH-0085-OMDH

Model Number	MH-0085-OMDH	MH-0175-OMDH	MH-0355-OMDH**	MH-0355-CMDH**#
Heat Output	85,000 BTU	175,000 BTU	355,000 BTU	320,000 BTU
Fuel Type	Propane	Propane	Propane / Natural Gas	Propane / Natural Gas
Hot Air Flow	750 CFM	1,200 CFM	2,450 CFM	2,450 CFM
Electrical Requirements	115V, 60Hz, 1Ø	115V, 60Hz, 1Ø	115V, 60Hz, 1Ø	115V, 60Hz, 1Ø
Amps (Starting/Cont.)	8.2/2.3 amps	8.4/3.6 Amps	21/9 Amps	21/9 Amps
Fuel Consumption	4.25 lbs./hr.	8.75 lbs./hr.	16.2 lbs./hr. / 350 cu. ft. hr.	16.2 lbs./hr. / 350 cu. ft. hr.
Suggested Tank Size	100 lbs.	100 lbs.	200 lbs.	200 lbs.
Inlet Gas Pressure	11-inch WC	11-inch WC	11-inch WC-propane / 8.5-inch WC-nat. gas	11-inch WC-propane / 8.5-inch WC-nat. gas
Temp. Rise (above ambient)	140°F	140°F	190°F-propane / 170°F-natural gas	190°F-propane / 170°F-natural gas
Ship Wt.	135 lbs.	193 lbs.	350 lbs.	350 lbs.
Net Wt.	122 lbs.	164 lbs.	317 lbs.	317 lbs.
List Price	\$1,790.00	\$2,460.00	\$4,820.00	\$4,820.00

*Heater is a dual-fuel model - uses propane or natural gas.

^Natural gas regulator is required to run heater on natural gas, for gas supply pressures between 1/2 and 5 lbs. of pressure (Part #68-5009). Available as an accessory.

#Model available in Canada only.

ACCESSORIES

Part Number	Description	Fits Models	List Price
68-5001	12-inch duct adapter - Connects ducting to heater	MH-0085 & MH-0175	\$48.00
68-5002	Duct diffuser - Distributes heat from ducting	MH-0085 & MH-0175	\$373.00
68-5003	Heat diffuser - Distributes heat from unit	MH-0175	\$348.00
68-5004	Heat diffuser - Distributes heat from unit	MH-0085	\$223.00
68-5005	12-foot x 12-inch white flexible air ducting - Ducting directs heat where you need it; requires 68-5001	MH-0085 & MH-0175	\$423.00
68-5006	12-foot x 18-inch white flexible air ducting - Ducting directs heat where you need it; requires 68-5007	MH-0355 models	\$548.00
68-5007	18-inch duct adapter - Connects ducting to heater	MH-0355 models	\$73.00
68-5008	Thermostat kit (replacement only) - Adjusts temperature	All models	\$198.00
68-5009	Natural gas regulator - For gas supply pressures between 1/2 and 5 lbs. of pressure	MH-0355 models	\$223.00
68-5010	Two cylinder manifold - Connects any two propane cylinders	All models	\$48.00
68-5012	Duct diffuser - Distributes heat from ducting	MH-0355 models	\$748.00

Convection & Kerosene Radiant

Gas-Fired Convection



MH-0200-CM10



- 360-degree heat radius for even heating of room
- Inner windshield protects burner flame from being extinguished
- 10-foot hose and regulator (propane only)
- Quick assembly 2-piece burn chamber
- Durable steel housing
- Variable heat settings
- Automatic shut-off if flame is extinguished

Model Number	MH-0080-CM10	MH-0100-CM1N	MH-0200-CM10
Heat Output	60-70-80,000 BTU	50-70-100,000 BTU	50-200,000 BTU
Hot Air Flow	N/A	400 CFM	N/A
Ignition Type	Automatic (integral)	Control knob ignition	Push-button
Fuel	Propane	Natural Gas	Propane
Fuel Consumption	2.3 / 2.8 / 3.7 lbs./hr.	2.13 min. / 4.63 max. lbs./hr.	4.62 / 9.25 lbs./hr.
Operating Time (100 lb. Cyl.)*	L-43 / M-35 / H-27 hrs.	N/A	L-43 / M-17 / H-10.5 hrs.
Inlet Gas Pressure	N/A	7-in. WC min. / 14-in. WC max.	N/A
Heating Area	1,800 sq. ft.	3,000 sq. ft.	4,600 sq. ft.
Ship Wt.	17 lbs.	21 lbs.	20 lbs.
Net Wt.	12 lbs.	14 lbs.	14 lbs.
List Price	\$170.00	\$260.00	\$210.00

*Operating time is at Low, Medium and High Settings.

Kerosene Radiant



MH-0125-2M1R



- Fully enclosed motor for longer life
- Easy access fuel filter
- Two tires for easy mobility
- Easy-lift handle for portability at home or on the jobsite
- Adjustable heat height
- Clean, quiet, instant radiant heat
- Ultra quiet fuel pump
- Electronic controls

Model Number	MH-0125-2M1R
Heat Output	125,000 BTU
Heat Flow	Radiant
AC Power	120V, 60Hz, 3.15 Amps
Fuel Tank Capacity	14-gallons
Fuel Tank Consumption	.9 gal./hr.
Max. Operating Hours	20 hrs.
Heating Area	3,125 sq. ft.
Ship Wt.	85 lbs.
Net Wt.	73 lbs.
List Price	\$1,580.00

Propane Tank-Top Radiant



MH-0015-IM10



- Safety shut-off valve
- High efficiency heat reflector
- Heat regulator knob
- Heavy-duty construction
- Cast aluminum manifold
- Rust-proof chrome emitter guard
- Rear burner safety guard
- Variable heat control valve
- Clean, quiet, instant radiant heat
- Propane tank not included

Model Number	MH-0015-IM10	MH-0030-IM10
Heat Output (Single Burner)*	L-9,000 / M-12,000 / H-16,000 BTU	L-9,000 / M-12,000 / H-16,000 BTU
Heat Output (Double Burner)*	N/A	L-18,000 / M-24,000 / H-32,000 BTU
Ignition Type	Match light	Match light
Heat Settings	3	6
Propane Cylinder Size	20 lbs.	20 lbs.
Max. Operating Hours (20 lb. Cyl.)*	L-48 / M-36 / H-27 hrs.	L-48 / M-18 / H-14 hrs.
Ship Wt.	3 lbs.	6 lbs.
Net Wt.	2 lbs.	5 lbs.
List Price	\$70.00	\$160.00

*Heat output and operating hours are at Low, Medium and High Settings.

Propane Radiant Outdoor Patio Heater



MH-0040-PM10



- 360-degree heat radius for even heating
- Wind resistant burner system prevents flame from being extinguished, with automatic shut-off if flame is extinguished
- Heavy-duty stainless-steel emitter screen
- Rust resistant reflector material
- Easy slide cylinder compartment cover
- 18-inch base diameter
- Variable heat settings
- Built-in safety tip-over switch
- Wheel kit standard
- Propane tank not included

Model Number	MH-0040-PM10
Heat Output*	L-22,500 / H-40,000 BTU
Fuel	Propane
Fuel Consumption	1.85 lbs./hr.
Manifold Pressure	11-inch WC
Operating Time (20 lb. Cyl.)	10.8 hrs.
Suggested Cylinder Size	20 lbs.
Heating Area	210 sq. ft.
Ship Wt.	68 lbs.
Net Wt.	59 lbs.
List Price	\$480.00

*Heat output is at Low and High Settings.

Ordering Information

Extended Hours

To serve you better, our customer service hours of operation are:

Monday - Friday ... 7:30 am to 5:30 pm CST

Products may be ordered or inquiries sent 24 hours a day, 7 days a week via fax.

How To Order

Units and accessories are ordered through authorized Mi-T-M dealers and distributors.

- Be prepared to advise the Mi-T-M Customer Service Representative of your Mi-T-M account number, model numbers, parts and descriptions.
- Indicate your purchase order number and full name on order.
- Specify exact shipping instructions.
- With fax and/or mail-in orders, give full name, Mi-T-M account number, zip code and telephone number.

Phone

563-556-7484
800-553-9053

Fax

563-556-1235

Mail

Mi-T-M Corporation
8650 Enterprise Drive
Peosta, IA 52068

Internet

www.mitm.com
www.mitmair.com
www.mitmheaters.com

E-mail

corp@mitm.com

Internet – www.mitm.com

Our website may be instantly accessed and offers:

- 4-color viewing of products and specifications
- A site search to find the equipment that's right for you
- How-To Videos
- Quick e-mail access for questions and information requests about specific models or product lines
- Mi-T-M on-line parts ordering and access to parts listings for the full Mi-T-M product lines
- Other services offered by Mi-T-M
- Company profile including Who's Who of Mi-T-M
- A listing of service centers throughout the country

Sales Policy

Products are sold through authorized Mi-T-M dealers, National Accounts and OEMs as recognized by Mi-T-M. All new customers must complete a credit application. Mi-T-M will perform a credit check and upon approval, the customer will receive an account number and a line of credit.

Production Schedule

Customers can anticipate a lead time of one week for cold water pressure washers, air compressors, portable generators, air compressor/generator combination, air compressor/generator/welder combination, wet/dry vacuums, jobsite boxes and portable heaters; a two week lead time for hot water pressure washers. Special units will require additional lead time.

Shipping

Orders shipped without specific shipping instructions are shipped "best way" as determined by Mi-T-M shipping department. Mi-T-M assumes no responsibility and makes no guarantees regarding air freight deliveries. Please allow seven working days before requesting tracking on lost or late shipments. In an effort to deliver Mi-T-M products to our customers in a timely manner, Mi-T-M developed a program where whole goods (pressure washers, air compressors, portable generators, air compressor/generator combination, air compressor/generator/welder combination, wet/dry vacuums, jobsite boxes and portable heaters) and parts are shipped from separate locations in our facility. Our freight policy has not changed. Our customers are still responsible for outgoing freight on parts and whole goods. This may be altered by any minimum qualifying freight programs. Because our goal is to process all orders as soon as we receive them, our system will no longer allow additional items to be added to a previously processed order. Any additional orders will be handled as a new order.

Freight Terms

- All water treatment systems and parts – F.O.B. Peosta
- Any combination of pressure washers, air compressors, portable generators, air compressor/generator combination, air compressor/generator/welder combination, wet/dry vacuums and portable heaters – may qualify for prepaid freight
- Jobsite boxes – prepaid on 1,000 lbs. or more
- Parts – prepaid and add
- Detergents – prepaid on twelve cases
- Trailer units – prepaid and add

Warranty

All warranty claims and returns of goods for repair shall be governed by the express terms of the Mi-T-M warranty, as provided in the conditions of our warranty, and limited to the replacement of defective parts, as provided in the conditions of the Mi-T-M warranty. To submit an electronic warranty claim go to www.mitm.com and click on the Warranty Claims links below the Advanced Product Search box on the home page.

Merchandise Return

Mi-T-M must be contacted before any product can be returned. The customer will receive a Returned Goods Authorization (RGA) number prior to the item being returned. Mi-T-M reserves the right to refuse returned product. Products must be in new and resalable condition. Products must be current production components. All products must be returned freight prepaid at shippers expense. Products returned C.O.D. for any reason will be refused. Credit not to exceed original purchase price will be issued on returned products approved for return subject to a 20% restocking fee.

Submission of Claims

All damages to merchandise – either internal or external – must be reported to the carrier shipping such merchandise, to permit an inspection report to be filed immediately. Claims of shortage of cartons, crates or boxes must be properly submitted to the carrier; claims for errors or shortages of contents must be submitted to Mi-T-M within 24 hours after delivery of such merchandise.

In a continued commitment to improve quality, Mi-T-M Corporation reserves the right to make component or design changes when necessary.

NOTE: PSI or GPM may vary + or - 5% from specifications due to variances allowed by component suppliers.

Pressure Washer Model Number Guides	p11	Air Compressor/Generator Combination	p20
Cold Water Pressure Washers	p3-8	8-Gallon	p20
CD Gasoline Series	p3	30-Gallon	p20
JP Gasoline Series	p3	Air Compressor/Generator/Welder Combination	p21
CA Series	p4	30-Gallon	p21
CBA Series	p4	Base Mount	p21
JCW Series	p5	Air Compressor Accessories	p21-24
CW Premium Gasoline Series	p5	Portable Generators	p25-28
CWC Premium Gasoline Series	p6	Inverters Gasoline	p25
CW Premium Diesel Series	p6	ChoreMaster® Series Gasoline	p25
CD Electric Series	p6	3000, 4000 & 5000-Watts Gasoline	p26
JP Electric Series	p7	6000, 7500 & 8000-Watts Gasoline	p26
CW Premium Electric Series	p7	13,000 & 14,000-Watts Gasoline	p27
CW Premium Electric Stationary Series	p8	6000-Watts Diesel	p27
Hot Water Pressure Washers	p8-11	Generator Accessories	p28
HSP Series	p8	Wet/Dry Vacuums	p29-31
HS Series	p9	9-Gallon Vacuum, Accessories & Replacement Parts	p29
HSE Series	p10	13 & 18-Gallon Vacuums, Accessories & Replacement Parts	p30-31
HG Series	p11	Jobsite Boxes	p32
Pressure Washers Accessories	p12-15	Portable Heaters	p33-37
Air Compressors	p16-19	Kerosene Forced Air	p33
5-Gallon Gasoline	p16	Propane Forced Air	p33
8-Gallon Single Stage Gasoline	p16	Kerosene Indirect Ductable - Job Site Series	p34
20-Gallon Single Stage Gasoline	p16	Propane/Natural Gas Directional - Elite Series	p35
8-Gallon Two Stage Gasoline	p17	Gas-Fired Convection	p36
20-Gallon Two Stage Gasoline	p17	Kerosene Radiant	p36
30 & 80-Gallon Two Stage Gasoline & Base Mount	p17	Propane Tank-Top Radiant	p37
5-Gallon Electric	p18	Propane Radiant Outdoor Patio Heater	p37
8-Gallon Single Stage Electric	p18	Ordering Information	p38
20-Gallon Single Stage Electric	p18		
80 & 120-Gallon Two Stage Electric	p19		
80 & 120-Gallon Two Stage Electric - M Series	p19		



8650 Enterprise Drive
Peosta, IA 52068
800-553-9053 · 563-556-7484
Fax 563-556-1235
www.mitm.com
corp@mitm.com

Pressure Washers · Air Compressors · Portable Generators
Air Compressor/Generator Combination
Air Compressor/Generator/Welder Combination
Wet/Dry Vacuums · Jobsite Boxes · Portable Heaters
Water Treatment Systems

POWERED by
HONDA™

Distributed by:



©Copyright 2012, Mi-T-M® Corporation
64-6063/Mi1047/121611