RCRA 101

Tom Farrell, CHMM New Jersey Department of Environmental Protection Bureau of Hazardous Waste Compliance & Enforcement Southern Field Office 856-614-3640

What is RCRA?

A. Really Complicated Regulatory Act

B. Resource Conservation and Recovery Act

C. Ridiculously Cumbersome Ruthless Act

D. All of the Above

What is RCRA?

The Resource Conservation and Recovery Act (RCRA) was passed in 1976 as an amendment to the Solid Waste Disposal Act. Amendments were added to expand the program in 1984. The program set three goals:

- To protect human health and the environment.
- To reduce waste and conserve energy and natural resources.
- To reduce or eliminate the generation of hazardous waste as expeditiously as possible.

What is a "Hazardous Waste"?

A.Radioactive Waste B.Medical Waste C.Wastes which are Flammable, Corrosive, Reactive or Toxic

Two Types of Hazardous Waste CHARACTERISTIC *Ignitable:* Flash Point <140⁰ Fahrenheit *Corrosive:* pH <u><2</u> or <u>></u> 12.5 Reactive: Explosive, Water Reactive, Cyanide or Sulfide bearing waste Toxic: Will generate leachate containing heavy metals, solvents or pesticides LISTED Defined by USEPA as hazardous waste based upon process generating waste or according to chemicals involved

Generator Classifications

- Conditionally Exempt Small Quantity Generator
 - IN ANY MONTH, generates < 220 lbs./month (if acute, 12.2 lbs./month)
 - < 2.2 lbs./month)
 - Stores < 2,200 lbs. (if acute, <2.2 lbs.)</p>
- Small Quantity Generator
 - IN ANY MONTH, generates between 220 & 2,200
 lbs./month (if acute, < 2.2 lbs./month)
 - Stores up to 13,200 pounds (if acute, < 2.2 lbs.)
- Large Quantity Generator
 - IN ANY MONTH, generates > 2,200 lbs. (if acute, > 2.2 lbs./month)
 - Stores > 13,200 lbs. (if acute, > 2.2 lbs.)

Acute Hazardous Waste

An Acute Hazardous Waste is designated by a "P" number as its waste code. Acute hazardous waste exerts its toxicity with exposure to smaller quantities and in a shorter period of time than non-acute hazardous waste.

Sites that generate, in any single calendar month, or, accumulate at any time, > 1 kg (2.2 lbs.) of acute hazardous waste are a RCRA LQG. Such sites must comply with all LQG requirements, including the submition of a Biennial Hazardous Waste Report for that reporting year.

Storage Time Limits

CESQG can store waste indefinitely.
 However once total quantity reaches
 2,200 pounds facility becomes an SQG.

 SQG's can generally store waste for up to 180 days.

 LQG's can generally store waste for up to 90 days.

EPA Identification Number

 SQG's and LQG's are required to obtain a USEPA identification number. In Region II call 212-637-4106 to obtain number.

 CESQG's are not required to obtain a USEPA identification number. May want to get an NJX identification number which can be obtained by calling 609-292-7081.

Hazardous Waste Manifest

 SQG's & LQG's required to ship waste using hazardous waste manifest form.

 Must keep copies for 3 years.

Tenerati a ten (Ten deterationen de 12 abit tenetes) A la meneratu estas de la tenerativa de tener			Fare frameral CHERKS 2005-0028
UNITO ALARDONE TO BEEN DEPENDENT OF THE PROPERTY OF THE P	a sumbul who	1.600	and the second s
T COMPANY AND DO THE OWNER	saturations and reality	press and the second second	ψ
Sensier) Para	1		
 Leninger Leninel and 			1.12
1. Temperaturgeny Kenn		11.04.0	1910
		11.050	
Desites News In the UK INFOrmation/painting/hour Repring/Serie, Second Cone, 20 Series, 1998.	Bi Geb		Q. Solt 11 Visite Links
and and any hope of	b .	Ter Garly	INLAN. IS THEN HIM
100			
	4		
8			
	-		
13. Special Reading Industries and California Information			
1. GRANDON DOVENUES SHOP CARGE Transplation for the series of the series	anteshiyani amakiyi	carlied density He poper d	ipityment, and enclosible) participal
mar het andräutschlessenhet, andras it allerspeck in support andräutschempert annehigt in Reparter, trackly builles ankeisen dies anneigenant antimische kann ditte allerate PR-An	pphalisinismilani asin malaipusi sh'Amari	densi promoti despidires	Ropol diposited Lenits Piney
1. Contraction to the second secon	ellener Benerel e jobij res na	a part products	an 14 15
Temperatur index for contraction		elişkeli dag il ili	
C. Taropate Ustrackelgenet/Weapi d Materia Taropate V Peter			
	- april and		
Tooper when the real	alleran		an 14 m
1 Dampany			
tia liangenyintakeilpen 🗌 quely 🔤 lyge			ets Drahatin
	Materi Science		
Tith Albertuk Facility (n Generality)		11 Put	lata
Er Telenia fazili je Sanaderi 1990 - Sanada Sanada Fazili je sonateri 1990 - Sanada Sanada Fazili je sonateri 1991 - Sanada Sanada Fazili je sonateri			
o ar signa sour vasi h meani			
20 19 Honoise Reis Spot Mesopereri Mitei Cais Ja, askolis hannins ank instrut, da	nai minanin olemi		
2) Conjunit Vally-Care or Species Collingian drawight Francisco materials councily from	united arrespine vehicle is	m ile	
annin me	ujua:		ten of the
 IN-Fase 1994 20 (Res 3.01) Previous relians are double. 			
on a second buy real succession and an answer		NUMBER OF TAXALLY 101	SERVICE SWEET RECUPER

Exception Reporting Requirements

• LQG's:

- Generator must contact initial transporter or the TSDF operator within 35 days of shipping date.
- Generator must submit to NJDEP written exception report within 45 days of shipping date.

• SQG's

- Not required to submit exception report.
- After 60 days Generator must submit to NJDEP a copy of manifest with note that signed TSDF copy is missing.

TSDF SIGNED MANIFEST TRACKING LOG

MANIFEST NUMBER	TSDF TO WHICH WASTE WAS SHIPPED	DATE SHIPPED	DATE DUE (35 DAYS)	DATE RECEIVED

Land Disposal Restriction Form

 SQG's and LQG's required to use Land Disposal Restriction Notification or Certification Form for initial shipment and if waste stream changes.

 Must keep copies of form for 5 years from shipping date.

Biennial Report

 LQG's required to submit a report every two years summarizing waste shipments such as waste types, quantities, transporter and TSDF facilities utilized.

Inspections

· SQG's

- Weekly for hazardous waste storage containers
- For hazardous waste storage tanks: Daily/weekly per 40 CFR 265.201(c)
- Document findings in Inspection Log

LQG's

- Weekly for hazardous waste storage containers
- For hazardous waste storage tanks: Daily/bimonthly/yearly per 40 CFR 265.195
- Document findings in Inspection Log

Inspection Log

- Condition of containers?
- Containers closed when not in use?
- Containers marked "Hazardous Waste" and dated?
- Container markings visible?
- Containers stored longer than allowed?
 LQGs = 90 days SQGs = 180/270
- Containers segregated according to waste type?
- Containers of ignitable or reactive waste 50' from property line? (LQG only)
- Adequate aisle space?
- Spill control, safety, communication, and fire control equipment present?
- Name, date, and time of person performing inspection
- Corrective action taken (Use separate sheet as necessary)

ITEN/WEEK	WEEK OF				
Are containers in good condition, not leaking?					
Are containers closed when not in use?					
Are containers marked "Hazardous Waste" and clate?					
Are container markings visible?					
Are containers stored longer fran allowed? LQCs = 90 days SQCs = 180/270					
Are containers segregated according to waste type?					
Are containers of ignitable or reactive wasts 50' from property line? [LGC only]					
is there adequate aisle space?					
is there spill control, safety, communication, and fire control equipment present?					
Name, date, and time of person performing inspection					
Corrective action taken (Use separate sheet as necessary)					

WEEKLY CONTAINER STORAGE AREA INSPECTION LOG

Hazardous Waste Training

· SQG's

- Basic waste handling familiarization & emergency procedures
- Documentation not required but recommended

• LQG's

- Full training
- Initial & Annual refresher
- Documentation required

Preparedness & Prevention

 Familiarize fire, police, hospital & have emergency response contractor agreement.

Contingency Plan

· SQG's

 Basic plan by the phone: Emergency Coordinator name & telephone #, Fire Department telephone #, Location of fire extinguisher, alarm & spill equipment.

LQG's
 – Complete plan

Worksheet 1 Fill in and post this information next to your telephone.

EMERGENCY RESPONSE INFORMATION

Emergency Coordinator	Spill-Control Materials
Name:	Location(s):
Telephone:	
	Fire Alarm (if present)
	Location(s):
Fire Extinguisher	
Location(s):	
	Fire Department
	Telephone:

Worksheet 2 Fill in and post this information next to your telephone. Make sure all employees read and are familiar with its contents.

EMERGENCY RESPONSE PROCEDURES

In the event of a spill:

Contain the flow of hazardous waste to the extent possible, and as soon as is possible, clean up the hazardous waste and any contaminated materials or soil.

In the event of a fire:

Call the fire department and, if safe, attempt to extinguish the fire using a fire extinguisher.

In the event of a fire, explosion, or other release that could threaten human health outside the facility, or if you know that the spill has reached surface water:

Call the National Response Center at its 24-hour number (800 424-8802). Provide the following information:

Our company name:
Our address:
Our U.S. EPA identification number:
Date of accident
Fime of accident
Type of accident (e.g., spill or fire)
Quantity of hazardous waste involved
Extent of injuries, if any
Estimated quantity and disposition of recovered materials, if any
d