

**New Jersey Department of Health and Senior Services**  
**Communicable Disease Service**  
**Influenza Activity Summary**  
**Week Ending May 10, 2008 (MMWR Week 19)**

**Influenza Activity Level:    REGIONAL**

**NOTE:** No reporting parameters are above state baseline. Additionally, six counties had 2 of 3 parameters above baseline. Only one county had culture confirmed influenza in the last 3 weeks while 10 other counties reported rapid positive results.

**No Activity**- At least 2 of 3 parameters at or below state baseline **AND** no lab confirmed cases

**Sporadic** – At least 2 of 3 parameters above state baseline **AND** confirmed laboratory cases anywhere in the state within previous 3 weeks **OR** at least one laboratory confirmed outbreak in an institution anywhere in the state

**Local** – At least 2 or 3 parameters above state baseline in a single county **AND** confirmed laboratory cases from that same county within the previous 3 weeks (other counties may be above baseline without lab confirmed cases) **OR** confirmed outbreaks in 2 or more institutions in a single county


**Regional** – At least 2 of 3 parameters above state baseline in  $\geq 2$  but  $\leq 10$  counties **AND** laboratory confirmed cases from these same counties in past 3 weeks **OR** confirmed outbreaks institutions in  $\geq 2$  but  $\leq 10$  counties

**Widespread** – At least 2 of 3 parameters above state baseline in  $> 10$  counties **OR** institutional outbreaks in  $> 10$  counties **AND** lab confirmed influenza cases in previous 3 weeks.

Parameter = School, emergency department, or long term care weekly surveillance data

Baseline is calculated by taking the average of statewide percentages of ILI for a 4 year (2004, 2005, 2006, 2007) period during months when influenza is less likely to be circulating (May-August). Weeks in which less than 4 counties reported were not included in the calculation.

**New Jersey Department of Health and Senior Services  
Statewide Influenza Activity Levels**



## **Regional Data**

**REGIONAL – NW, NE**  
**LOCAL – CE AND SOUTH**  
**SPORADIC – CW AND SOUTH**

### Public Health Regions

NW Region (Morris, Passaic, Sussex, Warren)

NE Region (Bergen, Essex, Hudson)

CW Region (Hunterdon, Mercer, Somerset)

CE Region (Middlesex, Monmouth, Ocean, Union)

South Region (Atlantic, Burlington, Camden, Cape May, Cumberland, Gloucester, Salem)


No Activity- At least 2 of 3 parameters at or below state baseline **AND** no lab confirmed cases in the public health region

Sporadic – At least 2 of 3 parameters above state baseline **AND** confirmed laboratory cases anywhere in the public health region **OR** at least one laboratory confirmed outbreak in an institution anywhere in the public health region

Local – At least 2 or 3 parameters above state baseline in a single county of a public health region **AND** confirmed laboratory cases from that same county within the previous 3 weeks (other counties may be above baseline without lab confirmed cases) **OR** confirmed outbreaks in 2 or more institutions in a single county of a public health region

Regional – At least 2 of 3 parameters above state baseline in at least half of counties of public health region **AND** laboratory confirmed cases from these same counties in past 3 weeks **OR** confirmed outbreaks institutions in at least half of counties of public health region counties

Widespread – Not used for public health region data




## Laboratory Surveillance

As of week 19, 700 samples have been found to be positive by viral culture (151- AH1, 260- AH3, 58- A unknown type and 231-B). Rapid and culture results by county are displayed below.

County	Week 40 to Week 19							Weeks 17, 18, 19						
	Rapid*			Culture*				Rapid*			Culture*			
	A	B	A/B	A H1	A H3	A UNK	B	A	B	A/B	A H1	A H3	A UNK	B
Atlantic County	41	11	0	0	1	1	3	0	1	0	0	0	0	1
Bergen County	81	30	0	5	4	57	37	0	0	0	0	0	0	1
Burlington County	194	42	0	0	1	0	2	0	3	0	0	0	0	0
Camden County	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Cape May County	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Cumberland County	0	0	0	0	2	0	1	0	0	0	0	0	0	0
Essex County	229	68	50	9	23	0	18	2	0	0	0	0	0	0
Gloucester County	0	0	0	21	38	0	2	0	0	0	0	0	0	0
Hudson County	25	17	0	12	18	0	18	0	2	0	0	0	0	0
Hunterdon County	0	0	0	8	10	0	12	0	0	0	0	0	0	0
Mercer County	216	101	0	8	9	0	11	0	3	0	0	0	0	0
Middlesex County	44	15	0	11	11	0	13	0	0	0	0	0	0	0
Monmouth County	174	35	164	9	8	0	3	2	4	4	0	0	0	0
Morris County	0	0	0	19	43	0	25	0	0	0	0	0	0	0
Ocean County	0	0	0	1	2	0	1	0	0	0	0	0	0	0
Passaic County	96	47	0	12	6	0	11	1	1	0	0	0	0	0
Salem County	7	1	0	0	0	0	0	0	0	0	0	0	0	0
Somerset County	7	2	17	12	16	0	7	0	0	1	0	0	0	0
Sussex County	48	14	2	0	3	0	3	0	0	2	0	0	0	0
Union County	22	12	0	12	21	0	25	0	0	0	0	0	0	0
Warren County	67	40	0	0	11	0	7	1	3	0	0	0	0	0
Unknown	0	0	0	12	32	0	32	0	0	0	0	0	0	3
<b>State Total</b>	1251	435	233	151	260	58	231	6	17	7	0	0	0	5

\*Rapid data is acquired from facilities reporting rapid influenza tests via NREVSS or CDRSS ILI module. Culture results are obtained via PHEL, hospital viral culture laboratories or commercial laboratories.

New Jersey Department of Health and Senior Services  
Influenza Laboratory Report  
Viral Culture Positive Specimens by MMWR Week




## **Influenza-like Illness (ILI) Surveillance\***

### **Emergency Departments**

During week 19, 2.91% ILI was reported statewide from emergency departments. This is an increase over the previous week (2.30%). The percent ILI for each county ranged from 0.00 to 5.78%. The percent ILI for this same week last year was 3.83% in emergency departments. The percent ILI for the northwest (3.92%) and northeast (5.05%) public health regions were above state baseline (3.30%).


**New Jersey Department of Health and Senior Services  
Influenza-like Activity - Emergency Departments**



## Long-term Care Facilities


During week 19, 0.52% ILI was reported statewide from long term care facilities. This is an increase over the previous week (0.48%). The percent ILI for each county ranged from 0.00% to 1.25%. The percent ILI for this same week last year was 0.56% in long-term care facilities. The percent ILI for the central east (0.99%) public health region was above state baseline (0.86%). No new reports of respiratory outbreaks in long term care facilities were received in week 19.

**New Jersey Department of Health and Senior Services**  
**Influenza-like Activity - Long Term Care Facilities**



## School Absenteeism


During week 19, schools reported 4.22% absenteeism. This is a decrease over the previous week (4.30%). The percent ILI for each county ranged from 1.17 – 9.15%. The percent absent for this same week last year was 5.10%. The percent ILI for the northeast (4.98%) and south (5.76%) public health regions were above state baseline (4.85%).



## **Sentinel Provider Surveillance**

During week 19, 0.27% of sentinel provider patient visits were due to ILI. These data reflect reports from three (7%) of the enrolled sentinel providers.

During week 18, 0.17% of sentinel provider patient visits were due to ILI. These data reflect reports from eight (21%) of the enrolled sentinel providers.



## **Pediatric Influenza Surveillance**

To date, NJDHSS has received 50 reports of pediatric illness. A total of 24 cases have met the case definition. Of these, one death was reported in week 9.


## **122 City Mortality Report**

During week 18, 8.90% of all deaths reported by the vital statistics offices in 6 New Jersey cities (i.e., Camden, Elizabeth, Newark, Paterson, Jersey City, Trenton) were due to pneumonia or influenza. This is an increase over the previous week (4.19%). The percentage of death due to pneumonia or influenza for this same week last year was 5.45%.



## **RSV Reports**

During week 19, 14.75% of all RSV samples tested were positive. This was an increase over the previous week 5.74%. The percent of samples positive for RSV for this same week last year was 6.98%.



## **Additional Information**

For additional information regarding influenza surveillance please visit the following websites.

<http://nj.gov/health/flu/surveillance.shtml>

<http://www.cdc.gov/flu/>

\* Baseline is calculated by taking the average of statewide percentages of ILI for a 4 year (2004, 2005, 2006, 2007) period during months when influenza is less likely to be circulating (May-August). Weeks in which less than 4 counties reported were not included in the calculation.

\*\*Four year average is an average of the 2003-2004, 2004-2005, 2005-2006, 2006-2007 influenza seasons.



	Long Term Care			Schools			Hospital Emergency Department			RSV Tests	
County	# Enrolled	# Reports Rec'd	% ILI	# Enrolled	# Reports Rec'd	% Absent	# Enrolled	# Reports Rec'd	% ILI	# Positive	Total Tests Performed
ATLANTIC	6	2	0.00	17	13	6.48	4	4	0.65	13	29
BERGEN	3	0	0.00	16	0	0.00	6	0	0.00	0	14
BURLINGTON	6	0	0.00	104	1	9.15	3	0	0.00	0	0
CAMDEN	7	0	0.00	17	0	0.00	7	0	0.00	2	7
CAPE MAY	5	3	0.00	11	7	4.95	1	1	3.06	0	0
CUMBERLAND	5	3	1.08	18	6	5.70	3	3	5.62	0	3
ESSEX	14	0	0.00	34	2	1.88	11	5	5.12	1	13
GLOUCESTER	2	1	0.00	5	1	1.17	2	2	0.87	1	6
HUDSON	10	2	0.00	88	38	5.03	7	1	4.44	0	3
HUNTERDON	4	4	0.00	8	8	2.43	1	1	0.00	0	0
MERCER	11	5	0.24	26	13	3.58	5	2	2.01	0	0
MIDDLESEX	2	1	0.00	56	14	3.28	5	2	2.43	0	13
MONMOUTH	14	7	1.19	24	15	5.02	5	3	0.50	0	2
MORRIS	11	0	0.00	14	0	0.00	4	0	0.00	0	0
OCEAN	6	1	0.00	27	9	3.48	4	2	5.78	0	4
PASSAIC	8	1	0.67	23	3	2.51	6	1	1.76	1	18
SALEM	4	3	0.00	5	0	0.00	1	1	0.00	0	0
SOMERSET	5	1	0.00	63	17	2.88	2	1	1.43	0	0
SUSSEX	5	5	0.86	24	22	4.22	2	2	4.69	0	1
UNION	4	0	0.00	120	26	3.15	5	0	0.00	0	9
UNKNOWN	0	0	0.00	0	0	0.00	0	0	0.00	0	0
WARREN	7	2	1.25	21	11	4.50	2	2	7.69	0	0
NW Region	31	8	0.86	82	36	4.22	14	5	3.92	1	19
NE Region	27	2	0.00	138	40	4.98	24	6	5.05	1	30
CW Region	20	10	0.10	97	38	3.07	8	4	1.42	0	0
CE Region	26	9	0.99	227	64	3.81	19	7	2.21	0	28
South Region	35	12	0.39	177	28	5.76	21	11	1.97	16	45
State Total	139	41	0.52	721	206	4.22	86	33	2.91	18	122