Route 30/130, Collingswood/Pennsauken (Phase B), PATCO Bridge to North Park Drive

MILEPOST(S): 3.52 - 4.10 DB # 155C UPC 009010

MUNICIPALITY: Collingswood Boro Pennsauken Twp. COUNTY: Camden

This project will provide for the replacement of the Cooper River bridge. Rt. 30/130 will be widened northbound to three travel lanes from Haddon Avenue to North Park Drive. In addition, sidewalks will be added on both sides of the roadway throughout the project.

This project is multi-year funded under the provisions of Section 13 of P.L. 1995, c.108. Total construction funding needed is expected to be \$42,860,000.

ASSET MANAGEMENT CATEGORY: Bridge Assets-Bridge Rehab and Replacement

LEGISLATIVE DISTRICT: 6 7

AIR QUALITY CODE (NON-EXEMPT/EXEMPT): \$19 (Exempt)

FINANCIAL PLAN REQUIREMENT:

				Amounts in Millions of Dollars										
MPO	Phase	Fund	FY 2012	FY 2013	FY 2014	FY 2015	FY 2016	FY 2017	FY 2018	FY 2019	FY 2020	FY 2021		
DVRPC	CON	BRIDGE	\$24.288											

Route 130, Brooklawn Circles

DB # 99312 UPC 993120 MILEPOST(S): 25.50 - 26.50

COUNTY: Camden MUNICIPALITY: Brooklawn Boro

The improvements will incorporate the reconstruction of Old Salem Road to accommodate two lanes of traffic and divert flow from Creek Road to a new traffic signal on Rt. 130. Additionally, the intersection of Creek Road and Rt. 47 (one of the legs of the circle) will be revised to allow ingress from Rt. 47 northbound only. The improvements are designed to improve both safety and operations within the Brooklawn Circle. This project will be designed to be bicycle/pedestrian compatible.

ASSET MANAGEMENT CATEGORY: Congestion Relief-Highway Operational Improvements LEGISLATIVE DISTRICT: 5

AIR QUALITY CODE (NON-EXEMPT/EXEMPT): 2020M (Non-Exempt)

FINANCIAL PLAN REQUIREMENT:

SPONSOR: DVRPC STRUCTURE NO.: N/A

				Amounts in Millions of Dollars										
MPO	Phase	Fund	FY 2012	FY 2013	FY 2014	FY 2015	FY 2016	FY 2017	FY 2018	FY 2019	FY 2020	FY 2021		
DVRPC	CON	NHS		\$3.685										

Route 130, Camden County, Drainage

DB # 08366 UPC 083660 MILEPOST(S): 28.6 - 31.0

COUNTY: Camden MUNICIPALITY: Haddon Twp. Pennsauken Twp.

NJDOT Operations reports multiple closures due to flooding in this area. The current storm water pipes are inadequate to drain the storm water which is causing the flooding in the roadway. The past flood closures and daily traffic results in a high probability that the traveling public will continue to be impacted during major storm events. Hydrology and hydraulics studies are needed to identify the storm water drainage needs in order to reduce future flooding. The project area ranks #26 of 200 locations in the Drainage Management System.

ASSET MANAGEMENT CATEGORY: Road Assets-Drainage

LEGISLATIVE DISTRICT: 6 7

AIR QUALITY CODE (NON-EXEMPT/EXEMPT): \$2 (Exempt)

FINANCIAL PLAN REQUIREMENT:

				Amounts in Millions of Dollars										
MPO	Phase	Fund	FY 2012	FY 2013	FY 2014	FY 2015	FY 2016	FY 2017	FY 2018	FY 2019	FY 2020	FY 2021		
DVRPC	PE	NHS	\$0.500											
DVRPC	DES	NHS		\$1.000										
DVRPC	ROW	NHS			\$0.500									
DVRPC	CON	NHS						\$7.500						

Route 130, Columbus Road/Jones Street

DB # 02397 UPC 023970 MILEPOST(S): 46.8-47.9

COUNTY: Burlington MUNICIPALITY: Burlington City

The existing five-legged intersection is comprised of two closely spaced signals with left turns permitted from the "live" left lane of Rt. 130 northbound onto Jones Street. The project will address operational, physical and safety problems. The proposed project includes the following: Designated left-turn lane will be provided for northbound Route 130 onto Jones Street; Median opening at Court Drive will be closed, but allowing for the use of emergency vehicles; The existing traffic signal at the intersection will be replaced; ADA compatible pedestrian crosswalk and sidewalks will be provided at the intersection; A lead signal phase will be provided for the northbound Route 130 left-turn and for westbound Columbus Road. The project will include milling and resurfacing at the intersection. These improvements will address the operational and safety concerns at the subject intersection.

ASSET MANAGEMENT CATEGORY: Safety Management-Safety Improvements LEGISLATIVE DISTRICT: 7

AIR QUALITY CODE (NON-EXEMPT/EXEMPT): R1 (Exempt)

FINANCIAL PLAN REQUIREMENT:

				Amounts in Millions of Dollars										
MPO	Phase	Fund	FY 2012	FY 2013	FY 2014	FY 2015	FY 2016	FY 2017	FY 2018	FY 2019	FY 2020	FY 2021		
DVRPC	CON	HSIP			\$1.000									

Route 130, Craft's Creek Bridge

DB # 01356 UPC 013560 MILEPOST(S): 51.51 - 52.00

COUNTY: Burlington MUNICIPALITY: Florence Twp. Mansfield Twp.

The purpose of this project is to improve the deteriorating conditions of the structure carrying Rt. 130 over Craft's Creek through the replacement of the existing structure and to provide a dedicated right-turn lane from Rt. 130 southbound onto Hornberger Avenue. Presently, the roadway of the structure provides an eight-foot shoulder width with no sidewalks. The proposed concept would extend the current roadway section to include a 15-foot right-turn auxiliary lane and maintain the existing two 12-foot travel lanes in each direction. There is no provision for sidewalks at this location.

This project is multi-year funded under the provisions of Section 13 of P.L. 1995, c.108. Total construction funding needed is expected to be \$12,670,000.

ASSET MANAGEMENT CATEGORY: Bridge Assets-Bridge Rehab and Replacement

LEGISLATIVE DISTRICT: 7 8

AIR QUALITY CODE (NON-EXEMPT/EXEMPT): \$19 (Exempt)

FINANCIAL PLAN REQUIREMENT:

				Amounts in Millions of Dollars									
MPO	Phase	Fund	FY 2012	FY 2013	FY 2014	FY 2015	FY 2016	FY 2017	FY 2018	FY 2019	FY 2020	FY 2021	
DVRPC	CON	NHS	\$4.216										

Route 130, Crystal Lake Dam

DB # 02309 UPC 023090 MILEPOST(S): 53.5

COUNTY: Burlington MUNICIPALITY: Bordentown Twp.

Crystal Lake Dam carries US Rt. 130 over Springhill Brook and is owned by NJDOT. It is classified as a "Significantly Hazard" dam by the New Jersey Department of Environmental Protection- Bureau of Dam Safety and Flood Control. The dam does not conform to current NJ Dam Safety Standards. The purpose of the project is to bring it into conformance with those standards, this will include providing overtopping protection for a 100 yr. storm event, improvement to the spillway, construction of a new sluice gate and access, slope stabilization and regrading, clearing of vegetation on the embankment and re-vegetation compatible with the site to provide slope stabilization, construction of a new inlet, new guiderail and minor repairs to the existing culvert.

ASSET MANAGEMENT CATEGORY: Bridge Assets-Dams LEGISLATIVE DISTRICT: 30

AIR QUALITY CODE (NON-EXEMPT/EXEMPT): \$2 (Exempt)

FINANCIAL PLAN REQUIREMENT:

			Amounts in Millions of Dollars										
MPO	Phase	Fund	FY 2012	FY 2013	FY 2014	FY 2015	FY 2016	FY 2017	FY 2018	FY 2019	FY 2020	FY 2021	
DVRPC	ROW	NHS	\$0.300										
DVRPC	CON	NHS			\$4.366								

Route 130, Hollywood Avenue (CR 618)

DB # 93216 UPC 950469 MILEPOST(S): 2.20

COUNTY: Salem MUNICIPALITY: Carneys Point Twp.

This project provides for safety and operational improvements to address problems caused by the severe acute angle of the intersection. A horizontal curve also causes sight distance problems for Rt. 130 northbound traffic. Local business driveways are believed to contribute to accidents. Scope of project to be determined.

ASSET MANAGEMENT CATEGORY: Safety Management-Safety Improvements LEGISLATIVE DISTRICT: 3

AIR QUALITY CODE (NON-EXEMPT/EXEMPT): \$6, \$5 (Exempt)

FINANCIAL PLAN REQUIREMENT:

			Amounts in Millions of Dollars									
MPO	Phase	Fund	FY 2012	FY 2013	FY 2014	FY 2015	FY 2016	FY 2017	FY 2018	FY 2019	FY 2020	FY 2021
SJTPO	ROW	NHS	\$0.500									
SJTPO	CON	NHS			\$3.680							

Route 130, Raccoon Creek Bridge Replacement and Pavement Rehabilitation

MILEPOST(S): 11.80 - 12.80 DB # 98344 UPC 983440

**COUNTY: Gloucester** MUNICIPALITY: Logan Twp.

This project will provide for the proposed replacement of the existing structure (vertical lift bridge) and associated roadway approach improvements. This project will not address other operational or geometric improvements.

This project is multi-year funded under the provisions of Section 13 of P.L. 1995, c.108. Total construction funding needed is expected to be \$53,002,000.

ASSET MANAGEMENT CATEGORY: Bridge Assets-Bridge Rehab and Replacement

LEGISLATIVE DISTRICT: 3

AIR QUALITY CODE (NON-EXEMPT/EXEMPT): \$19 (Exempt)

FINANCIAL PLAN REQUIREMENT:

				Amounts in Millions of Dollars											
MPO	Phase	Fund	FY 2012	FY 2013	FY 2014	FY 2015	FY 2016	FY 2017	FY 2018	FY 2019	FY 2020	FY 2021			
DVRPC	DES	BRIDGE	\$3.000												
DVRPC	ROW	BRIDGE	\$0.932												
DVRPC	CON	BRIDGE		\$31.002	\$22.000										

Route 130, Westfield Ave. to US Rt. 1, Pavement

DB # 11309 UPC 113090 MILEPOST(S): 67.8 - 83.5

COUNTY: Mercer Middlesex MUNICIPALITY: East Windsor Twp Cranbury Twp South

Brunswick Twp North Brunswick Twp

This is a pavement resurfacing project covering NB MP 67.8-72.6, 75.5-83.5; SB 67.8-74.3; 76.3-78.8, 80.3-83.5.

ASSET MANAGEMENT CATEGORY: Road Assets-Highway Resurfacing

LEGISLATIVE DISTRICT: 12 14 17

AIR QUALITY CODE (NON-EXEMPT/EXEMPT): \$10 (Exempt)

FINANCIAL PLAN REQUIREMENT:

			Amounts in Millions of Dollars									
MPO	Phase	Fund	FY 2012	FY 2013	FY 2014	FY 2015	FY 2016	FY 2017	FY 2018	FY 2019	FY 2020	FY 2021
DVRPC	CON	NHS				\$2.000						
NJTPA	CON	NHS				\$13.000						