

- Route State of New Jersey  
Department of Environmental Protection  
Division of Parks and Forestry  
State Park Service

Special Use Permit

Permit Date(s) & Time(s): 09/17/2018-11/01/2018

Event Name: \_\_\_\_\_ Access across state lands for bridge in-kind repairs – Whitehead Road (County Route 616) Structure 3000-151

SPS Area: Delaware and Raritan State Park – Whitehead Road – Lawrence Township, NJ [Mercer County]

Permittee: New Jersey Department of Transportation – Attn: Brendan Brock

Street Address: \_951 Parkway Avenue\_\_\_\_\_

City/Town: \_\_Ewing Township\_\_\_\_\_ State: \_NJ\_\_\_ Zip Code: \_08625

Telephone/Contact Numbers: Brendan.Brock@dot.nj.gov, 609-530-3013, 856-206-3826 cell, 609-530-5305 fax

Mount Construction, Inc.  
427 South White Horse Pike  
P.O. Box 619  
Berlin, NJ 08009

DRCC: GP1 - #18-5293, dated September 6, 2018

SHPO: E-mail of no encroachment 9/4/18 Meghan Baratta

**Specific Use and Location:**

NJDOT proposes to conduct in-kind maintenance work on Structure No 3000-151; Whitehead Road over D&R Canal in the Township of Lawrence, Mercer County. NJDOT performed a field inspection on the structure and noted defects on the Northeast stone masonry retaining wall. There are voids in the wall due to loss pointing with vines and small trees growing in the voids. The contractor will remove vegetation and loose pointing and repoint the stone masonry wall. There will be no change to the design of the wall structure. NJDOT will use the same style or type of mortar mix that was originally used for laying the stones. The work will take approx.. one week to complete. All work will be in-kind and performed in accordance with the current NJDOT standard specifications for roadway and bridge construction. Accommodations will be made for pedestrians using the towpath.

**Subject to the Terms and Conditions described in: Attachment(s): A \_\_\_\_\_**

1. Contractor vehicles will be utilized. The NJ State Park Service is not responsible for any vandalism or damage that may occur. Remove any machinery from the site daily to ensure its safety.
2. Vehicular access to the towpath or grassy area of the park is permitted.

3. **General Liability Insurance in the sum of \$1,000,000 is required for this event.** (List State of New Jersey, NJDEP, Division of Parks and Forestry, NJ State Park Service, D&R Canal State Park and New Jersey Water Supply Authority as additionally insured)
4. Permittee must take all trash out of the park. D&R Canal State Park is a Carry-In/Carry- Out park.
5. The permittee will be responsible for supervision of any event, activity or service.
6. **There is a One Hundred and Fifty (\$150) dollar Special Use Permit fee to be mailed ASAP to the D&R Canal State Park Kingston Office with the signed Special Use Permit.** Checks are to be made payable to "Treasurer, State of New Jersey." [Mailing address: 145 Mapleton Road Princeton, NJ 08540] Participants may not block any area of D&R Canal State Park for use by the public during this event.
7. Port-A-Johns are not guaranteed. If you would like to be certain that restroom facilities will be present for you event, make provisions for your organization to rent them.
8. The applicant shall use a boom or other method to contain any debris in the canal and remove such debris from the water
9. D&R Towpath should remain open to public/park/NJWSA use. Use flag persons to stop traffic if needed.
10. If work in the canal is required, the NJDOT shall follow any recommendation by the New Jersey Water Supply Authority (NJWSA) that such work shall be conducted during times of low flow through the canal.
11. During the work, the contractor shall ensure that no debris, soil or vegetation from the work shall fall, drop, be placed or dumped in the canal. The applicant shall ensure that a boom or other method is employed to contain any debris in the canal and remove any debris from the water.
12. The contractor shall not pierce or puncture the clay liner or the bed of the canal.
13. The Delaware and Raritan Canal is used as a raw water source for several water companies downstream, and as such, water quality and flow shall be maintained.

*This permit grants no privilege other than that which is specifically mentioned herein.*

**I, the undersigned permittee, understand and accept the terms of this agreement,**

By: Brenda K. Burk  
Permittee

By: \_\_\_\_\_  
Witness

Date: 9/5/2018

Date: \_\_\_\_\_

**AREA RECOMMENDATION:**

By: Patricia Kalleser  
Area Superintendent

Date: 9/10/18

By: Emailed CG+JM 9/5  
Area Sergeant

Date: \_\_\_\_\_

REGIONAL APPROVAL:

By: [Signature]  
Regional Superintendent

Date: 9/10/18

NEW JERSEY WATER SUPPLY AUTHORITY:

By: \_\_\_\_\_

Date: \_\_\_\_\_



State Park Service



- Obtain Permit on arrival
- Permit
- Receipt

D. & R Canal State Park

NAME N.J. Dept. of Transportation c/o Mount Construction AREA Mount Construction No. in Party 1 Site No. 1  
(Permittee must be 18 years of age or older)  
 ADDRESS 427 South White Horse Pike, PO Box 619  
Berlin NJ 08009  
(City) (State) (Zip Code)

DRIVER'S LICENSE # \_\_\_\_\_ (State) \_\_\_\_\_ (Telephone)

VEHICLE \_\_\_\_\_ (Make) \_\_\_\_\_ (Plate #) \_\_\_\_\_ (State)

VEHICLE \_\_\_\_\_ (Make) \_\_\_\_\_ (Plate #) \_\_\_\_\_ (State)

- Tent
- Tent Trailer
- Travel Trailer
- Pickup Camper
- \_\_\_\_\_ (Other)

OVERNIGHT USE \_\_\_\_\_ NIGHTS AT \$ \_\_\_\_\_ TOTAL \_\_\_\_\_

OTHER PERMIT USE Commercial, In State \$ \_\_\_\_\_

Special Use Permit Fee \$ \_\_\_\_\_  
Check # 270449 \$ 150.00

RE: Whitehead Rd. Street RESERVATION FEE \$ \_\_\_\_\_

Bridge Repair TOTAL RECEIVED \$ 150.00

FACILITY MUST BE OCCUPIED AND VACATED BY TIME SPECIFIED

RENTAL PERIOD: FROM \_\_\_\_\_ (Time) \_\_\_\_\_ (Month) \_\_\_\_\_ (Day) \_\_\_\_\_ (Year)  
 TO \_\_\_\_\_ (Time) \_\_\_\_\_ (Month) \_\_\_\_\_ (Day) \_\_\_\_\_ (Year)

RE-REGISTRATION REQUIRED BEFORE 10:00 A.M.

CAMPFIRES:  PERMITTED \_\_\_\_\_  
 OTHER \_\_\_\_\_

PETS and ALCOHOLIC BEVERAGES are PROHIBITED in overnight facilities.  
 Public use of New Jersey's State Parks and Forests is subject to the provisions of N.J.S.A. Title 13 and N.J.A.C. 7:2-1 et. seq.

I hereby certify that I am 18 years of age or older and that I will abide by all posted instructions and particularly the Rules and Regulations printed on the reverse side of this permit.

Signature(s) \_\_\_\_\_ (Permittee)  
Ku Cole (Issuing Agent) 8/31/18 (Date)

THANK YOU. PLEASE ENJOY YOUR VISIT



427 South White Horse Pike  
P. O. Box 619  
Berlin, New Jersey 08009  
Telephone: (856)768-8493  
Fax:(856)753-1453

Transmittal No.  
P18160-003

TRANSMITTAL

TO: New Jersey Department of Transportation  
Bureau of Bridge Maintenance Engineering & Operations  
1035 Parkway Ave  
Trenton, NJ 08625  
ATTN: Todd Stanek

DATE: 8/30/018  
PROJECT OWNER: NJDOT  
CONTRACT: Maintenance Timber/Underwater/Drainage Structural  
Repairs- Central, 2018, Various Sites  
LOCATION: Various Sites - Central

GENTLEMEN / MADAM

We are sending you  by messenger  
 enclosed herewith  
 under separate cover

the following: \_\_\_\_\_

_____	prints Drawing No.	_____	covering	_____
_____	prints Drawing No.	_____	covering	_____
_____	prints Drawing No.	_____	covering	_____
_____	prints Drawing No.	_____	covering	_____
_____	prints Drawing No.	_____	covering	_____
_____	prints Drawing No.	_____	covering	_____

1	copy	COI & Check for SUP	covering	WO 2852 Whitehead Rd. Str # 3000-151 Lawrence, Mercer County
_____	copy	_____	covering	_____
_____	copy	_____	covering	_____
_____	copy	_____	covering	_____
_____	copy	_____	covering	_____
_____	copy	_____	covering	_____
_____	copy	_____	covering	_____
_____	copy	_____	covering	_____

FOR YOUR APPROVAL; Please check and provide approval of the above described submission

_____	Revised for final approval.	_____	Approved, for your files.
_____	for your files.	_____	Approved as noted
_____	Returned for corrections, revise or correct & resubmit	_____	Proceed with fabrication.
_____	x _____ copies for final approval.	_____	Immediate Response Requested

REMARKS: If you need any additional information, please call me @ 856-768-8493.

Copy to :	File
_____	_____
_____	_____
_____	_____
_____	_____

Thank you,

By Danielle Usher

Danielle Usher- Estimating Coordinator



# GENERAL PERMIT 1



**DRCC #:** 18-5293

**DATE:** September 6, 2018

**PROJECT NAME:** NJDOT Bridge (Structure No. 3000-151) over Delaware and Raritan Canal at Whitehead Road (CR 616): In-kind Repair

**Latest Submission Received:** August 31, 2018

**Applicant:**

New Jersey Department of Transportation (NJDOT)  
951 Parkway Avenue  
Ewing, NJ 08625  
[Brendan.Brock@dot.nj.gov](mailto:Brendan.Brock@dot.nj.gov)

**Project Location:**

Road	Municipality	County	Block(s)	Lot(s)
Whitehead Road (Mercer County Route 616) Extension at Milepost 1.00	Lawrence Township	Mercer	504	5

**Jurisdictional Determination:**

Zone A	Minor	Governmental
--------	-------	--------------

**Documents Received:** Application received August 31, 2018.

The Delaware and Raritan Canal Commission has reviewed the referenced application for a General Permit authorization pursuant to the requirements of the Regulations for the Review of the Delaware and Raritan Canal State Park at N.J.A.C. 7:45-6.2. The proposed project is authorized by General Permit No.1, which authorizes projects in Zone A that are necessary to carry out the repair, rehabilitation, maintenance or reconstruction of a structure, road, utility line, or stormwater management measure or basin lawfully existing prior to January 1980 or approved under this Chapter by the Commission.

The project authorized under this general permit shall not be put to any use other than as specified in any approval authorizing its original construction. Projects authorized under

PO BOX 539 STOCKTON, NJ 08559 609-397-2000  
[www.nj.gov/dep/drcc/](http://www.nj.gov/dep/drcc/)

DATE: September 6, 2018

PROJECT NAME: NJDOT Bridge (Structure No. 3000-151) over Delaware and Raritan Canal at Whitehead Road (CR 616): In-kind Repair

the general permit shall not visibly change, expand, widen or deepen the feature, and shall not deviate from any plans of any prior project approvals, except for minor deviations due to changes in materials or construction techniques. Any such deviations must be shown as necessary to fulfill the purpose of the proposed project and must be consistent with the Master Plan.

**Description of the authorized project:** NJDOT proposes to conduct in-kind maintenance repair work on the bridge over the Delaware and Raritan Canal at Whitehead Road (Mercer County Route 616) in Lawrence Township, Mercer County (NJDOT Structure No. 3000-151) at canal milepost 24.18. The repairs will address defects discovered during a field inspection of the bridge which noted defects in the stone masonry retaining wall located at the northeast corner of the structure. Specifically, the inspection noted voids in the wall caused by a loss of pointing, as well as vines and small trees growing from the voids. NJDOT proposes to remove loose pointing and vegetation from the retaining wall. The work calls for using the same collapsed stones and repointing profiles from the existing wall structure. Additionally, the NJDOT will use the same style or type of mortar mix that was originally used for laying the stones. NJDOT has stated that the repairs will be done in-kind and not impact existing clearances with respect to the underside of the road deck.

The Whitehead Road bridge measures 67-feet in length and was constructed in 1955, replacing an earlier wooden structure. The bridge is constructed of concrete with a concrete road deck, concrete parapets and two concrete sidewalks of six feet in width. It is not listed on the State or Federal Registers of Historic Places and does not date from the periods of the canal's historic significance.

**Permit Conditions:** The project allowed by this authorization shall comply with the following conditions. Failure to comply with these conditions shall constitute a violation of the "Delaware and Raritan Canal State Park Law of 1974" (N.J.S.A. 13:13A-1 et seq.).

1. This authorization is valid for five years from the date of this letter unless more stringent standards are adopted by rules prior to this date.
2. The project as described shall be constructed and/or executed in conformity with the application.
3. No change in plans or specifications shall be made except with prior written permission from the Commission.
4. The permittee shall allow the Commission the right to inspect the construction site and shall provide the Commission with written notification 7 days prior to the start of the authorized work.
5. A complete, legible copy of this permit shall be kept at the work site and shall be exhibited upon request of any person.

**DATE:** September 6, 2018

**PROJECT NAME:** NJDOT Bridge (Structure No. 3000-151) over Delaware and Raritan Canal at Whitehead Road (CR 616): In-kind Repair

6. The issuance of this permit shall not be deemed to affect in any way other actions by the Commission on any future application.
7. The Delaware and Raritan Canal is used as a raw water source for several water companies downstream, and as such, water quality and flow shall be maintained.
8. If work in the canal is required, the NJDOT shall following any recommendation by the New Jersey Water Supply Authority (NJSWA) that such work shall be conducted during times of low flow through the canal.
9. During the work, the contractor shall ensure that no debris, soil or vegetation from the work shall fall, drop, be placed or dumped in the canal. The applicant shall ensure that a boom or other method is employed to contain any debris in the canal and remove any debris from the water.
10. It shall be the contractor's responsibility to ensure that all debris caused by the work is removed from the canal.
11. The contractor shall not pierce or puncture the clay liner or the bed of the canal.
12. The NJDOT shall periodically inform and update the NJSWA on the status of the work schedule for the project.
13. Access to the canal, towpath and adjacent NJSWA buildings for NJWSA personnel shall be maintained.
14. Any damage to the canal caused by the contractor or any subcontractor shall be repaired to the satisfaction of the NJSWA.
15. The NJDOT shall obtain a Special Use Permit from the Superintendent of the D&R Canal State Park.
16. The contractor shall obtain general liability insurance in the amount of \$1 million, which shall list the State of New Jersey, the Department of Environmental Protection, the Division of Parks and Forestry, the State Park Service and the NJWSA as additionally insured.
17. When available, NJDOT shall provide the name of the contractor undertaking the project to the Commission, NJWSA and the State Park Superintendent.
18. The contractor shall assume all risk of and responsibility for, and agrees to indemnify, defend and save harmless the State of New Jersey and its employees from and against any and all claims, demands, suit, actions, recoveries, judgements, costs and expenses in connection therewith on account of the loss of life, property or injury or damage to the person, body, or property of any person or persons whatsoever, which shall arise from or result directly or indirectly from work performed in connection with this permit. The indemnification obligation is not limited by, but is in addition to, the insurance obligation contained in this permit.

**Expiration Date:** September 6, 2023.

**Appeal of Decision:** In accordance with N.J.A.C. 7:45- 7.1, any person who is aggrieved by this decision may request a hearing within 30 days of the date of decision.

**DRCC#:** 18-5293

4

**DATE:** September 6, 2018

**PROJECT NAME:** NJDOT Bridge (Structure No. 3000-151) over Delaware and Raritan Canal at Whitehead Road (CR 616): In-kind Repair

If you have any questions regarding this authorization, please contact the Commission at (609) 397-2000 and reference the above file number.

Sincerely,



John Hutchison  
Executive Director

- c. Mike Sellar, Facility Manager, Delaware & Raritan Canal, NJSWA
- Julie Shelley, Property & Permit Administrator, NJWSA
- Patricia Kalleser, Superintendent, Delaware & Raritan Canal State Park
- Jesse West-Rosenthal, Historic Preservation Specialist 2, DEP/SHPO

PO BOX 539

STOCKTON, NJ 08559

609-397-2000

[www.nj.gov/dep/drec](http://www.nj.gov/dep/drec)

# RE: Whitehead Road (CR 616) over D&R Canal Permit Application

Baratta, Meghan

Tue 9/4/2018 11:57 AM

To: Brock, Brendan <Brendan.Brock@dot.nj.gov>; Kallessen, Patricia <Patricia.Kallessen@dep.nj.gov>; Marcopul, Kate <Kate.Marcopul@dep.nj.gov>; West-Rosenthal, Jesse <Jesse.West-Rosenthal@dep.nj.gov>; Hutchison, John <John.Hutchison@dep.nj.gov>;

cc: Michael Sellar <msellar@njwsa.org>; Marc Brooks <mbrooks@njwsa.org>; Hunger, Brett <Brett.Hunger@dot.nj.gov>;

Thank you for the clarification Brendan. Pursuant to N.J.A.C. 7:4-7.4 (b)2 the proposed project will have no encroachment on the D & R Canal Historic District. You do not have to submit an application for project authorization. Thank you for giving the HPO the opportunity to review the proposed project.

Sincerely,  
Meghan

Meghan MacWilliams Baratta  
Supervising Historic Preservation Specialist  
NJ HPO  
Mail Code 501-04B  
PO Box 420  
Trenton, NJ 08625-0420  
(609) 292-1253 phone  
(609) 984-0578 fax

---

**From:** Brock, Brendan

**Sent:** Tuesday, September 4, 2018 8:35 AM

**To:** Baratta, Meghan <Meghan.Baratta@dep.nj.gov>; Kallessen, Patricia <Patricia.Kallessen@dep.nj.gov>; Marcopul, Kate <Kate.Marcopul@dep.nj.gov>; West-Rosenthal, Jesse <Jesse.West-Rosenthal@dep.nj.gov>; Hutchison, John <John.Hutchison@dep.nj.gov>

**Cc:** Michael Sellar <msellar@njwsa.org>; Marc Brooks <mbrooks@njwsa.org>; Hunger, Brett <Brett.Hunger@dot.nj.gov>

**Subject:** RE: Whitehead Road (CR 616) over D&R Canal Permit Application

Hello Meghan,

The NJDOT proposes to conduct in-kind maintenance work on Structure No. 3000-151. There would be absolutely no change in the design of the wall structure. The work calls for using the same collapsed stones and repointing profiles from the existing wall structure. Additionally, the NJDOT will use the same style or type of mortar mix that was originally used for laying the stones. The bridge was built in 1955 as far as the NJDOT bridge inventory goes.

Please let me know if you would still like me to submit a SHPO Application.

Brendan

See travel times, traffic and nearby places



Structure No.: 3000-151 Route: 3000 Cycle No.: 17  
Name: Whitehead Road (CR 616) over D&R Canal Insp. Date: 5/16/2012



<b>Location:</b>	Northeast stone masonry retaining wall looking north.
<b>Description:</b>	Missing pointing with vegetation growth in the voids.

Please see the attached permit applications. A check is forthcoming. If you have any questions or require additional information, please call me. Thank you.

Brendan

---

**From:** Brock, Brendan  
**Sent:** Wednesday, August 29, 2018 2:06 PM  
**To:** Hutchison, John <John.Hutchison@dep.nj.gov>  
**Subject:** Whitehead Road (CR 616) over D&R Canal Permit Application

Hello John,

Please find attached a permit application for the subject project. The in-kind work calls for repointing the stone masonry wall therefore, a SHPO Application should not be needed. However, a SUP will be needed for the tow-path. If you have any questions or require additional information, please call me. Thank you.

Brendan K. Brock  
Division of Environmental Resources/ESSU  
NJ Department of Transportation  
951 Parkway Avenue  
Ewing Twp., NJ 08625  
609-530-3013